


Ford's FLEA and BROWN DOG TICK GRANULES

TO CONTROL FLEAS, BROWN DOG TICKS AND ANTS



BEST DOCUMENT AVAILABLE

ACTIVE INGREDIENT:

Chlorpyrifos [O,O-diethyl-O(3, 5, 6 trichloro-2-pyridyl) phosphorothioate]	0.5%
INERT INGREDIENTS	99.5%
TOTAL	100.0%

U.S. Patent No. 3,244,588

USE DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DIRECTIONS FOR USE:

Treat when insects first appear using Granules at the rate of one pound per 200 sq. ft. or 4 pounds per 800 sq. ft. To help obtain uniform distribution, apply one-half required amount of product on one direction, then apply the balance at a right angle. Immediately after application sprinkle the turf with 40 gallons of water per 800 sq. ft. so to wash the granules into the zone of insect infestation. Repeat as necessary.

SUGGESTED APPLICATIONS:

For control of fleas and brown dog ticks, thoroughly apply FORD'S FLEA AND BROWN DOG TICK GRANULES as a spot treatment to infested areas such as:

PETS: Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment of pet areas. Additionally, treat pets with an E.P.A. approved product registered for direct application to pets.

AREAS: Apply FORD'S FLEA AND BROWN TICK GRANULES uniformly to home lawns, under shrubbery, and other ornamental recreational turf grass areas.

TO CONTROL FLEAS, BROWN DOG TICKS AND ANTS

STORAGE AND DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: KEEP OUT OF REACH OF CHILDREN. MAY BE HARMFUL IF SWALLOWED. Do not take internally. Avoid contact. Flush contaminated eyes with plenty of water, and get medical attention if irritation persists. Wash thoroughly after handling. Wash contaminated clothing before reuse. Keep children and pets off treated areas until material is washed into soil and grass is dry.

NOTE TO PHYSICIAN: Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine, only by injection, is an antidote.

Keep away from food, feedstuffs, and domestic water supplies.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately.

If Inhaled: Remove victim to fresh air and apply respiration if indicated.

If In Eyes: Rinse eyes with plenty of water and call a physician immediately.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product as specified on this label.

CAUTION: KEEP OUT OF REACH OF CHILDREN

SEE OTHER CAUTIONS ON THIS LABEL

E.P.A. Reg. 10370-50

E.P.A. Est No. 10370-Tx-1

Formulated By:

Ford's Chemical & Service, Inc.

2730 Pasadena Blvd.

PASADENA, TEXAS 77502

NET CONTENTS 1 LB