

\FORD\1037-129.LAB HD #11

EPA Reg. No. 10370-129

This is response to EPA letter dated 11-04-86.

Additional Brand Name Accepted 11-04-86: SEVIN® Brand 10% Carbaryl Insecticide

**fords®**

ACCEPTED

FEB 2 1987

10370-129

Basic name>

SEVIN® 10 DUST

FOR INSECT CONTROL ON VEGETABLES - VINE AND FIELD CROPS  
ORNAMENTALS - DOGS AND CATS

APPLY AS A CRACK AND CREVICE TREATMENT FOR INDOOR PEST CONTROL

ACTIVE INGREDIENT:

Carbaryl (1-Naphthyl N-methylcarbamate) . . . 10.0%

INERT INGREDIENTS: . . . . . 90.0%

Total 100.0%

Contains SEVIN® brand Carbaryl Insecticide

SEVIN® is a Registered Trade Mark of Union Carbide Corporation  
for Carbaryl Insecticide.

KEEP OUT OF REACH OF CHILDREN

C A U T I O N

"PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente"

STATEMENTS OF PRACTICAL TREATMENTS

IF SWALLOWED: Call a physician of Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF INHALED: Remove victim to fresh air. Apply Artificial Respiration if needed.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN: Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidotal. Do not use 2-PAM, Opiates, or cholinesterase inhibiting drugs.

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 10370-129

EPA Est. No. 10370-TX-1

Net Weight \_\_ 1 \_\_ Pound ( 50 lb.)

FORDS CHEMICAL & SERVICE, INC.  
2739 PASADENA BLVD.  
PASADENA TEXAS 77502

#### PRECAUTIONARY STATEMENTS

##### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Avoid breathing dust. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Change contaminated clothing daily. Avoid contamination of feed and foodstuffs. For indoors when treating attics, storage rooms or other enclosed areas such as crawl spaces wear a pesticide respirator jointly approved by the Mine Safety & Health Administration and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.

Do not use this product in commercial food areas of food handling establishments, restaurants, or other places where food is prepared or processed.

##### RE-ENTRY & WORKER SAFETY STATEMENT

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. Do not enter treated areas without protective clothing until dust has settled. Because certain States may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

##### ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic estuarine invertebrates. Do not apply to wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is extremely toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it or drift to blooming crops or weeds if bees are visiting the proposed treatment areas

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Subsequent planting of food and feed crops in treated soil must be made with crops on this or other Carbaryl labels.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store product in original container in a cool, dry, locked place out of reach of children. PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke. HOUSEHOLD DISPOSAL: Do not re-use empty container. Rinse thoroughly before discarding in trash.

#### VEGETABLE, VINE & FIELD CROPS

Apply when air is calm, using ground equipment, aircraft, or hand duster. Unless otherwise specified, apply at the first sign of infestation and repeat at 7 to 10 day interval when needed to maintain control. Observe use limits given for specific crops.

##### MAY BE APPLIED UP TO DAY OF HARVEST ON FOLLOWING VEGETABLE, VINE AND FIELD CROPS EXCEPT COTTON\*

BEANS For Leafhoppers, Lygus Bugs, Mexican Bean Beetle and Stink Bugs Apply 5 1/4 to 7 1/4 oz. per 1,000 Sq.Ft. treating upper and lower leaf surfaces. Do not feed treated vines to Dairy or Meat Animals. Apply when insects or their damage first appears. Repeat at 10 to 14 day intervals or as needed for control.

continued.....

CORN For control of Corn Earworm apply  $5\frac{1}{2}$  to  $7\frac{1}{2}$  oz. per 1,000 Sq.Ft. starting when the first silks appear. Repeat at 2 to 3 day intervals throughout the silking period. Direct duster outlets toward ear zone to insure thorough coverage of each silk, May be applied up to harvest on Sweet Corn ears for human consumption. To avoid excessive residues on fodder or forage, do not apply within 7 days of harvest. Reapply immediately after rain. Applications of Sevin to the tassel region of corn during the pollen shed period will seriously reduce bee populations

COTTON For early season control of Cotton Fleahoppers and Thrips apply  $3\frac{1}{2}$  to  $5\frac{1}{2}$  oz. per 1,000 Sq. Ft. (10 to 15 lbs./acre).

For mid and late-season control of Boll Weevil, Bollworm, Cotton Perforator, Cotton Leafworm, Lygus Bugs, and Stink Bugs apply  $7\frac{1}{2}$  oz./1,000 Sq.Ft. (20 lbs. per acre). Repeat at 5 to 7 day intervals. For the Pink Boll Worm apply  $5\frac{1}{2}$  to  $7\frac{1}{2}$  per 1,000 Sq.Ft. on a 5 to 7 day interval schedule. For Salt-Marsh Caterpillar apply  $4\frac{1}{2}$  Oz.per 500 Sq.Ft. (25 lbs./acre). Do not graze treated fields or feed trash to dairy or meat animals.

\*DO NOT APPLY TO COTTON WITHIN 7 DAYS OF HARVEST

CUCUMBERS, SUMMER SQUASH For Flea Beetles, Melonworms, Pickleworms, Spotted Cucumber Beetle, & Squash Bugs apply  $3\frac{1}{2}$  oz. per 1,000 Sq. Ft. Apply when insect damage first appears and repeat at 10 to 14 day intervals.

EGGPLANT, PEPPER, TOMATO For Fall Armyworm, Flea Beetle, & Tomato Fruitworm apply  $5\frac{1}{2}$  to  $7\frac{1}{2}$  oz. per 1,000 Sq.Ft. For European Corn Borer, Stink Bugs, & Tomato Hornworm, apply  $5\frac{1}{2}$  to  $7\frac{1}{2}$  oz. per 1,000 Sq.Ft. Apply when insect damage first appears and repeat as needed for control.

GRAPES (Western U.S.) For Grape Leaf Folder, & Grape Leafhopper early season control use  $5\frac{1}{2}$  oz. per 1,000 SQ .Ft. and  $5\frac{1}{2}$  to  $7\frac{1}{2}$  oz. for summer control. For the control of first brood Grape Leaf Folder apply when maximum number of eggs have hatched. For Leafhopper control apply at first sign of infestation.

POTATOES For Colorado Potato Beetle, Flea Beetle, and Leafhoppers apply  $5\frac{1}{2}$  to  $7\frac{1}{2}$  oz. per 1,000 SQ. Ft. Apply when insect damage first appears and repeat at 10 to 14 day intervals or as needed for control.

STRAWBERRIES For Meadow Spittle Bug and Strawberry Leaf Roller apply  $7\frac{1}{2}$  oz. per 1,000 Sq.Ft. Apply when "Spittle" and/or leaf "Rolling" first appears. Repeat at 7 to 10 day intervals as needed for control. May be applied up to 3 days before harvest.

ORNAMENTALS For control of the following apply when insects or their damage first appears & repeat as needed. Apply  $5\frac{1}{2}$  to  $7\frac{1}{2}$  oz./1,000 Sq.Ft. or thoroughly apply to place a thin layer of dust on both upper and lower sides of leaves, stems and flowers. Controls: ..... Apple Aphids, Bagworms, Blister Beetle, Boxelder Bug, certain Leaf Miners( Boxwood, Holly, Oak, & Spruce Needle, ), Elm Leaf Beetle, Exposed Thrips, Flea Beetles, Japanese Beetle, Leafhoppers, Leaf Rollers, Orange Tortrix, Periodical Cicada, Plants Bugs, Scale Insects, Tent Caterpillars.

In tests Sevin® Brand Carbaryl Insecticide has been used at recommended rates without damage to Andromeda, Arbor Vitae, Ash, Aster, Bamboo, Beech, Birch, Boxwood, Camellia, Carnation, Ceanothus, Cedar, Chinese Elm, Chrysanthemum, Cypress, Dahlia, Delphinium, Dogwood, Elm, Euonymus, Fir, Fuschia, Hemlock, Hickory, Holly, Hornbeam, Hydrangea, Inkberry, Iris, Juniper, Laurel, Lilac, Locust, Magnolia, Maidenhair Fern, Maple, Nasturtium, Oak, Orchid, Ornamental Mulberry, Petunia, Pine, Poplar, Privet, Rhododendron, Rose of Sharon, Sassafras, Spirea, Verbena, Viburnum, Wigelia, Wisteria, Yew, Zinnia.

EPA Reg. No. 10370-129

SEVIN® 10 DUST

**FOR FLEAS, TICKS, MITES, LICE**

**FOR FLEAS, AND BROWN DOG TICK CONTROL ON DOGS AND \*CATS** Using rubber or neoprene gloves thoroughly rub 1 to 2 level tablespoonfuls into the DOG's coat, back line, neck, belly and legs, avoiding the eyes. Thoroughly clean the area and dust pet sleeping quarters (lightly), then outdoor runways, and pens using 1 lb. per 800 Sq. Ft. Replace with fresh pet bedding.

**IMPORTANT**

DO NOT use on puppies or kittens under 4 weeks of age. Do not use on pregnant dogs. Make a second application for newly hatched Fleas in 7 to 10 days or weekly as needed for continued control. \*FOR CATS USE DUST SPARINGLY LIMITING THE TREATMENT TO 1 LEVEL TEASPOONFUL PER CAT. While wearing gloves rub dust into fur. Make sure to treat back of neck and belly.

**FOR MITES, LICE, FLEAS, AND TICKS ON CHICKENS** One pound is enough dust for 100 chickens. Can also be used on (Pheasants, Pigeons, and Partridge. Do not repeat application to Poultry within four weeks. Dust chicken house using one pound per 40 Sq.Ft. Do not house birds in treated poultry house within seven days of slaughter. Do not dust birds within 7 days of slaughter, Do not dust nest or eggs.

**INDOOR PEST CONTROL**

**INDOOR PEST CONTROL USE IS LIMITED TO CRACK AND CREVICES TREATMENT ONLY**  
**IN THE FOLLOWING DESIGNATED AREAS**

**THIS PRODUCT CANNOT BE USED INDOORS AS AN OVERALL BROADCAST TREATMENT**

**WHERE TO USE:** For use in and around buildings such as Homes, Apartments, Warehouses, Barns, and Municipal and Recreational Areas. DO NOT USE IN FOOD AREAS of food handling establishments, restaurants, or other areas where food is commercially prepared or processed. Do not use in service areas while food is exposed. Do not treat surfaces that leave visible dust residues. Remove any excess surface dust by brushing or wiping into the intended cracks or crevices. Apply with a Hand Dispenser.

**HOW MUCH TO USE:** Apply dust only into cracks and crevices. Any visible dust must be brushed into cracks or crevices.

**HOW TO APPLY AS A CRACK AND CREVICE TREATMENT**

For control of Ants, Cockroaches, Crickets, Millipedes, Silverfish & Fleas which may hide, live and/or breed in cracks and crevices use a "Squeeze" or "Puff" Duster to apply thoroughly into all cracks and crevices adjacent to baseboards, corners, walls, doors sills, and window frames, quarters of household pets, ant trails, outside perimeters of dwelling and other crack and crevices where insects may rest or hide such as in building foundations and entrances, in walls or floors near refrigerators, stoves, sinks, and around bookcases, or in cracks or crevices in attic areas (see Precautionary Statement) or other storage areas where insects may be present. For Fleas, and Brown Dog Ticks thoroughly dust all cracks & crevices around and near pet living quarters, pet's bedding and resting areas. (See Directions for Use on Dogs and Cats). For Ants treat cracks and crevices where Ant trails may be present & where ants may gain entrance to buildings. Repeat as need for continued control.

**IMPORTANT NOTICE**

When treating cracks and crevices in attics, storage rooms or other enclosed areas such as crawl spaces, for protection against carbaryl dust wear a pesticide respirator or dust mask jointly approved by the Mine Safety and Health Administration and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.

**NOTICE:** Buyer and user assumes all risk and liability of use, storage and/or handling of this product not in accordance with the terms of this label.