

ford's

ACCIDENTAL

MAR 14 1986

## TERMI-CHLOR TERMITE CONCENTRATE

This product treats 60 linear feet

### ACTIVE INGREDIENTS

Chlorpyrifos (O,O-diethyl-O-(N-methyl-N-phosphoryl)-phenyl-methyl-phosphonate)  
Anomalous Petroleum Substitute

12.6%  
21.5%  
65.9%

### INERT INGREDIENTS

DETHANE, PROPANE, BUTANE

### WARNING: KEEP OUT OF REACH OF CHILDREN

#### PRECAUTIONARY STATEMENTS

Hazards to Humans

#### CAUSES EYE IRRITATION - HARMFUL IF SWALLOWED

If swallowed: Do not induce vomiting. Call a physician or poison control center immediately. If eyes are irritated, wash with water. If in contact with skin, wash with water. If inhaled, move to fresh air. If breathing difficulty develops, seek medical attention.

#### STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting. Call a physician or poison control center immediately. If eyes are irritated, wash with water. If in Eyes: Flush eyes with water. If on Skin: Wash with water. If Inhaled: Move to fresh air. If breathing difficulty develops, seek medical attention.

#### Note To Physician: This product contains chlorpyrifos which may cause convulsions.

#### ENVIRONMENTAL HAZARDS

Do not contaminate surface waters or groundwaters with used product or rinsing wastes.

#### DISPOSAL

Precious items, food, feed, drugs or clothing must not be disposed of with this product.

TRANSLATION: "KEEP OUT OF REACH OF CHILDREN"

PHYSICAL OR CHEMICAL HAZARDS

DO NOT EXPOSE TO DIRECT SUNLIGHT OR HEAT.

#### STORAGE AND DISPOSAL

Do not store in direct sunlight or heat. Store in a cool, dry place away from children and pets. Do not store near food, feed, drugs or clothing.

#### AGRICULTURAL CHEMICAL

Do not ship or store with food, feed, drugs or clothing.

#### DIRECTIONS FOR USE

Please read entire label carefully before using. READ ENTIRE LABEL USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

GENERAL TERMITE TREATMENT: Apply one gallon of diluted TERMI-CHLOR Termite Concentrate per post hole. Pouring of solution into hole and add the remaining  $\frac{1}{2}$  gallon diluted solution to the soil when filling the hole so that all of the  $\frac{1}{2}$  soil is treated. Direct treat structural infestations of termites in wells. Note: When treating underpinning the top of the foundation walls may be treated but the treatment should not exceed 18 in. width. Apply  $\frac{1}{2}$  gallon with a pressure gun. Mix 16 fl. oz. of water and treat 2 1/2 linear ft. of trench foundation or  $\frac{1}{2}$  half gal. of TERMI-CHLOR Termite Concentrate will make 12.5 gal. of solution and treat 60 linear feet. Do not treat soil that is water saturated or frozen. Mix solution into soil and replace in the trench. Cover treated area with a layer of untreated soil. Be sure to treat the interiors of accessible hollow block foundations at same rate as above. Be careful to have adequate ventilation when treating areas under structure. For severe infestations or treatment under slabs, in basements and buildings with insufficient crawl space, etc., contact a professional termite control service. Annual retreatment of entire premises must be avoided.

FENCE POST-TERMITE PREVENTION: Apply one gallon of diluted TERMI-CHLOR Termite Concentrate per post hole. Pouring of solution into hole and add the remaining  $\frac{1}{2}$  gallon diluted solution to the soil when filling the hole so that all of the  $\frac{1}{2}$  soil is treated. Direct treat structural infestations of termites in wells. Note: When treating underpinning the top of the foundation walls may be treated but the treatment should not exceed 18 in. width. Apply  $\frac{1}{2}$  gallon with a pressure gun. Mix 16 fl. oz. of water and treat 2 1/2 linear ft. of trench foundation or  $\frac{1}{2}$  half gal. of TERMI-CHLOR Termite Concentrate will make 12.5 gal. of solution and treat 60 linear feet. Do not treat soil that is water saturated or frozen. Mix solution into soil and replace in the trench. Cover treated area with a layer of untreated soil. Be sure to treat the interiors of accessible hollow block foundations at same rate as above. Be careful to have adequate ventilation when treating areas under structure. For severe infestations or treatment under slabs, in basements and buildings with insufficient crawl space, etc., contact a professional termite control service. Annual retreatment of entire premises must be avoided.

TREATMENT FOR WOOD DESTROYING PESTS (Outdoors) (Powder Post Beetles, Furniture Beetles, Death Watch Beetles, Round-headed House Borers, Carpenter Ants, Carpenter Bees): Treatment of areas of infested wood. With a paint brush use 1/2 TSP (Tablespoon) of emulsion per quart of water. Apply emulsion evenly on wood surfaces. Allow to dry and repeat treatment to ensure penetration. For wood piles and stumps, interapply 1/2 TSP per gallon of water. Use a sprinkling can or GARDEN HOSE AND SPRAYER. Do not apply to live trees or shrubs. Do not use for any purpose other than the protection of property or which does not come in contact with wood.

FRA REG. NO. 100-100-100  
FRA FDN. NO. 100-100-100

BEST AVAILABLE COPY  
ford's Chemical & Service, Inc.  
2719 Pasadena Blvd.  
Pasadena, Texas 77502

256