

- f. Add the statement "It is a violation of Federal law to use this product in a manner inconsistent with its labeling" to the beginning of the use directions.
- g. Change "Orangestriped Oakwork" to Orangestriped Oakworm"
- h. Change ".5 fl. oz." to "0.5 fl. oz." in dilution table.
- i. Delete second Directions for Use with its statement. The second column may be headed "Directions for Use (continued)."
- j. Specify that the product is not to be used in the patient-occupied areas of hospitals.
- k. Change heading "Extra Strength Spray" on dilution chart to read "Maximum Strength Spray." Extra strength would be over the permitted strength.
- l. Change "(Do not treat pests with this product)" to "(Do not treat pets with this product)."
- m. Change "USE HIGH RATE" to "USE MAXIMUM STRENGTH SPRAY."
- n. Add "or face shield" following "wear-natural rubber gloves, waterproof protective clothing and goggles."
- o. Change "Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines)" to "Mine Safety and Health Administration."
- p. Change "Do not apply directly to lakes, streams or ponds" to "Do not apply directly to any body of water."
- q. Delete "Combustible mixture" but retain "Do not use, pour, spill, or store near heat or open flame."
- r. Add the following bee caution to the Environmental Hazards.

This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.
- s. We assume the skull and crossbones and word POISON will appear in red.

- t. On the Confidential Statement of Formula (CSF) please provide the specific flashpoint. "Greater than" a certain value is not acceptable.
- u. For the Certification of Limits, please provide separate limits for the DDVP and its related compounds.
- v. Please submit the Storage Stability study on your product. The referenced study is not sufficiently similar to your own product.
- w. The formulator's exemption statement lists chlorpyrifos and dichlorvos only as active ingredients. However, your label declares xylene range aromatic solvent. Therefore, delete xylene range aromatic solvent from the ingredient statement and include it in the total of inert ingredients. Also, beneath the ingredient statement add the statement "Contains xylene range aromatic solvent."

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

Organic Phosphate
Mixture; POISON "B"
NA 2783 RQ

TOXUS[®]

DURSBAN-DOVP

E.S.E.

INDOOR & OUTDOOR
PEST CONTROL

ROACHES, ANTS, CRICKETS, FLEAS,
SPIDERS, CHINCH BUGS,
SOD WEBWORMS.

ORNAMENTAL INSECT CONTROL

Only For Sale To, Use And Storage By
Pest Control Operators or Other Servicepersons

ACTIVE INGREDIENTS:

Chlorpyrifos (0,0-diethyl 0-(3,5,6-trichloro 2-pyridyl) phosphorothioate)	24.00%
Dichlorvos (2,2-Dichlorovinyl dimethyl phosphate)	6.04%
Related Compounds	0.46%
Xylene Range Aromatic Solvent	62.42%
INERT INGREDIENTS:	7.08%
	Total 100.00%

(R) Trademark of The Dow Chemical Company

Contains 2 lb. Chlorpyrifos & .5 lb. Dichlorvos (DOVP) per Gallon

EPA REG. NO. 10370-

EPA Est. No. 10370-TX-1



KEEP OUT OF REACH OF CHILDREN
DANGER — POISON



See Side Panel For Additional Precautionary Statements
STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE** vomiting unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

If Inhaled: Remove victim to fresh air. Apply respiration if indicated.

If On Skin: Wash immediately with soap and water. Call a physician immediately.

If In Eyes: Flush eyes with plenty of water. Call a physician immediately.

If Warning Symptoms Appear: Keep patient prone and quiet. Start artificial respiration immediately, if patient is not breathing. Transport patient immediately to the nearest physician.

ACCEPTED
with COMMENTS
EPA Letter Dated:

OCT 16 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

10370-151


Net Contents Gallon

MANUFACTURED BY

ford's

Chemical & Service, Inc.

2739 PASADENA BLVD.
PASADENA, TEXAS 77502



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the labeling.

PESTS OUT-OF-DOORS

General Information — Use this product for control of certain pests on outside surfaces of buildings and on lawns and ornamental plants, and for area control of Chiggers. Consult the following directions for dosage and application details to control the pests listed.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: Use this product at the rate of 2-34 ounces per gallon of water to control Ants, Chigger Mites, Centipedes, Crickets, Earwigs, Fleas, Flies, Millipedes, Mosquitoes, Sowbugs, Spiders, and Ticks by application as a residual spray to outside surfaces of buildings including porches, screens, window frames, eaves, patios, garages, refuse dumps and other areas where these pests congregate or have been seen. Do not treat or allow the spray to contact plants, lawns, flowering plants, shrubs, trees, evergreens, etc.) because of possible injury. Repeat treatment as needed to maintain effectiveness.

NOTE — To help prevent infestations of buildings by Ants, Crickets, Earwigs, Millipedes, and Sowbugs (Pillbugs) treat a band of soil 6 to 10 feet wide around and adjacent to buildings, along building's foundation to a height of 2 to 3 feet, where pests are active and may find entrance. Use 16 ounces (1 pint) in 100 gallons of water and apply as a coarse spray at the rate of about 10 gallons spray mixture per 1,000 sq. ft. to thoroughly and uniformly wet the soil area.

PESTS ON LAWN, OTHER ORNAMENTAL AND PERENNIAL PLANT GRASSES GROWN FOR SEED: Use this product to control pests listed in the following table by application of the recommended dosage and frequency with the dosing equipment. Apply in enough water to thoroughly and uniformly wet the soil surface of pest infested areas and plants. Do not use on lawns, ornamentals, or perennials if you are spraying during the growing season. Do not spray on plants that are stressed or have been damaged by frost or drought. Do not spray on plants that are in bloom.

PESTS ON ORNAMENTALS: Use this product to treat lawns, shrubs, wheat, shade and flowering trees, and evergreens found to be infested with insects listed in the following table. Apply with water according to directions given in the table and label using either hand or power spray equipment. In a residential lawn, complete coverage. For best results apply spraying once to both upper and lower leaf surfaces and allowed time and avoid wet. Always re-spraying as needed but avoid over-spraying. Treat when pests appear and repeat at 7 to 10 day intervals, if needed. **CAUTION:** Do not use on Agaves, Cornus, Palmetto, Rose Bushes, or Yucca due to possible injury to foliage.

**DIRECTIONS FOR USE
DOSAGES AND DIRECTIONS FOR USE ON TURF**

PEST	DOSAGE per 1,000 sq. ft.	REMARKS
Ants, Armyworms, Chiggers, Chinch Bugs, Ckwer Mites, Crickets, Cutworms, Earwigs, Fleas, Grasshoppers, Ticks, Sod Webworms	* 1.5 Fl Ounces Use in a minimum of 100 Gallons water per 1,000 sq. ft.	Spray when pests first appear, retreat when needed. For Sod Webworms delay watering or mowing the treated area for 12 to 24 hours after treatment.
Turfgrass Hyperodes	3 Fl Ounces	Spray suspected problem areas in Mid-April and in Mid-May or as recommended by Local Agricultural Extension Service Specialist.
White Grubs of European Chafer and Japanese Beetle only	3 to 6 Ounces	Spray when Grubs are actively feeding near the soil surface in late July and August or as recommended by Extension Specialist. Water treated area after treatment with 1/2 to 1 inch of water to wash insecticide into soil.
Bluegrass Billbug	1 to 2 Ounces	Spray early in the season when adults first appear. Retreat when needed.

* 1.5 Fluid Ounces (1.500 sq. ft. 1 gallon per acre)

DOGWOOD BORER — This pest is found in the bark of dogwood trees. It is a serious pest of dogwood trees. Consult your local Agricultural Extension Service for more information.

PEACH TREE BORER — This pest is found in the bark of peach trees. It is a serious pest of peach trees. Consult your local Agricultural Extension Service for more information.

NOTE - MOSQUITOES — This product is effective against mosquitoes on lawns and ornamentals. Consult your local Agricultural Extension Service for more information.

AREA CONTROL OF TICKS AND CHIGGERS — Use this product to control ticks and chiggers on lawns and ornamentals. Consult your local Agricultural Extension Service for more information.

NOTICE: Buyer and user assumes all risk and liability of use and handling of this product not in accordance with the terms of this label.

