


(A) 	United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number 187784
	Application for Pesticide:		
	Section I		

1. Company/Product Number 10370-152	2. EPA Product Manager D. Edwards	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Ford's Sevin 5% G Insecticide	PM# 19	
5. Name and Address of Applicant (Include ZIP Code) Roussel Uclaf Corporation 95 Chestnut Ridge Road Montvale, NJ 07645 <input checked="" type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section II	
<input type="checkbox"/> Amendment - Explain below	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - explain below


Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Compliance with PR Notice 93-3
Change in Warranty Statement

**NOTIFICATION
LABEL NOT REVIEWED
PER PR NOTICE 93-3**
DATE: 7/12/93

BEST AVAILABLE COPY

Section III			
1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted.			
If "Yes," Unit Package wgt		No. per container	
If "Yes," Package wgt.		No per container	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container	
5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product		6. Manner In Which Label Is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other (_____)	

Section IV		
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Christina M. Lawes	Title Manager Federal Registration	Telephone No. (Include Area Code) 201-307-3355
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Manager, Federal Registrations	
4. Typed Name Christina M. Lawes	5. Date 6/7/93	

NOTIFICATION
LABEL NOT REVIEWED
PER PR NOTICE 88-6
DATE 7/12/93

Ford's

SEVIN® 5% G INSECTICIDE

* FOR TURF AND VEGETABLE GARDENS

ACTIVE INGREDIENT:

Carbaryl (1-Naphthylmethylcarbamate) 5.0%

INERT INGREDIENTS: 95.0%
100.0%

*Sevin is a registered trademark of Rhone Poulenc for Carbaryl Insecticide.

EPA REG. NO. 10370-152

EPA EST. NO.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF IN EYES: Flush with plenty of water. Get medical attention.

IF ON SKIN: Remove contaminated clothing. Wash affected area with soap and water.

NOTE TO PHYSICIAN: Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidote. Do not use E-PAM, opiates, or cholinesterase inhibiting drugs.

See Side Panel For Additional
Precautionary Statements

NET CONTENTS

PRECAUTIONARY STATEMENTS

Hazards To Humans & Domestic Animals

CAUTION

HARMFUL IF SWALLOWED. Avoid breathing of Dust. Do not take internally. Avoid contact with skin or eyes. Wear regular long sleeved work clothing. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after handling. AVOID CONTAMINATION OF FOOD, FEED, WATER SUPPLIES, STREAMS, AND PONDS DURING APPLICATION OR WHEN CLEANING EQUIPMENT. Keep pets off treated areas.

Environmental Hazards

This product is extremely toxic to aquatic and estuarine invertebrates. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Storage: Store product in its original labeled container in a cool dry locked area inaccessible to children.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT PRE-HARVEST AND GRAZING USE INFORMATION

Tolerances established under the Federal Food, Drug, and Cosmetic Act permit the sale of crops bearing probable Sevin residues when Sevin is used in accordance with label directions. If Sevin insecticide is used in accordance with label directions, these crops including bean vines, carrot tops, pea vines, sugar beet tops, corn forage, and cotton forage may be grazed or harvested for use as feed for dairy and meat animals without resulting in residues in milk, or meat in excess of established tolerances.

Apply granules as a broadcast application over the soil with ground equipment. Treatments may be repeated as necessary. Dosages from 1/2 lb. to 1 lb. per 1,000 sq. ft. will control *Ants, Cutworms, Armyworms, Crickets, Darkling Beetles, Grasshoppers And Sowbugs*. *Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl labels.

ROUSSEL UCLAF

Roussel Uclaf Corporation
95 Chestnut Ridge Road
Montvale, New Jersey 07645

1152s 050393k

BEST AVAILABLE COPY

Crop	Dosage Rate 1,000 sq. ft.	Days Between Final Application And Harvest
Cucumber, Squash, Melons, Peanuts	1/2 lb.	None
*Alfalfa, *Peas, & **Cotton	3/4 lb.	*3 Days **7 Days
Beans, Carrots, Corn, Eggplant, Okra, Peppers, Potatoes, Sweet Corn, Tomatoes	1 lb.	None
Asparagus, Strawberries	1 lb.	1 Day
Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Head Lettuce, Garden Beets (roots), Horseradish, Parsnips, Rutabagas, and Turnips (roots).	1 lb.	3 days
Sugar Beets, Collards, Endive, Garden Beets (tops), Kale, Leaf Lettuce, Parsley, Spinach, Swiss Chard, Turnips (tops).	1 lb.	- 14 Days
Tobacco	1/2-1 lb.	None
Fruits - Apples, Apricots, Cherries, Citrus, Grapes, Nectarines, Peaches, Pears, Plums	1 lb.	Apples - 1 Day Apricots - 3 Days Cherries - 1 Day Citrus - 5 Days Nectarines - 3 Days Peaches - 1 Day Pears - 1 Day Plums - 1 Day
Ornamentals - Annual plants, herbaceous plants and shrubs, trees, woody plants		

LAWN, TURF AND ORNAMENTAL PLANTS

Treatments may be repeated as necessary to control *Cutworms*, *Armyworms*, *Field Crickets*, *Mole Crickets*, *Darkling Beetles*, *Grasshoppers*, and *Sowbugs*.

LAWN AND TURF - Treat entire area evenly at a dosage of 3/4 to 1 lb. per 1000 sq. ft. Apply with a rotary spreader to obtain uniform coverage, giving particular attention to edges of sidewalks and along porch and patio foundations. For best results cut lawn, remove clippings and water thoroughly before treatment.

ORNAMENTAL PLANTINGS - Apply evenly to soil around plants, shrubs and trees at a rate of 3/4 to 1 lb./1000 sq. ft. For best results, areas to be treated should be damp. Repeat as needed for control.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

BEST AVAILABLE COPY