

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460	EPA REGISTRATION NO. 10370-155	DATE OF ISSUANCE 5/16/85
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT Tomato and Vegetable Insect	

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

World Chemical and Service, Inc.
 739 Pasadena Blvd.
 Pasadena, TX 77502

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase "EPA Registration No. 10370-155" to your label before you release the product for shipment.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-74 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Jay S. Ellenberger
 District Manager (11)
 Registration Division, Office of Pesticide Programs
 Registration Division (1-7-77)

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL 	DATE 5/16/85
---	------------------------

BEST AVAILABLE COPY

TWUS

TOMATO & VEGETABLE DUST

READY TO USE
Insecticide & Fungicide

FOR USE ON
Tomatoes, Corn, Lettuce,
Carrots, Watermelons
and Other Crops as Listed

ACTIVE INGREDIENTS	
Carbaryl (1-naphthyl methyl- carbamate)	4.0%
Zineb (Zinc ethylene- bisdithiocarbamate)	3.9%
INERT INGREDIENTS	92.1%
Total	100.0%

ACCEPTED
with COMMENTS
in EPA Letter Dated:

KEEP OUT OF REACH OF CHILDREN
CAUTION

MAY 16 1985

See Side Panel For Additional Precautionary Statements

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

STATEMENTS OF PRACTICAL TREATMENT

If Swallowed — Call a physician or poison control center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching the back of the throat with finger. Never give anything by mouth to an unconscious person.

If In Eyes — Flush with plenty of water. Call a physician if irritation persists.

If On Skin — Wash with soap and water.

10370-155

No. 10370-

EPA Est. No. 10370-TX-1

NET WEIGHT _____ POUND (10 Ounces; 1 lb. 4 lb.)

BEST AVAILABLE COPY

MANUFACTURED BY

ford's

Chemical & Service, Inc.

2739 PASADENA BLVD.
PASADENA, TEXAS 77502

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl labels.

HOW TO USE — This product contains an insecticide and a fungicide for use on vegetables. Thoroughly dust the entire plant to deposit a fine dust residue on all portions of the plant, stems, fruit and both sides of leaves. For applications use the Japanese Duster container or apply with a suitable mechanical duster. Apply when the air is calm. Apply in such a manner as to move away from the dusted area. Do not walk into the airborne dust.

WHEN TO USE — Begin applications before insects are expected to appear or before insect damage is evident. This can be done by protecting small seedlings after germination up to 1 inch high and by treating new plant sets within 24 hours after planting. Repeat applications at 7 to 10 day intervals as needed for control but do not apply later than the number of days shown in parenthesis (if sample (7)) after each crop.

HOW MUCH TO USE — Dust plants thoroughly. As a guideline between 10 ounces and 1 pound per 1000 sq. ft. of plants. This should equal about 40 lbs. per acre.

BEANS — Insects: Mexican Bean Beetle, Flea Beetle, Leaf Beetle, Caterpillar, Flea Beetle, Imported Flea Beetle, Japanese Beetle, Leafhoppers, Armyworms, Stink Bugs, Tarnished Plant Bug, Thrips.
Diseases: Anthracnose, Downy Mildew, Rust.

Do not apply within (7) days of harvest.

BEETS & TURNIPS — Insects: Flea Beetles, Leafhoppers, Harlequin Bug, Lygus Bugs, Stink Bugs, Webworms.

Diseases: Cercospora Leaf Spot, Downy Mildew.

Do not apply within (7) days of harvest.

CABBAGE, BROCCOLI, CAULIFLOWER — Insects: Armyworm, Corn Earworm, Fall Armyworm, Harlequin Bug, Flea Beetles, Imported Cabbageworm.

Diseases: Alternaria, Downy Mildew.

Do not apply within (7) days of harvest.

CANTALOUPE, CUCUMBERS, PUMPKIN, SQUASH, WATERMELON — Insects: Striped & Spotted Cucumber Beetles, Flea Beetles, Leafhoppers, Melonworm, Pickworm, Squash Bug.

Diseases: Alternaria Blight, Anthracnose, Downy Mildew, Gummy Stem Blight.

Do not apply within (5) days of harvest.

CARROTS — Insects: Webworms, Flea Beetles.

Diseases: Alternaria Leaf Blight, Cercospora Leaf Spot.

(7) days.

COLLARDS, KALE, MUSTARD GREENS, SWISS CHARD, SPINACH — Insects: Flea Beetles, Harlequin Bug, Leafhoppers, Imported Cabbageworm, Stink Bugs, Tarnished Plant Bug.

Diseases: Cercospora Leaf Spot, Downy Mildew and White Rust on Spinach.

Do not apply within (14) days of harvesting.

CORN (Sweet) — Insects: Cutworms, Flea Beetles.

Diseases: Helminthosporium Leaf Blight, Puccinia Rust.

For Cutworms dust around the base of seedling plants up until plants are 1 1/2 to 2 feet high.

LETTUCE, DANDELION, ESCAROLE, SALSIFY — Insects: Armyworm, Flea Beetles, Harlequin Bug, Imported Cabbageworm, Leafhoppers, Stink Bugs, Tarnished Plant Bug.

Disease: Downy Mildew.

(3) days on Head Lettuce (14) days on Leaf Lettuce and others listed above.

TOMATOES, PEPPERS, EGGPLANT — Insects: Cutworms, European Corn Borer, Fall Armyworm, Flea Beetles, Lace Bugs, Leafhoppers, Stink Bugs, Tarnished Plant Bug, Tomato Fruitworm, Hornworm and Pinworm.

Diseases: Peppers (Anthracnose, Hipe Rot and Phytophthora), Eggplant (Anthracnose), Tomatoes (Early and Late Blight, Anthracnose, Cladosporium Gray Mold, Septoria Leaf Spot and Stemphylium).

Do not apply within (5) days of harvest.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if inhaled or swallowed. May cause irritation of eyes, nose, throat and skin. Do not breathe dust. Avoid contact with skin and eyes. Wear regular long-sleeved work clothing. Change to clean clothing daily. Wash hands and face before eating or smoking. Avoid contamination of feed and foodstuffs. Do not feed treated vines or trash to meat dairy animals.

NOTE TO PHYSICIAN: Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidotal. Do not use 2-PAM, opiates, or cholinesterase-inhibiting drugs.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not apply when weather conditions favor drift of dust from the area treated. Do not contaminate water by cleaning of equipment or disposal of wastes. **BEE CAUTION:** This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in original container in a cool, dry, locked place out of reach of children. **DISPOSAL:** Do not reuse empty container. Wash and put in trash.

NOTICE: Buyer assumes all risk and liability of use, storage and/or handling of this material not in accordance with the terms of this label.

BEST AVAILABLE COPY