U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20480	EPA REGISTRATION NO.	DATE OF ISSUANCE	
	10370-156	5/28/15	
	TERM OF ISSUANCE	1	
	Until Keicaist	cation	
NOTICE OF DECTICIDE TREGISTRATION	NAME OF PESTICIDE PRODUCT		
NOTICE OF PESTICIDE: REGISTRATION	Ant, Roach and	Ant, Roach and Insect Fowder	
(Under the Federal Insecticide, Fungicide,			
and Rodenticide Act, as amended)			
ME AND ADDRESS OF REGISTRANT (Include ZIP code)		<del>-</del>	
Ford's Chamical & Service Inc.	<b>_</b>		
TOTALS CHEMICAL & Service, The	•		
2739 Pasadena blvd.			
Pasanena, TX 77502			
		•	
<u>L</u>	i	•	
- <del>-</del>	_		
OTE: Changes in lab ling formula differing in substant ubmitted to and accepted by the Registration Division p oduct always refer to the above U.S. EPA registration	prior to use of the label in commen		
n the basis of information furnished by the registrant, the Federal Insecticide, Fungicide, and Rodenticide Ac		by Registered/Reregistered un	
copy of the labeling accepted in connection with this	Registration/Reregistration is re-	turned herewith.	
egistration is in no way to be construed as an indorsen ealth and the environment, the Administrator, on his mo- cide in accordance with the Act. The acceptance of any ct is not to be construed as giving the registrant a righ y others.	otion, may at any time suspend or r name in connection with the regi	cancel the registration of a pe istration of a product under this	
This product is conditionally 3(c)(7)(A) provided that you:	registered in accordan	op with FIFRA Sec.	
1. Submit and/or cite all dat of your product under FIFRA sec. 3( registrants of similar products to	c)(5) wher the Adency		
2. Add the phrase "ELA Redist you release the product for shipper		to year label before	
3. Satur tile (5) oxpler of release the product for shipment. description of final printer label.	Reter to the #-79 Enc)		
It these conditions are not co- subject to cancellation in accorden- shipment of the product constitutes	ce with biPPA sec. for	). Your release to:	
A stamped copy of the larel to	englesed top vour year	crite.	
	Day . Ellerberser Product Manager (1.) Insectione Robertics Registration Division		
Enclosure	tracking and trace parallel areas		
Enclosure ATTACHMENT IS APPLICABLE	The Control of the Control of the Control		
<b>-</b>	Wega Charles and the Control of the	DATE /	



# ANT, ROACH INSECT POWDER

ACCEPTED
with COMMENTS
in EPA Letter Dated:

#### FOR CONTROL OF

Cockroaches, Ants, Fleas, Frown Dog Ticks, Spiders, Wasps, Crickets, Silverfish and Other Insects as Listed

#### For Commercial & Home Use Non-Food Areas

MAY 31 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 10370-156

#### ACTIVE INGREDIENT:

## KEEP OUT OF REACH OF CHILDREN CAUTION

See Side Panel For Additional Precautionary Statements

#### STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED — Drink <sup>1</sup> or <sup>2</sup> glasses of water and induce vomiting by touching back of throat with large. Do not induce vomiting or give anything by mouth to an unconacious person.
Get medical attention.

IF INHALED — Keep patient stractly at rest and transfer to hospital immediately to get medical attention.

IF ON RICH - Wash with soap and warm water.

F IM EYES - Rines thoroughly with clean water.

NOTE TO PHYSICIAN: Contains Anticholinesterase Carbamide Insecticide. In cases of overexposure Atropine Sulfate - 2 mg. (equivalent to 1/30 grain sould dose) should be given and repeated as necessary until fully stropinized.

**NET WEIGHT: 1 POUND** 

tord's ;

MANUFACTURED BY

Chemical & Service, Inc.

2739 PASADENA RIVO



#### **DIRECTION FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

Recommended for use in Non-Food areas. This product is for residual pest control in and on buildings and structures and their immediate surroundings. Permitted areas of use include, but are not limited to houses, garages, trailers, campers, storage sheds, apartment buildings, stores, warehouses, industrial buildings, achoots, nursing homes, hospitals, restaurants and hotels.

#### INDOOR USE

This product is intended for application with a shaker or puffer container to hiding and runway areas and those places where pests are found. The amount to be applied will vary with the site, but should usually be in the range of ½ to ½ ounces of dust per square yard.

Cockroaches, Ants, Crickets, Silverfish and Firebrats: Thoroughly dust all areas where these pests crawl and hide, especially cracks and crevices around sinks, stoves, refrigerators and cabinets; behind baseboards; around doors and windows and in attic, basements and crawl spaces. For Ants, apply to ant trails and around doors and windows where they may enter premises.

Brown Dog Ticks and Fleas in Buildings: Dust intested areas such as pet beds and resting quarters, nearby cracks and crevices, under the edges of rigs and floor coverings, between and under cushinns of uphotstered furniture and other places where these pests may hide. Old bedding of pets should be removed after treatment of pet area and replaced with clean fresh bedding. Additionally, ensure that pets are treated with an EPA approved product registered for pet use. DO NOT TREAT ANIMALS OR THEIR BEDDING WITH THIS PRODUCT.

Spiders: Dust along and behind baseboards, window and door frames, corners, pipes, storage localities, attics, basements, crawl spaces and other areas where spiders may hide.

Wasps; It is best to treat wasp nests at night when insects are less active and have returned to the nest. Do not wear loose fitting ciothing — take necessary precautions to avoid stings. For best results, carefully dust near nest and check one or two days after treatment to ensure complete kill, and retreat if necessary. If possible, remove and destroy nest to prevent hatching of new insects. For ground nests, carefully dust antrance and surrounding areas. Petreat in one or two days if wasp activity is still present. Do not use this product to treat nests overhead. Sowbugs, Pillbugs, Ground Beetles, Earwigs, Millipedes, Centipedes and Scorplons: Apply around doors, windows and other places where these pests may enter. Treat baseboards, storage areas, and cracks and crevices, especially in dark, musty areas where these pests may hide.

#### **OUTDOOR USE**

Perlimeter Treatment: Use this product as a residual freatment for control of Ants, Brown Dog Ticks, Centipedes, Cockroaches, Crickets, Earwigs, Firebrats, Fleas, Ground Beetles, Millipedes, Pillbugs, Scorpions, Silverhish, Sowbugs, Spiders and Wasps. Make a residual freatment around windows and doors, porches, screens, eaves, patios, garages, under stainways and in crawl spaces and other areas where pests hide.

To help prevent invasion of buildings and structures by the above pests, treat a band of soil and vegetation 6 to 10 feet wide around and adjacent to the building or structure. Also treat the building foundation and crawl spaces where pests are active and may find entrance. Apply thoroughly and uniformly to the band area. Pay particular attention to ant hills and waspinests in the band area. Waspinests in trees and shrubs may be treated as noted above.

#### Imported Fire Ant Mound Treatment:

To Make a Liquid Application: Stir 7 oz. of this product into 2 gallons of water. Pour a small amount of material around the perimeter of the mound. Apply the remaining volume directly on the mound so as to punetrate insect galleries, using 2 gallons of mixture on mounds 8 inches or larger in diame. Fr. Less mixture can be used on smaller mounds, however, thorough penetration of the insect galleries must be achieved. A second treatment may be riecessary if consplete control is not obtained.

Do not disturb the mound prior to apply ation, if possible make a likeations after a recent rainfall. Applications may not be as effective during hot, dry periods

To Make A Dust Application: Use as is. For established Fire Ant Mounds apply between 1½ to 3 level tablespoonfuls of clust to cover 9 sq. ft. (3 ft. x 3 ft.) of tire area surrounding the center. Apply the same amount directly to the center area where the ants enter the ground. Apply genity so as not to disturb the insects. Use a spoon or suitable dusting equipment, not kitchen uterisis. Repeat as necessary for control. Treat new mounds as they appear. One ounce of this product equals 4½ level tablespoonfuls.

### PRECAUTIONARY STATEMENTS HAZAROS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmilik if swallowed inhaled or abscribed through the skin. Do not breathe dusi. Do not allow to contact skin, eyes or clothing.

Wash hands and exposed skin before eating, drinking or smoking and after handling. Wash all contaminated clothing thoroughly before reuse.

Do not apply to humans, animals, clothing or bedding

Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed.

Do not contaminate field or food products or food preparation surfaces, dishes, kitchen utensils and food containers

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wasies. Apply this product only as directed on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may it is obtained from your conpensive Agricultural Extension Service.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Keep pesticide in original container. Store in a cool dry place, preferably in a locked storage area. PRODUCT DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL, Do not relieve container. Hinse thoroughly before disparding in trash.

NOTIC€: Buyer assumes all risk and liability of use, and/or handling not in accordance with the terms of this label

