fords

Comfile B:CORRAL1A EPA FILE SYM: 10370-

Page 1 of Z

ACCEPTED

JUN 2 1 1985 Under the Federal Insecticide.

Fungicide, and Rodenticide Act.

as amended, for the pesticide

registered under

EPA Beg. No.

CORRAL SPOT WEEDER

Systemic Weed & Grass Killer KILLS WEEDS & GRASSES ON CONTACT ROOTS & ALL Use For General Weed Control

ACTIVE INGREDIENT: Isopropylamine Salt of *Glyphosate96% 99.04% INERT INGREDIENTS: 100.00% Total

*N-(phosphonomethyl)glycine

READY TO USE

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side/Back Panel For Additionary Precautionary Statements

STATEMENTS OF PRACTICAL TREATMENTS

SWALLOWED: Call a physician or Person Control Center immediatley. Induce iting by giving victim 1 or 2 glases of water and touching back of throat with finger. Do not induce vomiting or give any thing by mouth to an unconscious or convulsing person. IF IN EYES: Flush eyes with plenty of water. Get medical attention.

IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water.

EPA REG. NO. 10370-

EPA EST. NO. 10370-TX-1

NET CONTENTS _____ (One Quart; One Gallon)

MANUFACTURED BY

Chemical & Service, Inc.

COMFILE B:CORRAL-2 EPA REG. NO. 10370-



2.4 2

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Avoid contact with eyes. Keep children and pets away from treated are until spray has dried.

ENVIROMENTAL HAZARDS

Do not contaminate water by cleaning of equipment or dispoal of wastes. Keep out of any body of water.

DIRECTIONS FOR USE

It is a vioolation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DIPOSAL Do not contaminate water, food or feed by storage or disposal. STORAGE: Store product in origianl container in a cool, dry, locked, place out of reach of children. CONTAINER DISPOSAL: Do not re-use empty container. Wrap container and put in trash.

 \dot{W} _RE TO USE- Use in and around FLOWER BEDS, TREES and SHRUBS, in LAWNS, on \dot{V} `KS, and DRIVEWAYS, PATIOS, around and under FENCES, in GRAVEL, BARK or PLAT MOSS or GROUND COVER MULCH.

This product gives complete kill of Hard-To-Kill annual and perennial grasses and broadleaf weeds as follows:

ANNAUL WEEDS(Partial Listing) - Annual Blue Grass, Chickweed, Florida Pusley, Garden Spurge, Goosegrass, Foxtail, Crabgrass, Knotweed, Henbit,

Lambsquarter, Mayweed, Oxalis, Prickley Lettuce, Purslane, Pigweed, Puncture Vine, Redroot Pigweed, Sandspur, Shepards Purse, Sowthistle, Smartweed, Velvetweed, Wild Geranium,

PERENNIAL WEEDS(Partial Listing)-Bahiagrass, Bermudagrass, Bull Thistle, Canada Thistle, Centipedegrass, Clover, Creeping Charlie, Beggartick, Dock, Dandelion, Dogfennel, Field Bindweed, Johnsongrass, Kentucky Bluegrass, Nimblewill, Nutgrass, Orchardgrass, Poison Ivy, Poison Oak, Ragweed, P]=ntain, Spurge, Fescuegrass.

IL JRTANT: This product kill all green plant tissue. When treating weeds do not allow spray to touch surrounding desireable plants, grasses, flowers an_/or shrubs. Wash spray off immediately with plenty of water. Weed kill will be reduced if it rains on treated area within 24 hours after treatment. Retreat as soon as possible.

<u>HOW MUCH TO USE:</u> This product is ready to use. Spray each weed to point of spray run-off. One gallon should treat approximately 1800 Sq.Ft.(equal to 1 lb. active ingredient per acre).

WHEN TO USE: Apply when weeds are actively growing at any time of the year. Most weeds begin to die within 5 to 7 days with complete kill in 2 to 4 wks. HOW TO APPLY: Apply with hand sprayer or sprinkler to give coarse droplet spray coverage. Apply directly to the center of weed growth. One treatment will kill most weeds listed. Repeat treatment within 3 to 4 weeks if "Hard-To-Kill" perenials persist.

REEEDING THE LAW AREA: Areas that have been treated can be seeded within To days of treat at This product has no residual weed control effects... NOTICE Buyer sumes all risk and liability of use, and/or handling not in the accordance with the terms of this label.

h

MANUFACTURED BY

Chemical & Serv' ..., Inc.