US ENVIRONMENTAL FA. JECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460

EPA REGISTRÄT 10370-17 DATE OF ISSUANCE

重要的意思者,是在以外的一家的一个一个我们工作的是我们是有一个一个人们会一个

TERM OF ISSUANCE

NOTICE OF PESTICIDE:

г

1

REGISTRATION REREGISTRATION

(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

Roach and Cricket Bait

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Ford's Chemical & Service, Inc.

2739 Pasadena Boulevard Pasadena, TX 77502

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information (urnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FTFRA sec. 3(c)(7)(A) provided that you:

- Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
- Make the labeling changes listed below before you release the product for shipment:
 - Add the phrase "EPA Registration No. 10370-174."
 - Add to your Directions For Use in and around homes, apartment buildings, stores, and restaurants the statement:

Place bait in areas inaccessible to children and pets.

Revise your Environmental Hazards paragraph to read:

This product is toxic to fish, birds, and other wildlite. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

ATTACHMENT IS APPLICABLE

DATE

EPA Form 8\$70-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Jay S. Ellenberger Product Manager (12) Insecticide-Rodenticide Branch Registration Division (TS-767)

(

Enclosure

COMFILE B:1037BAIT.LA2 EPA FILE SYMBOL 10370-



ROACH & CRICKET BAIT

Contains 2 % *BAYGON INSECTICIDE

A READY TO USE BAIT FOR CONTROL OF ROACHES AND CRICKETS

Use Both Indoors and Outdoors
Use Around Homes, Apartment Buildings, Stores, Restaurants, Warehouses,
Flower Gardens, Patios, Sidewalks, Foundations. For Use By Pest Control
Operators in Restaurants and Food Processing Plants

ACTIVE INGREDIENT:

*Baygon is a Registered Trademark of the Parent Company Farbenfabricken Bayer CmbH, Leverkusen

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water.

IF INHALED: Remove victim to fresh air. Apply artifical respiration if indicated. Get medical attention.

NOTE TO PHYSICIAN: Antidote-Administer atropine sulfate in large therapeutic doses. Repeat as necessary to point of tolerance.

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS 'CEPA REG. NO. 10370-TX-1
NET WEIGHT POUNDS

NOTICE: Buyer and user assume all risk and liability of use, storage and/or handling of this product not in accordance with the terms of this label.

ACCÉPTED
with COMMENTS
in EPA Letter Datest

NOV 1 8 1985

Under the Federal Inscetteide, Fungicide, and Rodentinde Act 88 amended, for the pesticide registered under EPA Iteg. No.

Chemical & Service, Inc.
2739 PASADENA BLVD.
PASADENA, TEXAS 77502

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed or absorbed through the skin. Do not contaminate feed or feed. Avoid skin contact. Wash thoroungly after handling and before eating or smoking. Do not apply to floors or other surfaces likely to be contacted by children or pets.

ENVIRONMENTAL HAZARDS

Do not contaminate water by cleaning of equipment or disposal of wastes. This product is toxic to fish, birds, and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is is violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store product in original container in a cool, dry, locked place out of reach of children. PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER DISPOSAL: BAGS-Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke. HOUSEHOLD-Do not re-use empty container. Securely wrap in several layers of newspaper and discard in trash.

ROACH and CRICKET BAIT is ready to use and is effective for the control of crickets and the cockroaches listed below. It gives rapid kill of these insects, including those resistant to certain chlorinated hydrocarbon and phosphate insecticides. Crickets and roaches die quickly after feeding on this bait.

COCKROACHES: American, Brown, Brown Banded, German & Oriental. CRICKETS: Field and Mole Crickets.

FOR USE IN AND AROUND HOMES, APARTMENT BUILDINGS, STORES, RESTAURANTS, (non-food areas) AND WAREHOUSES: Apply bait lightly to floors near base-boards, in closets, under sinks and refrigerators, around and inside garbage cans and in other areas where insects are found, but which are inacessible to children, such as cracks and crevices. Do not apply to animals. Do not treat portions of buildings where animals can feed on bait. Use approximately 4 ounces of bait per 1,000 sq. ft. of space and scatter lightly so that the bait is barely visible. Repeat as necessary. Keep out of reach ... of children.

FOR USE BY PEST CONTROL OPERATORS IN RESTAURANTS (food areas), Poultry, Packing, Red Meat Packing and Food Processing Plants: Apply bait on paper, pasteboard or other material that will permit removal. Locate these bait stations on window sills, on floor near walls, in storage areas, and other areas where insects have been observed. Maintain strict account of location and number of bait stations. Do not apply bait in edible product areas until operations have ceased for the day. Remove all bait stations from the edible products areas before resuming operations.

FOR OUTDOOR USE AROUND FLOWER GARDENS, PATIOS, DRIVEWAYS, SIDEWALKS AND FOUNDATIONS: apply bait evenly in a 2 to 3 foot wide band at the rate of 4 ounces/1,000 Sq.Ft. around foundations, patios, driveways or sidewalks taking care to treat any cracks or crevices. For maximum effectiveness treat beneath concrete drain splashpans. For application in or around flower gardens, scatter bait at the rate of 4 ounces/1,000 Sq.Ft. as a broadcast, or apply a protective barrier around the garden as a 1 foot wide band.