

ACCEPTED

JUL - 7 1993

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 10370-174

FORD'S ROACH & CRICKET BAIT

Contains 2% Baygon Insecticide

A READY TO USE BAIT FOR CONTROL OF ROACHES AND CRICKETS

- * Use Both Indoors and Outdoors
* Use Around Homes, Apartment Buildings, Stores, Restaurants, Warehouses, Patios, Sidewalks, Foundations.
* Effective Barrier Treatment

For use by Pest Control Operators and Commercial Applicators Only.

ACTIVE INGREDIENT:

Table with 2 columns: Ingredient Name and Percentage. Includes 2-(1-methylethoxy)phenyl methylcarbamate (2.0%) and Inert Ingredients (98.0%).

Daygon is a registered trademark of Miles Inc.

EPA REG. NO. 10370-174

EPA Est. No.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger.

If in eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.

If on skin: Remove contaminated clothing and wash affected area with soap and water.

If inhaled: Remove victim to fresh air. Apply artificial respiration if indicated. Get medical attention.

Note to physician: Antidote - administer atropine sulfate in large therapeutic doses. Repeat as necessary to point of tolerance.

See side and back panels for additional precautionary statements

Net Weight _____

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: May be harmful if swallowed or absorbed through the skin. Do not contaminate food or feed. Avoid skin contact. Wash thoroughly after handling and before eating or smoking. Do not apply to floors or other surfaces likely to be contacted by children or pets.

Environmental Hazards

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **Storage:** Store product in original container in a cool, dry, locked place out of reach of children.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Bags - Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Plastic Containers - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

ROACH & CRICKET BAIT is ready to use and is effective for the control of crickets and the cockroaches listed below. It gives rapid kill of these insects, including those resistant to certain chlorinated hydrocarbon and phosphate insecticides. Crickets and roaches die quickly after feeding on this bait.

COCKROACHES: American, Brown, Brown Banded, German & Oriental
CRICKETS: Field and Mole

FOR USE IN AND AROUND HOMES, APARTMENT BUILDINGS, STORES, RESTAURANTS (non-food areas) AND WAREHOUSES: Apply bait lightly to non-exposed areas of floors such as in closets, under sinks, appliances and heavy furniture. Bait can also be applied inside garbage cans and in other non-exposed areas where insects are found such as cracks and crevices. Do not apply to animals. Do not treat portions of buildings where animals can feed on bait. Use approximately 4 ounces of bait per 1000 sq. ft. of space and scatter lightly so the bait is barely visible. Repeat as necessary. Keep out of reach of children.

FOR USE IN RESTAURANTS (food areas), POULTRY PACKING, RED MEAT PACKING AND FOOD PROCESSING PLANTS: Apply bait on paper, pasteboard or other material that will permit removal. Locate these bait stations on window sills, on floor near walls, in storage areas, and other areas where insects have been observed. Maintain strict account of location and number of bait stations. Do not apply bait in edible product areas until operations have ceased for the day. Remove all bait stations from the edible product areas before resuming operations.

FOR OUTDOOR USE, USE AROUND PATIOS, DRIVEWAYS, SIDEWALKS AND FOUNDATIONS: Apply bait evenly in a 2 to 3 foot wide band at the rate of 4 ounces/1000 sq. ft. around foundations, patios, driveways or sidewalks taking care to treat any cracks or crevices. For maximum effectiveness treat beneath concrete drain splash pans and other areas with a tendency for moisture.

WARRANTY

Buyer and user assume all risk and liability of use, storage and/or handling of this product not in accordance with the terms of this label.

