COMFILE B: 10SPTWDR.LAB #6 EPA FILE SYMBOL: 10370-

W



PAGE 1 OF 3

 \mathbf{E} as adminded, for the positives of teolatered under \mathbf{E} \mathbf{E} K I L

EPA Reg. No.

FOR LAWNS, PATIOS, DRIVEWAYS, FENCES, VACANT LOTS

A BROADLEAF SPOT WEED CONTROL TREATMENT FOR COMMERCIAL AND HOMEWOWNER USE

CONTROLS POISON IVY - DANDELION - PLANTAIN CHICKWEED - WILD ONION - GROUND IVY AND MANY OTHER BROADLEAF WEEDS

ACTIVE INGREDIENTS: *Dimethylamine Salt of 2,4-dichlorophenoxy acetic acid **Dimethylamine Salt of Dicamba (3,6-dichloro-0.31% o-anisic acid . INERT INGREDIENTS:. 98.48% Total 100.00%

Equivalent to 1.0% 2,4-dichloropehnoxy acetic acid **Equivalent to 0.25% 3.6-dichloro-o-anisic acid

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately...Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF IN EYES: Flush eyes with plenty of water. Get medical attention.

IF ON SKIN: Remove contaminated clothing. Wash affected area with soap and

IF INHALED: Remove victim to fresh air. Get medical attention.

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA REG. NO. 10370-

MANUFACTURED BY

EPA EST. NO. 1037Q-TX-1

PNTENTS 18 OUNCES Chemical & Service, inc.

2738 PASADENA BLVD. PASADENA, TEXAS 77502

BROADLEAF SPOT WEED KILLER

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing spray mist. Avoid contact with eyes, skin and clothing. Thoroughly wash after handling and before eating or smoking. Keep pets and children off sprayed areas until dry.

ENVIRONMENTAL HAZARDS,

Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply directly to water. Do not treat under the drip line or to the root systems of sensitive ornamental shrubs and plants. Clover, Dichondra and certain grasses such as Bermudagrass, St. Augustine or Carpetgrass are sensitive to herbicides and may be injured by the use this product. Do not contaminate waters used for irrigation or domestic purposes. Be careful when treating weeds not to spray surrounding desirable grasses unless damage can be tolerated. Avoid spraying and spattering of nearby flowers and other desirable plants.

CHEMICAL & PHYSICAL HAZARDS

Contents under pressure. Do not use or store neat heat or open flame. Do not puncture or incinerate. Exposure to temperatures above 130 degrees F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE:

Store product in original container in a cool, dry, locked place out of reach |
of children. DISPOSAL: Do not re-use empty container. Wrap and put in trash.

WEEDS CONTROLLED

A PARTIAL LIST OF WEEDS CONTROLLED - BLACK MEDIC, CANADA THISTLE, CHICKWEED, CLOVER, CURLY DOCK, DANDELION, ENGLISH DAISY, FLEABAN, FLORIDA PUSLEY, GROUND IVY, HEAL-ALL, HENBIT, KNOTWEED, LAMBSQUARTER, MUSTARD, PENNYWORT, MORNING GLORY, PIGWEED, PLANTAIN, POISON IVY, POISON OAK, PRICKLY LETTUCE, PURSLANE, SHEEP SORREL, SPOTTED SPURGE, THISTLE, WILD ONION. (This product will not kill "Grassy Weeds". Use Liquid Edger EPA Reg. No. 10370-146.)

Formulated for Spot application to individual weeds. This Spot Waeder produces a foamy white lather for direct weed contact which avoids drift and marks the weeds as they are treated.

- $oldsymbol{1}$. Shake can just before using and occassionally during use.
- 2. Invert can, hold at arms length, and point nozzle at weed as you press...' button. Do not press button when can is in upright position since gas will escape and product cannot be expelled.
- 3. Stand close to weed (1 to 2 feet) with can aimed at weed and away from face.
- 4. Push down briefly on button. Spray to cover center of weed. Do not over-spray. The spray's foaming action will make it easy for you to see coverage.
- 5. One application will kill most weeds listed. If certain tough weeds are not dead within 2 weeks, repeat application.

.....(Continued)..

COMFILE B:10SPTWDK.LA3 #6 EPA FILE SYMBOL:10370-___ PAGE 3 OF 3

BROADLEAF SPOT WEED KILLER

WHERE TO USE- Lawns, Picnic Areas, around Patios and Driveways, Cemetaries, along and under Fencing, and Vacant Lots, Filling Stations, Parking Lots, around Schools, Playgrounds, Parks, Commercial Warehouses and Offices. A handy Broadleaf Herbicide product for spot treatment use by Lawn Care Companies and Commercial Grounds Maintenance firms.

WHEN TO APPLY - Spot treat weeds when air temperature is above 70 degrees and the weeds are actively growing. Lower temperatures will reduce herbicidal effectiveness. Do not over dose. Spray when air is calm in morning or late afternoon. Treat weeds at any time they become unsightly or when they present a hazard or problem.

RESEEDING THE AREA - After weeds have died remove the dead vegetation. Prepare the seed bed by additions of topsoil, peat or other soil amendments. Work into the soil. Wait 2 weeks then seed the area at 1 1/2 times the recommeded seeding rate. Keep soil moist through the first cutting.

NOTICE - Buyer and user assumes all risk and liability of use, storage, and/or handling of this material not in accordance with the terms of this label.

