JUL 2 1 1988

Mr. Richard B. Boyd, Jr. Vice President Ford's Chemical & Service, Inc. 2739 Pasadene Boulevard Pasadena, TX 77502

Dear Mr. Boyd:

Subject: Response to Notice of Pesticide Registration Dated September 21, 1987 FORD's Diazinon 1/2% ME EPA Registration No. 10370-193 Your Resubmission Dated October 26, 1987

The draft labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you make the labeling change listed below.

- In the Environmental Hazards section, revise the statement pertaining to contamination of water to read "Do not contaminate water when disposing of equipment washwaters."

With regard to the product chemistry data, the information submitted is acceptable and has been inserted in our file for future reference.

Submit five (5) copies of your final printed labeling before you release the product for shipment.

Sincerely yours,

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (TS-767C)

P.S. On front panel change second"Active" to read Inert Ingredients.

11153:I: Heyward: LR-1: KENCO: 2/26/88: 4/7/88:CB: vo:rw SYMBOL SUF JAME DATE OFFICIAL FILE COPY.

EPA Form 1320-1 (12-70)

JUL 2 1 1988

United to the Tassecticide, End of the lendwide Act to an area of the pesticide regretered mater EPA Reg. No.

FORD'S DIAZINON 1/2% ME A Micro-Emulsion Insecticide

10370-193 RECOMMENDED FOR COMMERICAL - INDUSTRIAL USE

For control of Cockroaches, Ants, Silverfish, Ticks, Fleas,

Pantry and other household pests

A READY-TO-USE PRODUCT FOR INDOOR PEST CONTROL

ACTIVE INGREDIENT:

DIAZINON: [0,0,diethyl 0-(2-isopropyl-6-methyl-

4-pyrimidinyl phosphorothicate].........0.50%

ACTIVE INGREDIENTS.....99.50%

TOTAL.....100.00%

KEEP OUT OF REACH OF CHILDREN - C A U T I O N

IF SWALLOWED: Call a physician or Poison Control Center immediately. Give milk or water. Do not induce vomiting unless no other treatment is available and then preferably under the supervision of a physician. If it is necessary to induce vomiting, give 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water. Thoroughly rinse.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation develops or persists.

NOTE TO PHYSICIAN: This product contains a cholinesterase inhibitor. Atropine sulfate and 2-PAM are antidotal only if signs of cholinesterase inhibition are present. Gastric lavage is indicated.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals
CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapors and spray mist. Provide adequate ventilation of area being treated. Contact with skins eyes or clothing should be avoided Wash thoroughly after using and before eating or smoking. Avoid contamination of fooder utensils and food preparation areas. Keep children and pets of treated areas until the areas are dry. Animal studies have indicated this product to be contact allergenic. Hypersensitive individuals should avoid exposure.

BEST AVAILABLE COPY

EPA REG. NO. 10370-193

EPA EST. NO. 10370-TX-1

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply directly to any body of water. Do not allow pets or children in treated areas until spray has dried.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage of disposal. STORAGE: Store product in its original labeled container in a cool, dry, locked place out of reach of children. Keep from freezing. DISPOSAL: Do not reuse empty container. Wrap and put, in trash collection.

GENERAL INFORMATION

This product is ready to use. It is intended for use in buildings, offices, restaurants, households and other similar areas for the control of those pests specified on this label.

NOTE: Care should be taken to avoid spotting of walls, or wall coverings and fabric. When used in dwellings, care should be taken to avoid deposits which could be frequently contacted by children. Remove or cover fish bowls and remove pets in treated areas until surfaces are dry. Do not contaminate food, food containers, or cooking utensils. Avoid excessive application to carpets. Do not use on plants or pets. Do not use this product in conduits, motor housings, or electrical switch boxes.

COCKROACHES (Waterbugs), ANTS, SILVERFISH: Make spot applications as a coarse spray or apply with a paintbrush to baseboards, areas around water pipes, cracks and cravices, surfaces behind and beneath cabinets, refrigerators, sinks, stoves and similar areas where these insects hide. Spray area until wet. Repeat applications as necessary to maintain control.

CARPET BEETLES: Apply as a spray in spot applications along baseboards and edges of carpeting, under carpeting and rugs and furniture, in closets and on shelving, and wherever these insects are seen or suspected. Avoid excessive wetting of carpets.

BEST AVAILABLE COPY

SPIDERS AND SCORPIONS: Apply as a spray around windows, doors, and along baseboards. Make applications to other areas over which these pests may crawl.

pantry PESTS Exposed stages of saw-toothed grain beetle, flour beetle, rice weevil, cigarette beetle, drugstore beetle, and Indian meal moth. Apply as a spray to shelves and cupboards where food containers suspected of being infested are stored. Remove all food and shelving paper before spraying. Do not replace the food packages until spray has dried. Cover shelves with shelving paper. This treatment is supplemental to good housekeeping, since it will have no effect on insects breeding within food packages. Infested food packages should be destroyed.

BROWN DOG TICKS, FLEAS*: Make a thorough application as a spray to infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets, and localized areas of floors and floor coverings. Fresh bedding should be placed in animal quarters following treatment. Do not treat animals with this product. Repeat as necessary. Avoid excessive wetting of floor covering, rugs or unfinished material as damage may occur. Do not apply directly to upholstery. Do not use as an overall spray.

*CONTROLS ADULT FLEAS ON AREAS TREATED.

FOOD AND FEED HANDLING ESTABLISHMENTS: (Including places other than private residences in which exposed food or feed is held, processed, prepared or served. Apply as a spray; either a crack and crevice or spot treatment as directed below. Do not apply to areas, surfaces, or utensils which will come in contact with food. Take extreme care to avoid contamination of food or food contact surfaces or introducing the material into the air.

BEST AVAILABLE COPY

FOOD/FEED AND NON-FOOD/FEED AREAS

FOOD/FEED AREAS (APPLICATION LIMITED TO CRACK AND CREVICE AND SPOT TREATMENT ONLY).

Food/feed areas include areas for receiving, storage, packing, (canning, bottling, wrapping, boxing), preparing, edible waste storage, and enclosed processing systems (mills, dailies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation are considered a food area), and includes facilities where prepared foods are served, such as dining rooms but excluding areas where foods may be prepared or held.

CRACK AND ALLYTCH TREATMENT: As a crack and crevice treatment, use equipment countle of delivering a pin-stream of insecticide

EPA REG. NO. 1. 3 3-195

EPA EST. NO. 10370-TX-1

and apply in small amounts directly into such spaces as expansion joints, in points between different elements of construction, between equipment and floors, wall boards, baseboards, or openings leading into voids and hollow spaces in walls, hollow equipment legs and bases where cockroaches (waterbugs), ants, spiders and silverfish hide.

€

SPOT TREATMENT: As a spot treatment, apply as a coarse low-pressure fan type spray to selective floor surfaces, areas around water pipes, beneath cabinets, refrigerators, sinks, stoves, storage areas, baseboards, under elements of construction and similar areas where cockroaches (waterbugs), ants, spiders and silverfish hide.

Limit spot treatments to floor surfaces where pests have seen or where they are suspected of hiding. Limit spot treatments to an area no larger than 20% of the floor surface. Any individual spot treatment shall not exceed two square feet.

Avoid treating surfaces likely to be contacted by food. Do not apply when facility is in operation or foods or feed are exposed.

These treatments also aid'in the control of pantry pests (exposed stages of saw-toothed grain beetle, flour beetle, rice weevil, cigarette beetle, drugstore beetle, and Indian meal moth), which come into contact with treated surfaces. Do not use this product in conduits, motor housings, or electrical switch boxes. Repeat applications as necessary.

APPLICATIONS OF THIS PRODUCT IN FOOD/FEED AREAS OF FOOD OR FEED HANDLING ESTABLISHMENTS OTHER THAN A CRACK AND CREVICE TREATMENT AND SPOT TREATMENT ARE NOT PERMITTED.

NON-FOOD/FEED AREAS: Non-food/feed areas include garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning and bottling).

In non-food/feed areas, apply as a spot treatment using a coarse, low-pressure spray to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets, and similar areas where insects hide or through which they may enter.

NOTICE: Buyer and user assume all risk and liability of use, storage and/or handling of this product not in accordance with the terms of this label.

FORD'S CHEMICAL & SERVICE, INC. 2739 Pasadena Blvd. Pasadena, Texas 77502

