

US ENVIRONMENTAL PROTECTION AGENCY  
OFFICE OF PESTICIDES PROGRAMS  
REGISTRATION DIVISION (TS 767)  
WASHINGTON, DC 20460

EPA REGISTRATION NO.

10370-222

DATE OF ISSUANCE

JANUARY 3, 1989

NOTICE OF PESTICIDE:

REGISTRATION  
 REREГИSTRATION

Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended.

TERM OF ISSUANCE

Until Reregistration

NAME OF PESTICIDE PRODUCT

Ford's Ultra S.S.C. - 12 - 2.5

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Ford Chemical Company, Inc.  
P.O. Box 1000  
Piquette, IA 57754

NOTE: Changes in labeling or formula after issuance from that accepted in connection with this registration must be submitted and accepted by the Registration Division prior to use of the label and/or formula. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration does not constitute an endorsement or approval of the product by the Agency. In order to protect health and the environment, the Agency, in this notice, may at any time suspend or cancel the registration of a pesticide which is in compliance with the Act if it is determined any name in connection with the registration of a product under the Act is to be used in a way which might result in the use of the name or the product in a manner not intended by others.

The pesticide is conditionally registered for use in accordance with the following conditions:

1. The registrant is required to register the pesticide for use in accordance with the Agency registration requirements. The registrant is to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

1. Add the phrase "EPA Registration No. 10370-222."
2. In the statement of Practical Treatment, delete "for at least 15 minutes" and replace with "plenty of water."
3. Add to your "If Swallowed" statement of Practical Treatment:  
"Do not induce vomiting because of aspiration hazard."
4. In your hazard to humans paragraph, revise "harmful or fatal if swallowed" to "Harmful if swallowed."

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

Dennis H. Sams

DATE

1 3 89

e. On page 5, delete reference to EPA Registration No. 10370-60.

3. A 1-year storage stability study for this product must be submitted within 15 months from the date of this Registration Notice.

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Dennis H. Edwards, Jr.  
Product Manager (12)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767C)

Enclosures

F O R D ' S

U L T R A S. S. C. - 12 - 2.5

To be applied Only By or Under the Supervision of Commercial Applicators Responsible for Insect Control Programs.

A combination of insecticides offering good flushing activity, quick knockdown and residual kill of cockroaches for up to 4 weeks.

FOR RESIDUAL AND CONTACT CONTROL OF COCKROACHES, CRICKETS, SILVERFISH, CLOVER MITES, CENTIPEDES, MILLIPEDES, FIREBRATS, EARWIGS, SOWBUGS, SPIDERS, BROWN DOG TICKS, LONE STAR TICKS, ANTS, CARPET BEETLES, FLEAS.

ACTIVE INGREDIENTS:

- \*Resmethrin [5-phenylmethyl)-3-furanyl) methyl-2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropane-carboxylate.....2.50% w/w
- \*\*Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate].....12.00%
- \*\*\*INERT INGREDIENTS.....85.50%

\*Cis/trans isomers ration: max. 30% (+/-)cis and min. 70% (+-)trans.

U. S. Patent Nos. 3,465,007; 3,542,928; and 3,683,708  
Penick's SBP-1382 brand of resmethrin insecticide.

Penick Corp., 1050 Wall Street West, Lyndhurst, NJ 07071

\*\*U. S. Patent No. 3,244,586. Dursban is a trademark of Dow Chemical Company

\*\*\*Contains Aromatic Petroleum Derivative Solvents


PRECAUCION AL USUARIO: Si usted no lee ingles, no use esta producto haste que la etiqueta le hay a side explicada ampliamente.

TRANSLATION: (TO THE USER: If you cannot read English, do not use this product until the label has been fully translated to you).

W A R N I N G: KEEP OUT OF REACH OF CHILDREN

CAN BE USED IN NON-FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS.  
SHAKE WELL, BEFORE USING.

EPA REG. NO. 10370-XXX  
EPA Est. No. 10370-TX-1


  
 PAGE 1

Manufactured by  
 FORD'S CHEMICAL & SERVICE, INC.  
 2739 Pasadena Blvd.  
 Pasadena, Texas 77502

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**WARNING:** Harmful or fatal if swallowed. Avoid breathing spray mist or vapors. Avoid contact with skin. Causes eye irritation. Do not get in eyes, on skin, or on clothing. Do not allow spray to contact food, feedstuffs or water supplies. Thoroughly wash food contact surfaces with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tanks) before spraying. Do not use this product in edible areas of food processing plants, restaurants or other areas where food is commercially processed or prepared. Do not use in serving areas while food is exposed.

**STATEMENT OF PRACTICAL TREATMENT**

**If Swallowed:** Get immediate medical attention. **If in eyes or on skin:** Flush with plenty of water for at least 15 minutes. For eyes, get medical attention. **NOTE TO PHYSICIAN:** Chlorpyrifos is a cholinesterase inhibitor. If symptoms of cholinesterase inhibition appear, atropine only by injection is an antidote.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

**PHYSICAL AND CHEMICAL HAZARDS**

Flammable. Keep away from heat and open flame. Flash point minimum 60 degrees F.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

Do not contaminate water food or feed by storage or disposal.  
**STORAGE:** Store in a cool, dry, locked area inaccessible to children and pets.  
**PESTICIDE DISPOSAL:** Pesticide or spray mixture that cannot be used must be disposed of according to applicable Federal, state or local procedures.  
**CONTAINER DISPOSAL:** Do not reuse empty container. Wrap container and place in trash collection.

**DIRECTIONS FOR USE (continued)**

**FOR USE IN NON-FOOD AREAS:** Indoors and outside premises of hotels, motels, homes, preschools, apartment buildings, recreational buildings, boats, ships cabins and hospitals.

EPA REG. NO. 10370-XXX  
EPA Est. No. 10370-TX-1

PAGE 2

Manufactured by

FORD'S CHEMICAL & SERVICE, INC.  
2739 Pasadena Blvd.  
Pasadena, Texas 77502

IN HOSPITALS, remove patients prior to treatment. Ventilate rooms for two hours before returning patients.

Do not use this product in or on electrical equipment due to the possibility of shock hazard.

This product can be used in NON-FOOD AREAS ONLY, such as corridors, offices, foyers, lavatories, garages, utility rooms and basements, of packaging and processing plants, milk handling areas of milk plants, milk storage rooms, egg processing plants, supermarkets, restaurants, bottling plants, canneries, flour and feed mills and bakeries.

Also, for use in and around campers, mobile homes, buses and automobiles. This product can be used in cargo planes, trucks, boxcars and ship cargo holds only if the vehicles are not used for transport of food or food products at any time.

Also for use in dog kennels and horse stables. Do not spray on dogs and horses. Do not spray dog and horse food or feed items.

NOTE TO PEST CONTROL OPERATORS: One gallon of spray is sufficient to treat 1500 linear feet with a 6 inch spray.


GENERAL INFORMATION: Mix FORD'S ULTRA S.S.C. 12 - 2.5 with water as shown in the SPRAY DILUTION CHART. Use an 0.1 + 0.5 spray to quickly reduce heavy infestations, and an 0.05 + 0.25 spray to control light infestations and for maintenance purposes.

SPRAY DILUTION CHART

GALLONS OF SPRAY MIXTURE DESIRED	FLUID OUNCES** OF FORD'S ULTRA S.S.C	
	0.05 + 0.25	0.1 + 0.5
1	2 - 2/3	5 - 1/3
3	8	16
5	13 - 1/3	26 - 2/3
10	26 - 2/3	53 - 1/3

\*\*1 fluid ounce = 2 tablespoonsful 6 teaspoonsful  
NOTE: Do not store the concentrate at temperatures below 40 degrees F. If the concentrate is exposed to temperatures below 40 degrees F, warm to above 40 degrees F and thoroughly mix before

EPA REG. NO. 10370-XXX  
EPA Est. No. 10370-TX-1



Manufactured by

FORD'S CHEMICAL & SERVICE, INC.  
2739 Pasadena Blvd.  
Pasadena, Texas 77502

diluting with water. Do not expose the spray mixture to temperatures below 32 degrees F. Shake well before using.

**CONTACT SPRAY - KILLS AND REDUCES INFESTATIONS: COCKROACHES, CRICKETS, SILVERFISH, CARPET BEETLES, CLOVER MITES, CENTIPEDES, MILLIPEDES, FIREBRATS, EARWIGS, SOWBUGS, ANTS, SPIDERS AND FLEAS:** Use as a spot treatment. When possible, spray directly on pests to reduce infestations. Apply as a coarse spray or with a paintbrush into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators and other appliances, baseboards and storage areas. Apply spray until area is wet, but not to the point of runoff. Repeat as necessary.

**ANTS:** To kill ants, spray trails, nests and points of entry within buildings and homes. Spray directly on ants where possible. Repeat as necessary.

**FLEAS, BROWN DOG and LONE STAR TICKS:** Thoroughly apply as a spot treatment to infested areas such as pets beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Old bedding of pets should be removed and replaced with clean fresh bedding after treatment of pet areas. **DO NOT TREAT PETS WITH THIS PRODUCT.** Treat pets with a product registered for animal application.

**CARPET BEETLES:** Thoroughly apply as a spot treatment along baseboards and edges of carpeting, under carpeting, rugs and furniture, in closets and on shelving and wherever else these insects are seen or suspected.


**ATTENTION (PESTS INDOORS):** Do not apply this water-based product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard. If there is need to treat such areas, use only an oil-base spray. Prior to application, de-energize electrical equipment. After application, allow time for oil to evaporate before starting motors or placing switches in "ON" position.

**RESIDUAL SPRAY:** Aids in the control of COCKROACHES, SILVERFISH, CENTIPEDES, MILLIPEDES, EARWIGS, SOWBUGS. Kills up to 4 weeks. Apply on baseboards, cracks and crevices, around door and window frames, and other hiding places such as closets, in back of and under appliances, sinks and cupboards in kitchens and bathrooms. In basements, apply in hiding places in cracks and crevices, lower walls and dark places. Apply as a coarse wet spray in a 6 inch band until area is thoroughly wet but not to the point of runoff. Treat on a monthly basis or as necessary.

EPA REG. NO. 10370-XXX  
EPA Est. No. 10370-TX-1

Manufactured by

FORD'S CHEMICAL & SERVICE, INC.  
2739 Pasadena Blvd.  
Pasadena, Texas 77502



PAGE 4  
.  
.  
.

**GENERAL INFORMATION:** Use FORD'S ULTRA S.S.C. 12 - 2.5 according to the SPRAY DILUTION CHART for the control of certain pests on the outside surfaces of buildings. Consult the following directions for dosage and application details to control the pests listed.

**PESTS ON OUTSIDE SURFACES OF BUILDINGS:** Use FORD'S ULTRA S.S.C. 12 - 2.5 to control ants, clover mites, crickets, earwigs, millipedes, and sowbugs by application as a residual spray or with a paintbrush to outside surfaces of buildings, including porches, screens, window frames, eaves, patios, garages, refuse dumps and other areas where these pests congregate or have been seen. Do not treat or allow the spray to contact plants (lawns, flowering plants, shrubs, trees, evergreens, etc.) because of possible injury. Repeat treatment as needed to maintain effectiveness.

**NOTE:** To help prevent infestation of buildings by ants, crickets, earwigs, and sowbugs (pillbugs), treat a band of soil 6 to 10 feet wide around and adjacent to the buildings, also the building foundation, to a height of 2 to 3 feet, where pests are active and may find entrance. Use 25 ounces of FORD'S ULTRA S.S.C 12 - 2.5 per 100 gallons of water and apply as a coarse spray at the rate of 10 gallons per 1,000 sq. ft. to thoroughly and uniformly wet the band.

#### WARRANTY STATEMENT

Our recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials

EPA REG. NO. 10370-60  
EPA Est. No. 10370-TX-1

PAGE 5

Manufactured by

FORD'S CHEMICAL & SERVICE, INC.  
2739 Pasadena Blvd.  
Pasadena, Texas 77502

