

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PESTICIDES AND TOXIC SUBSTANCES

JUL 2 6 1991

Richard B. Boyd, Jr. Ford's Chemical Inc. 3741 Red Bluff, Suite 200 Pasadena, Texas 77503

Dear Mr. Boyd:

Subject: Label Review

Ford's Pyricide Horse Spray EPA. Reg. No. 10370-233 Submission: June 5, 1991

The labeling referred to above submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

sincerely,

Richard F. Mountfort
Product Manager 10
Insecticide-Rodenticide Branch
Registration Division (B7565C)

FORD'S PYRICIDE HORSE SPRAY

An effective, fast acting insecticide for use on Horses. A concentrated PYRENONE Micro Emulsion - Clear - Stable

Apply with conventional mechanical or compressed air equipment

ACTIVE INGREDIENTS:

INERT INGREDIENTS:.....98.9%

Equivalent to 0.8% (butylcarbityl) (6-propylpiperonyl) ether and 0.2% related compounds.

a registered trademark of Fairfield PYRENONE is Corporation.

CAUTION
KEEP OUT OF REACH OF CHILDREN NUL 26 19

Under the Federal Inserticide Under the Federal Insecticide Act PRECAUTIONARY STATEMENTS
Hazards to Humans and domestic Animal as an end on the property of th

Harmful if swallowed. Avoid contamination of feed and Soodstuffs. Remove pets, birds and cover fish aquaria before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, ponds, streams, tidal marshes and estuaries. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with it's labeling.

To protect Horses from horn flies, house flies, mosquitocs and gnats, apply a light mist sufficient to wet the tips of the hair. To control stable flies, horse flies, and deer flies apply 2 ounces per adult animal, sufficient to wet the hair, but not to soak the hide. Repeat treatment once or twice daily or at intervals necessary to give continued protection.

FORD'S CHEMICAL AND SERVICE, INC.

EPA Reg. No. 10370-233

EPA Est. No. 1037U-TX-1



To control <u>blood-sucking lice</u>, apply the spray lightly to infested areas, using a stiff brush to get the spray to the base of the hair. Use 2 ounces or less per animal. Repeat every two or three weeks as required. DO NOT USE ON HORSES INTENDED FOR HUMAN CONSUMPTION.

DISPOSAL

Do not reuse empty empty container. Wrap container and put in trash collection.

NOTICE: Buyer assumes all risks of use storage of handling of this product not in strict accordance with the directions given herewith.

FORD'S CHEMICAL AND SERVICE, INC.
EPA Reg. No. 10370-233 EPA Est. No. 10370-TX-1

ws/LAB233