

FORD'S MALATHION FRUIT TREE SPRAY

MULTI-PURPOSE SPRAY FOR
SMALL HOME APPLE ORCHARDS

ACTIVE INGREDIENT:


Captan (N-Trichloromethylthio-4-cyclohexene-1,2-dicarboximide).....	9.77%
Related Derivatives.....	0.23%
Methoxychlor: 1,1,1-trichloro-2,2-bis(methoxyphenyl)ethane.....	10.00%
Malathion (O-O-dimethyl phosphorodithioate of diethyl mercaptosuccinate).....	10.00%
INERT INGREDIENTS.....	70.00%

TOTAL.....100.00%

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

KEEP OUT OF REACH OF CHILDREN
D A N G E R

**PRECAUTIONARY STATEMENTS****Hazards to Humans and Domestic Animals**

Causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Avoid contact with skin and clothing. Avoid contamination of feed and foodstuffs.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water. Call a physician.

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink promptly a large quantity of milk, egg white, gelatin solutions, or if these are not available, drink large quantities of water. Avoid alcohol. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated. Get medical attention.

IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

2 of 3

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store product in original labeled container in a cool, dry, locked place out of the reach of children.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures. For container disposal one gallon and under: Do not reuse container. Rinse thoroughly before discarding in trash. For Pesticide disposal: Securely wrap original container in several layers of newspaper and discard in trash.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative of the nearest EPA Regional Office for guidance.

When using, wear chemical resistant gloves, long pants, long sleeved shirt, socks and shoes. Apply with the wind to your back. Wash non-disposable gloves thoroughly with soap and water before removing. Wear goggles or face shield when handling. Remove contaminate clothing and separately launder clothing before reuse.

Do not enter or allow entry into treated areas until sprays have dried to perform hand labor tasks. A person may enter the area to perform other tasks only if the person is wearing the personal protective equipment listed on the label for a pesticide handler.

Do not apply this product in a way that will contact unprotected workers, either directly or through drift. Only protected handlers wearing long pants, long sleeved shirts, socks, shoes, and chemical-resistant gloves may be in the area during applications.

HOME APPLE ORCHARDS:

For protection against codling moths, aphids, bud moths, leaf rollers, apple maggot and apple scab. Do not apply within 7 days of harvest.

Do not spray during bloom, but spray at early petal fall and then every 7-10 days until 2 weeks before harvest. The period from green tip to bloom is very important for scab control. During this period, spray every seven days, or more often if growth is rapid or if rains occur frequently. (There may be 3-5 applications before bloom, depending upon growth development or weather conditions.)

Make a spray solution according to the following the rates:

For small or dwarf trees, apply at the rate of 1-2 pints of the spray solution per tree.

For medium or semi-dwarf trees, apply 1-2 quarts per tree.

For large or mature trees, apply 1-3 gallons of the spray solution per tree.

Spray to cover upper and lower leaf surfaces and fruit.

0073

For primary scab infection, use a spray solution of 5-6 tablespoons of this product per gallon of water, or for larger amounts, use the equivalent rate of 4-5 pounds per 50 gallons of water. Apply in prebloom, blossom, petal fall, and first cover periods. For secondary scab infections, use a spray solution of 2 level tablespoons per gallon of water, or for larger amounts, at the rate of 1.33 pounds per 50 gallons of water. Apply in cover periods.

For insect infestations, use a spray solution of 5 tablespoons of this product per gallon of water, or for larger amounts, use the equivalent rate of 4 pounds per 50 gallons of water. Apply when insect infestation occurs. In the event of a severe outbreak of apple maggot, make an application of Diazinon (1.0 lb of Diazinon 50W per 1000 gallons of water). Contact your State and Agricultural Experiment Station for guidance.

Red Delicious and other sensitive varieties of apples may be injured by early season application. Malathion may cause injury to McIntosh and Cortland varieties if applied within 28 days of harvest.

WARRANTY STATEMENT


Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as the effects of such of the results obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibilities, including injury or damage, resulting from its misuse as such, or in combinations with other materials.

Manufactured by:
Roussel UCLAF Corporation
P.O. Box 1077, 400 Sylvan Avenue
Englewood Cliffs, NJ 07632

NET CONTENTS:

EPA REG. NO. 10370-298

P-8/13/92



Page 3 of 3