

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes irreversible eye damage. May be fatal if swallowed. Avoid breathing vapors. Do not get in eyes, on skin or on clothing. Wear goggles or face shield or safety glasses and rubber gloves when handling this product. Wash thoroughly with Soap and water after handling. Remove contaminated clothing and wash before reuse. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.


ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish, keep out of lakes, streams or ponds. Treated effluent cannot be discharged into lakes, streams, ponds or public waters unless a discharge permit is obtained. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals will release hazardous gases irritating to eyes, lungs and mucous membranes.

distributed by ALL-BRITE SALES COMPANY
2204 Haines St./P.O. Box 3359
Jacksonville, Fla. 32206 (904) 354-4687

EPA REG. NO. 10373-9 EPA EST NO. 10373-FL-1

NET CONTENTS:
DATE PACKAGED:
NOT FOR USE AFTER:



ACCEPTED
10373-9
SEP 9 1982
U.S. Federal Insecticide,
Fungicide, and Rodenticide Act
EPA Reg. No. 10373-9

**SODIUM
HYPOCHLORITE
SOLUTION**

ACTIVE INGREDIENT:
SODIUM HYPOCHLORITE 9%
INERT INGREDIENTS: 91%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with plenty of water for at least 15 minutes. Get Medical Attention. If swallowed, drink large quantities of milk, egg whites, gelatin solution or if not available, drink large quantities of water. Avoid Alcohol. Do not give vinegar or other acids. Get prompt Medical Attention. Do not induce vomiting. **Note to Physician:** probable mucosal damage may contraindicate the use of gastric lavage.

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

MEAT AND POULTRY PROCESSING PLANTS:

Surfaces or articles to be sanitized must be thoroughly pre-cleaned. Solutions containing 0.5% available chlorine (4 1/2 gallons of sodium hypochlorite solution per 100 gallons water) may be used for sanitizing walls, floors, ceilings and similar areas. Solutions containing 200 p.p.m. (1 1/2 pints of sodium hypochlorite solution per 100 gallons of water) may be used on edible product equipment. Do not allow the solution to come directly in contact with meat or poultry. More concentrated solutions must not be used without the permission of the Meat Inspection Division, or Poultry Inspection Division, of the United States Department of Agriculture.

WATER PURIFICATION:

Sodium hypochlorite solution may be used to chlorinate water supplies at an initial rate of 4 1/2 pints per 100,000 gallons of water. Apply through a solution feeder, and determine the available chlorine residual approximately 30 minutes after treatment using a chlorine test kit. Repeat treatment as necessary to establish an available chlorine residual of at least 0.2 p.p.m. An available chlorine residual of at least 0.2 p.p.m., as determined by test kit, indicates an effective dosage.

LAUNDRY BLEACH:

Dilute 1 part sodium hypochlorite solution with 9 parts water to make a 1% bleach solution. Use 2 parts of the diluted solution to each 100 pounds of laundry.

MILK PLANT AND DAIRY EQUIPMENT:

Bottles, bottle fillers, coolers, pasteurizers, churns, separators, utensils, and other equipment may be sanitized by rinsing with a solution prepared by adding 3 1/2 tablespoons of sodium hypochlorite solution per 10 gallons of water. Vessels such as holding tanks, tank trucks, and cans should be rinsed with a solution prepared by adding 2 1/2 pints of sodium hypochlorite solution per 100 gallons of water. After sanitizing the equipment should be rinsed thoroughly with water.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage as necessary to obtain the required level of available chlorine.

STORAGE AND DISPOSAL: Do not contaminate Water, Food or Feed by storage or disposal of residue from cleaning of equipment.

STORAGE: Store in a cool, dry area away from direct sunlight.

PESTICIDE DISPOSAL: In case of spill, flood area with large quantities of water. Product or rinsate that cannot be used, should be diluted with water, and disposed of in a sanitary sewer.

CONTAINER DISPOSAL: Rinse empty container thoroughly with water and either return to the manufacturer or discard by placing in a trash collection, or burying in an approved land fill.