

CAUTION: KEEP OUT OF REACH OF CHILDREN
SEE OTHER PRECAUTIONS ON THE SIDE PANEL

DIRECTIONS


FOOD HANDLING ESTABLISHMENTS: Places other than private residences in which exposed food is held, processed, prepared or served.

FOOD AREAS-APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY: Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing) preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) also would be considered a food area.

Apply in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream of insecticide in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, conduits, motor housings, junction or switch boxes where **ROACHES** hide. (Prior to application, de-energize electrical equipment. After application, allow time for oil to evaporate before starting motors or placing switches in the "ON" position).

Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.



A RESIDUAL SPRAY

FOR INDUSTRIAL AND INSTITUTIONAL USE

WITH BAYGON®

Residual Spray is a highly effective ready to use formulation for control of the insects listed below, including those resistant to certain chlorinated hydrocarbon and phosphate insecticides. This product drives insects from their hiding places, gives rapid kill and four weeks of residual activity.

KILLS: Ants, Roaches, Waterbugs, Silverfish, Crickets, Carpet Beetles, Spiders and Scorpions, Flies, Mosquitoes, Wasps, Flying Moths.

DIRECTIONS FOR USE other than Crack/Crevice Treatment

GENERAL

Apply with a low-pressure sprayer equipped with a coarse spray nozzle. Spray surfaces only until wet. Avoid excessive run-off. Apply to all insect breeding sites and harborages. Also treat adjacent exposed surfaces where insects may crawl when they come out of hiding. Repeat treatment as necessary.

Roaches, Waterbugs, Silverfish, Crickets, Carpet Beetles: Spray infested cracks and hiding places thoroughly. Direct spray into moist places, and around sinks, bath tubs drains, laundry tubs, pipes through walls and floors. Spray behind cabinets, stove, and refrigerator. To control carpet beetle - spray the underside of carpets.

Ants: Thoroughly spray ant trails and areas around door frames and window sills. It is frequently desirable to treat the openings around water pipes, heat ducts, electrical outlets and baseboards where ants may come into rooms from wall spaces and partitions.

Spiders and Scorpions: Spray wherever these insects may enter such as around door frames and window sills. In garages, wood houses, cabins, outhouses, spray until wet where these insects crawl.

Flies, Mosquitoes, Gnats, Wasps, Flying Moths: As an aid to reduce the annoyance from these insects in entering the home, spray the outside surfaces of screens, doors and window frames and other places where these insects gather.

**REPEAT TREATMENT AS NECESSARY FOR EFFECTIVE CONTROL.
SPRAY INFESTED SURFACES UNTIL WET.**

RESTRICTIONS:

DO NOT REFUSE empty container. Wash thoroughly with water and detergent. Discard in a safe place. Do not use as a space spray. Provide adequate ventilation of area being treated. Do not allow children to contact treated areas until surfaces are thoroughly dry. Do not store near feed or food products. Avoid contamination of feed, food, food processing equipment, and food handling surfaces. Do not apply to animals. Remove pets and cover fish bowls before spraying. Do not spray plants.

CAUTION: AVOID BREATHING OF MISTS

May be harmful if swallowed, inhaled, or absorbed through the skin. Do not get in eyes, on skin, or on clothing. In case of contact, wash immediately with soap and warm water. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

Should illness occur, get prompt medical aid.
To physician - Atropine sulfate is antidotal.

ACTIVE INGREDIENTS:
o Isopropoxyphenyl methylcarbamate* 1%
2 Butoxyethanol 9%