

105

200 2 1 1991

H. R. McLane
 Lesco, Inc.
 c/o H. R. McLane, Inc.
 7210 Red Road, Suite 206
 Miami, FL 33143

Dear Mr. McLane:

Subject: Revised Label Text and Format
 Lesco 12-4-8 Weed & Feed for Lawn Weed Control
 EPA Registration No. 10404-7
 Your Submission Dated January 31, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following provisions:

- 1) Due to new EPA policy, part of the Environmental Hazards section has been changed. To comply, change the sentence "Do not apply to water or wetlands (swamps, bogs, marshes and potholes)" to read "Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark."
- 2) The second sentence of the Environmental Hazards section contains a typographical error. Rewrite the second sentence to read "Drift or runoff may adversely affect aquatic invertebrates and non-target plants."
- 3) Rewrite the following Storage and Disposal statements:
 - PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash."
 - CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash."

CONCURRENCES

| | | | | | | | |
|---------|---------|--|--|--|--|--|--|
| SYMBOL | H7505C | | | | | | |
| VERSION | ENVY | | | | | | |
| DATE | 8/20/91 | | | | | | |

2/3

A stamped copy is enclosed for your records. Please submit five (5) final printed copies for the referenced label, incorporating the above changes.

Sincerely yours,

Joanne I. Miller
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (H7505C)

Enclosure

CONCURRENCES

| | | | | | | | |
|---------|----------|--|--|--|--|--|--|
| SYMBOL | H7505C | | | | | | |
| SURNAME | D. KENNY | | | | | | |
| DATE | 8/20/91 | | | | | | |

In Bluegrass, Ryegrass, Fescue, Bermuda and Zoysiagrass Lawns

ACTIVE INGREDIENTS:

| | |
|--|---------------|
| *Dimethylamine salt of 2,4-Dichlorophenoxyacetic Acid | 0.66% |
| **Diethanolamine salt of 2-(2-methyl-4-chlorophenoxy) Propionic Acid | 0.40% |
| INERT INGREDIENTS: | 98.94% |

TOTAL 100.00%

*Equivalent to 0.551% 2,4-Dichlorophenoxyacetic Acid
 **Equivalent to 0.275% 2-(2-methyl-4-chlorophenoxy) Propionic Acid

ACCEPTED
 with COMMENTS
 in EPA Letter Dated:

NOV 21 1981

GUARANTEED ANALYSIS

| | |
|--|--------|
| Total Nitrogen (N) | 12.00% |
| 0.85% Ammoniacal Nitrogen | |
| 7.75% Urea Nitrogen | |
| 3.36% Sulfur Coated Urea Nitrogen | |
| Available Phosphoric Acid (P ₂ O ₅) | 4.00% |
| Soluble Potash (K ₂ O) | 8.00% |

Sulfur (S) Total 4.60%; 1.80% Sulfur (S) Free; 2.80%
 Sulfur(S) Combined; Derived from: Sulfur Coated Urea,
 Urea, Ammonium Phosphate, Sulfate of Potash.

Under the Federal Insecticide,
 Fungicide, and Rodenticide Act
 as amended, for the pesticide
 registered under E.P.A. Reg. No.

10404-7

BEST AVAILABLE COPY

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. **IF ON SKIN:** Remove contaminated clothing and wash affected area with soap and water. Get medical attention if irritation persists. **IF IN EYES:** Flush eyes with plenty of water. Get medical attention if irritation persists.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Avoid contact with skin, eyes or clothing. Avoid inhalation. Do not contaminate feed or foodstuffs. Wash thoroughly after handling and before eating or smoking. Avoid contamination of irrigation ditches or water used for domestic purposes. Wear long pants, long-sleeved shirt and shoes when applying this product.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label. Do not use on Bentgrass or St. Augustine grass as injury may result. Do not use on Clover or Dichondra. Vapors from this product may injure susceptible plants in the immediate vicinity. Avoid drift of dust to desirable plants.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

REENTRY INTO TREATED AREAS

Do not allow reentry into treated areas until dust has settled.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store product in original container, in a cool, dry, locked place out of reach of children and pets. Store away from seeds, feeds, fertilizers, insecticides, and fungicides. Carefully open containers. In case of spill: Avoid contact; sweep up; use according to directions or dispose of as follows.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse empty bag. Securely wrap bag in several layers of newspaper and discard in trash.

WHERE TO USE

LESCO'S 12-4-8 WEED & FEED for LAWN WEED CONTROL is a combination of a quality fertilizer and highly effective broadleaf herbicides that can be used to control unsightly weeds in varieties of Bluegrass, Ryegrass, Fescue, Bermuda and Zoysiagrass lawns.

LAWN WEEDS THAT WILL BE CONTROLLED BY LESCO 12-4-8 WEED & FEED

This product is especially effective in controlling hard to kill weeds, such as Chickweed, Knotweed, Spotted Spurge, Oxalis, Henbit, Black Medic and Sheep Sorrel. In addition to these, it will control most other common broadleaf weeds including Dandelions, Plantain, Buckhorn, Ground Ivy and Purslane.

HOW TO USE

Apply 360 pounds per acre or one fifty (50) pound bag to 6,000 square feet (60 x 100) of turf area. At this rate of application, one ton of LESCO'S 12-4-8 WEED & FEED will cover 5.5 acres which will supply a minimum of three (3) pounds of herbicide acid per acre and one (1) pound of nitrogen per 1,000 Sq.Ft. of lawn area. For best results, the product should be applied when the weeds are growing vigorously which is usually in the spring and early fall during periods adequate moisture. Do not rake, mow or water the turf for at least twenty four(24) hours after applying this product. Avoid application just prior to expected showers or heavy rains. Do not apply to newly seeded lawns. Delay application until after the third mowing. Do not reseed for 3 to 4 weeks after application.

SPREADER SETTINGS

| | lbs./1,000 sq.ft. | Spreading Width | 3/4" Hole | Approx. Setting |
|-------------------|-------------------|-----------------|-----------|-----------------|
| Lesco Rotary | 8.20 lbs. | 9 feet | * | J |
| Cyclone B-1 | | 14 1/2" | | 5.5 |
| Scott (Drop Type) | | 20 inch | | 7 |

WARRANTY

LESCO, Inc. warrants that this herbicide conforms to the chemical description on its label. When used in accordance with label directions, under normal conditions, this herbicide is reasonably fit for its intended purposes. Since timing, method of application, weather, plant and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use.
 (2,4-D Reg. Std. Version 01-31-81)

#001258

EPA Reg. No. 10404-7

EPA Est. No. 10404-OH-02

Net Weight 50 Pounds (22.7 Kg.)

LESCO, INC. - 20005 Lake Road - Rocky River, Ohio 44116