



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

APR 13 1994

Julius C. Prinzo
LESCO INC.
20005 Lake Rd - Box 16915
Rocky River, OH 44116

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

SUBJECT: Label Amendment Submission of 09/07/93 in Response to PR Notice 93-7
EPA Reg. No. 10404-14
LESCO 30-5-7 PLUS DIAZINON


Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, successfully **REMOVES THE PRODUCT FROM THE SCOPE** of PR Notice 93-7 once the comments (if any) on the attached sheet are addressed. Other than the alterations (if any) listed on the attached sheet, no further alterations to the labeling are necessary to reflect the requirements of the Worker Protection Standard.

Since your amendment proposes to delete uses directly and/or to delete uses implicitly through the use of exclusionary statements, the Agency will publish in the Federal Register a notice of receipt of your amendment to delete uses, as required by section 6(f)(1) of FIFRA. The Agency will defer action for 90 days from the date of the Federal Register notice to give affected minor users an opportunity to try to persuade you to retain the uses(s). When the comment period has expired, the Agency will approve the amendment unless you have withdrawn it, and stamp the amended labeling "accepted." Your stamped-accepted labeling will then be sent to you.

As described in Supplement A of PR Notice 93-11 (self-verification option), you may sell and distribute product bearing the submitted labeling before you receive a copy of your stamped-accepted labeling. Note that your registration is not amended until the comment period required by section 6(f)(1) of FIFRA has expired and the Agency has approved the amendment. Therefore, you may withdraw your proposed amendment at any time during the comment period and until you receive your stamped-accepted labeling.

Sincerely,


James Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)

Enclosures



Recycled/Recyclable
Printed with Soy/Canola Ink on paper that
contains at least 50% recycled fiber



JUL - 1994
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended for the pesticide
registered under EPA Reg. No
10404-14

31-5-7 Plus Diazinon

NOT FOR USE on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

To Control Both Soil and Surface-Feeding Insects

Ready-to-Use - Contains 3.33% Diazinon

This product must not be used on golf courses or sod farms.

Active Ingredient

0,0-diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate	3.33%
Inert Ingredients	96.67%
Total	100.00%

GUARANTEED ANALYSIS

Total Nitrogen (N)	31.00%
1.95% Ammoniacal Nitrogen	
29.05% Urea Nitrogen*	
Available Phosphoric Acid (P ₂ O ₅)	5.00%
Soluble Potash (K ₂ O)	7.00%
Sulfur (S)	3.00%
3.00% Sulfur (S) Free	

INGREDIENTS Sulfur Coated Urea, Urea, Ammonium Phosphate, Muriate of Potash

* 6.95% Slowly available Nitrogen from LESCO Poly Plus™ Sulfur Coated Urea

Brush off walks and painted surfaces following application to avoid discoloration

Overall Lawn Application LESCO Diazinon 3.33% + 31-5-7 Fertilizer controls the following lawn insects on both grass and dichondra lawns

Ants	Chinch bugs	Lawn moths (Sod Webworms)
Armyworms	Clover mites	Leafhoppers
Bermuda mites	Crickets	Millipedes
Chiggers	Outworms	Sow bugs
	Earwigs	Springtails (Collembola)

STORAGE AND DISPOSAL

Pesticide Storage: Keep out of reach of children and animals. Store in original container only. Store in a cool, dry place and avoid excess heat. Carefully open container. After partial use, fold and roll back bag, clamp and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

In Case of Spill: Avoid contact, isolate area, and keep out animals and unprotected persons. Confine spills. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

Pesticide Disposal: Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Apply LESCO Diazinon 3.33% + 31-5-7 Fertilizer to lawn with fertilizer spreader at the rate shown. Application should be made when grass is dry. Water lawn lightly after application. Repeat as necessary. Apply at a rate of 3.0 pounds per 1,000 sq ft (an area of 20 ft x 50 ft).

Billbugs, White Grubs of Japanese beetle, European chafer, and Southern chafer: Apply 3.6 lbs / 1,000 sq ft. of lawn. Water lawn thoroughly after application. For grub control, make application any time between late July and early October. For billbug control, apply when activity is first observed or when chewed or brown grass indicates damage from these insects. Repeat as necessary.

Hyperodes, Weevils (New York Only): Apply 3.0 lbs / 1,000 sq ft. of lawn. Water lawn thoroughly after application. Treat problem areas in mid April and again in mid May.

APPROXIMATE SPREADER SETTINGS FOR LESCO ROTARY SPREADER *

#Product/ 1,000 sq ft.	#N/ 1,000 sq ft.	#A/A	Effective Spreading Width	Third Hole	Approx * Setting
3.0	0.93	4.36	9 feet	1	G
3.6	1.10	5.23	9 feet	1	G 1/2

Cyclone*	Once Over	Twice Over	Spread Width
3.0 lbs / 1,000 sq ft	4.75	4.00	7 feet
3.6 lbs / 1,000 sq ft	5.25	4.50	7 feet

*IMPORTANT: These settings are only approximate. Age condition of spreader and operator speed can cause wide variation. Be sure to calibrate your spreader with each application.

WARRANTY
LESCO warrants that this product conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this product is reasonably fit for its intended purposes. Since timing, method of application, weather, plant and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use.

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMAN AND DOMESTIC ANIMALS

CAUTION: Avoid breathing of dust. Avoid contact with skin, eyes and clothing. Avoid contamination of feed and foodstuffs. Wash thoroughly after handling. Harmful if swallowed. May be absorbed through skin. Keep children and pets off treated areas for 24 hours or until product has been washed off leaf blades.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately.

If Inhaled: Remove victim to fresh air and apply artificial respiration if indicated.

If on Skin: Wash promptly with soap and water. Rinse thoroughly.

If in Eyes: Rinse eyes with water for at least 15 minutes and call a physician immediately.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

LESCO Diazinon 3.33% + 31-5-7 Fertilizer Kills

ants	Chiggers	Earwigs	Springtails
armyworms	Chinch bugs	Lawn moths	Sod Webworms
bermuda mites	Clover mites	Leafhoppers	Sowbugs
billbugs	Crickets	Millipedes	White grubs of
	Outworms		Japanese beetle
	Digger Wasps		European chafer
			Southern chafer

EPA Reg No 10404-14 EPA Est No 10404 OH-04

#008564

LESCO, Inc
20005 Lake Road P O Box 16915
Rocky River Ohio 44116

Net Weight 50 Lbs (22.72 kg)

08/93WP

APR 13 1994

Julius C. Prinzo
LESCO INC.
20005 Lake Rd - Box 16915
Rocky River, OH 44116

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

SUBJECT: Label Amendment Submission of 09/07/93 in Response to PR Notice 93-7
EPA Reg. No. 10404-14
LESCO 30-5-7 PLUS DIAZINON


Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, successfully **REMOVES THE PRODUCT FROM THE SCOPE** of PR Notice 93-7 once the comments (if any) on the attached sheet are addressed. Other than the alterations (if any) listed on the attached sheet, no further alterations to the labeling are necessary to reflect the requirements of the Worker Protection Standard.

Since your amendment proposes to delete uses directly and/or to delete uses implicitly through the use of exclusionary statements, the Agency will publish in the Federal Register a notice of receipt of your amendment to delete uses, as required by section 6(f)(1) of FIFRA. The Agency will defer action for 90 days from the date of the Federal Register notice to give affected minor users an opportunity to try to persuade you to retain the uses(s). When the comment period has expired, the Agency will approve the amendment unless you have withdrawn it, and stamp the amended labeling "accepted." Your stamped-accepted labeling will then be sent to you.

As described in Supplement A of PR Notice 93-11 (self-verification option), you may sell and distribute product bearing the submitted labeling before you receive a copy of your stamped-accepted labeling. Note that your registration is not amended until the comment period required by section 6(f)(1) of FIFRA has expired and the Agency has approved the amendment. Therefore, you may withdraw your proposed amendment at any time during the comment period and until you receive your stamped-accepted labeling.

Sincerely,



James Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)

Enclosures



Recycled/Recyclable
Printed with Soy/Canola Ink on paper
contains at least 50% recycled fiber

JUL 1994
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

10404-14



31-5-7 Plus Diazinon

NOT FOR USE on turf being grown for sale or other commercial use as sod, or for commercial seed production or for research purposes

To Control Both Soil and Surface-Feeding Insects

Ready-to-Use - Contains 3.33% Diazinon

This product must not be used on golf courses or sod farms.

Active Ingredient:

0,0-diethyl 0-(2-isopropyl-6-methyl-4 pyrimidinyl) phosphorothioate	3.33%
Inert Ingredients:	96.67%
Total	100.00%

GUARANTEED ANALYSIS

Total Nitrogen (N)	31.00%
1.95% Ammoniacal Nitrogen	
29.05% Urea Nitrogen*	
Available Phosphoric Acid (P ₂ O ₅)	5.00%
Soluble Potash (K ₂ O)	7.00%
Sulfur (S)	3.00%
3.00% Sulfur (S) Free	

INGREDIENTS: Sulfur Coated Urea, Urea, Ammonium Phosphate, Muriate of Potash.

* 6.95% Slowly available Nitrogen from LESCO Poly Plus™ Sulfur Coated Urea.

Brush off walks and painted surfaces following application to avoid discoloration.

Overall Lawn Application: LESCO Diazinon 3.33% + 31-5-7 Fertilizer controls the following lawn insects on both grass and dichondra lawns:

Ants	Chinch bugs	Lawn moths (Sod Webworms)
Amygdalus	Clover mites	Leafhoppers
Bermuda mites	Crickets	Millipedes
Chiggers	Cutworms	Saw bugs
	Earwigs	Springtails (Collembola)

STORAGE AND DISPOSAL

Pesticide Storage: Keep out of reach of children and animals. Store in original container only. Store in a cool, dry place and avoid excess heat. Carefully open container. After partial use, fold and roll back bag, clamp and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

In Case of Spill: Avoid contact, isolate area, and keep out animals and unprotected persons. Confine spills. If dry material: Cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

Pesticide Disposal: Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Apply LESCO Diazinon 3.33% + 31-5-7 Fertilizer to lawn with fertilizer spreader at the rate shown. Application should be made when grass is dry. Water lawn lightly after application. Repeat as necessary. Apply at a rate of 3.0 pounds per 1,000 sq.ft. (an area of 20 ft. x 50 ft.)

Billbugs, White Grubs of Japanese beetle, European chafer, and Southern chafer: Apply 3.6 lbs./1,000 sq.ft. of lawn. Water lawn thoroughly after application. For grub control, make application any time between late July and early October. For billbug control, apply when activity is first observed or when chewed or brown grass indicates damage from these insects. Repeat as necessary.

Hydrodes, Weevils (New York Only): Apply 3.0 lbs./1,000 sq.ft. of lawn. Water lawn thoroughly after application. Treat problem areas in mid-April and again in mid-May.

APPROXIMATE SPREADER SETTINGS FOR LESCO ROTARY SPREADER:

#Product/ 1,000 sq.ft.	#N/ 1,000 sq.ft.	#AI/A	Effective Spreading Width	Third Hole	Approx.* Setting
3.0	0.93	4.36	9 feet	1	G
3.6	1.10	5.23	9 feet	1	G 1/2

Cyclone*	Once Over	Twice Over	Spread Width
3.0 lbs./1,000 sq.ft.	4.75	4.00	7 feet
3.6 lbs./1,000 sq.ft.	5.25	4.50	7 feet

*IMPORTANT: These settings are only approximate. Age, condition of spreader, and operator speed can cause wide variation. Be sure to calibrate your spreader with each application.

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Avoid breathing of dust. Avoid contact with skin, eyes, and clothing. Avoid contamination of food and foodstuffs. Wash thoroughly after handling. Harmful if swallowed. May be absorbed through skin. Keep children and pets off treated areas for 24 hours or until product has been washed off leaf blades.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately.

If Inhaled: Remove victim to fresh air and apply artificial respiration if indicated.

If on Skin: Wash promptly with soap and water. Rinse thoroughly.

If in Eyes: Rinse eyes with water for at least 15 minutes and call a physician immediately.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

LESCO Diazinon 3.33% + 31-5-7 Fertilizer IGRs:

Ants	Chiggers	Earwigs	Springtails
Amygdalus	Chinch bugs	Lawn moths	Sod Webworms
Bermuda mites	Clover mites	Leafhoppers	Sawbugs
Billbugs	Crickets	Millipedes	White grubs of
	Cutworms		-Japanese beetle
	Digger Wasps		-European chafer
			-Southern chafer

WARRANTY

LESCO warrants that this product conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this product is reasonably fit for its intended purposes. Since timing, method of application, weather, plant and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use.

EPA Reg.No.10404-14 EPA Est.No.10404-OH-04

#008564

LESCO, Inc.
2005 Lake Road, P.O. Box 16915
Rocky River, Ohio 44116

Net Weight: 50 Lbs. (22.72 kg.)

08/93WP 2

BEST COPY AVAILABLE