

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

DEC 18,2000

Stephen M. Jedrzejek
Director of Regulatory Affairs
LESCO, Inc.
20005 Lake Road
Rocky River, OH 44116

Subject:

Chlorpyrifos MOU dated June 7, 2000

LESCO 2.32 Granular Insecticide

EPA Reg No.: 10404-15

Submission Dated: August 30, 2000

Dear Mr. Jedrzejek:

The revised labeling referenced to above, submitted in connection with the registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) as amended, is acceptable, provided you incorporate the Agency's conditions as enumerated in this letter below and submit one copy of your final printed label prior to releasing the product for shipment.

1) The text "to reduce initial infestation or reinfestation of buildings..." must be revised to read "to reduce initial infestation or reinfestation of buildings at industrial plant sites only."

Submit one copy of the revised final printed label before releasing the product for shipment. If the conditions enumerated above are not complied with, the registration will be subject to cancellation in accordance with FIFRA Section 6(e).

A stamped copy of the label is enclosed for your records. If you have questions about this label review, please contact me at (703) 308-6742 or electronically at McNeilly.Dennis@EPA.gov. You may also contact Judy Loranger at (703)-308-8056 if you have specific questions regarding this letter.

Sincerely,

Dennis McNeilly, Chemist Insecticide-Rodenticide Branch

Registration Division (7505C)

Enclosure: stamped label



ACCEPTED with COMMENTS In EPA Letter Dated:

DEC 1 8 2000

Under the Federal Insecticide, Pungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.

2.32 Granular Insecticide

FOR USE on Golf Courses (turf only), road medians and industrial sites only.

A Dursban^e-coated granular for control of Ants, Brown Dog Ticks, Chinch Bugs, Crickets, Cutworms, Earwigs, Sod Webworms (Lawn Moths) and Sowbugs (Pillbugs) on golf courses (turf only), road medians and industrial sites. Manufactured specifically for use in rotary-type spreaders.

ACTIVE INGREDIENTS:

Chlorpyrifos (O,(-diethyl O-(3,5,6-trichloro-2-pyridyl)	
phosphorothioate]	2.32%
INERT INGREDIENTS:	
TOTAL	100.00%

U.S. Patent No. 3,244,586

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Do not take internally. Avoid contact with skin, eyes, or ciothing. Flush contaminated eyes with plenty of water and get medical attention if irritation persists. Wash thoroughly after handling. Wash contaminated clothing before reuse. Avoid breathing of clust. Keep children and pets off treated areas until this material is washed into the soil and grass is dry. Keep away from food, foodstuffs, and domestic water supplies. As recommended, water lawn after application and allow to dry before permitting children and pets on treated areas.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or the available by you thin to an unconscious record.

give anything by mouth to an unconscious person.

If inhaled: Remove victim to fresh air. Apply artificial respiration, if indicated.

If on skip: Remove contaminated clothing and wash affected areas with soap and water, If in ayas: Flush out eyes for at least 15 minutes with water, Call a physician if irritation persists, NOTE TO PHYSICIAN: Active ingredient is cholinesterase inhibitor. Treat symptomatically.

Atropine only by injection is an antidote.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. Do not apply when runoff is likely to occur. Use this product only as specified on this label.

STORAGE AND DISPOSAL

Pasticide Storage: Keep out of reach of children and animals. Store in original container only. Store in a cool, dry place and avoid excess heat. Carefully open containers. In case of spill: Avoid contact, isolate area, and keep out animals and unprotected persons. Confine spills. Pasticide Disposal: Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are todd. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office of guidance.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Made in U.S.A. E.P.A. Reg. No. 10404-15 E.P.A. Est. No. 10404-OH-04

#008281

Manufactured by: LESCO, Inc. 20005 Lake Road, P.O. Box 16915 Rocky River, Ohio 44116

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

USE AND APPLICATION

Spread evenly at a rate of 1 pound per 1,000 square feet. To help obtain uniform distribution, apply one half the required amount in one direction; then apply the balance at a right angle.

To control ANTS, BROWN DOG TICKS, CRICKETS, CUTWORMS, EARWIGS, SOD WEBWORMS, CHINCHBUGS and SOWBUGS - spread uniformly at a rate of 1 pound per 1,000 square feet in northeastern states; make first application in May or June or when insects first appear. Re-treat as needed, usually in July or August.

NOTE: To reduce initial infestation or reinfestation of buildings by Earwigs, treat a band of ground 6 to 10 feet wide around and adjacent to the buildings where these pests are active.

APPROXIMATE SPREADER SETTINGS

Cyclone Spreader Settings*	Once	Twice	Spread
	Over	Over	Width
1 pound per 1,000 sq. ft.	3.25	2.75	6 feet

LESCO Rotary Spreader Calibration Gauge Setting Number

regoo kotal y obleanel campiation gauge setting itember				
# Product/	-	Effective	3rd	Approx*
1,000 sq. ft.	#AVA	Spreading Width	Hole	Setting No.
1	1	8 feet	1	11

*IMPORTANT: These settings are only approximate. Age, condition of spreader, and operator speed can cause wide variation. Be sure to calibrate your spreader with each application.

WARRANTY

LESCO warrants that this insecticide conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this insecticide is fit for its intended purposes. Since timing, method of application, weather, plant and soil conditions, mixture with other control other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use.

Dursban⁶ is a registered trademark of DowElanco LESCO is a trademark of LESCO, Inc. GAREGULIDAVESD-11008281D.LBL Rev. 07/96 WPK Net Weight 40 Lbs. (18.2 Kg.)





