



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

APR 13 1994

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Julius C. Prinzo
LESCO INC.
20005 Lake Rd - Box 16915
Rocky River, OH 44116

SUBJECT: Label Amendment Submission of 09/07/93 in Response to PR Notice 93-7
EPA Reg. No. 10404-21
LESCO A-4D HERBICIDE 2,4-D AMINE


Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, successfully **REMOVES THE PRODUCT FROM THE SCOPE** of PR Notice 93-7 once the comments (if any) on the attached sheet are addressed. Other than the alterations (if any) listed on the attached sheet, no further alterations to the labeling are necessary to reflect the requirements of the Worker Protection Standard.

Since your amendment proposes to delete uses directly and/or to delete uses implicitly through the use of exclusionary statements, the Agency will publish in the Federal Register a notice of receipt of your amendment to delete uses, as required by section 6(f)(1) of FIFRA. The Agency will defer action for 90 days from the date of the Federal Register notice to give affected minor users an opportunity to try to persuade you to retain the uses(s). When the comment period has expired, the Agency will approve the amendment unless you have withdrawn it, and stamp the amended labeling "accepted." Your stamped-accepted labeling will then be sent to you.

As described in Supplement A of PR Notice 93-11 (self-verification option), you may sell and distribute product bearing the submitted labeling before you receive a copy of your stamped-accepted labeling. Note that your registration is not amended until the comment period required by section 6(f)(1) of FIFRA has expired and the Agency has approved the amendment. Therefore, you may withdraw your proposed amendment at any time during the comment period and until you receive your stamped-accepted labeling.

Sincerely,


James Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)

Enclosures



Recycled/Recyclable
Printed with Soy/Canola ink on paper that
contains at least 50% recycled fiber

182

LESCO

A - 4 D Herbicide

2,4-D Amine - Broadleaf Weed Control

NOT FOR USE on turf being grown for sale or other commercial use as seed or for commercial seed production or for research purposes.

FOR PROFESSIONAL APPLICATORS ONLY

ACTIVE INGREDIENT:	
*Dimethylamine Salt of 2,4-Dichloro-phenoxyacetic Acid	48.70%
INERT INGREDIENTS 53.30%	
TOTAL 100.00%	
Equivalent to 38.80% 2,4-D Acid or 3.78 lb./gal.	
*Isomer specific by AOAC Method	

**KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO**

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado completamente.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Induce vomiting by giving 1 or 2 glasses of water and touching back of throat. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF IN EYES: Flush eyes with plenty of water. Get medical attention immediately.

IF ON SKIN: Wash with plenty of soap and water.

IF INHALED: Remove victim to fresh air. Administer artificial respiration preferably mouth-to-mouth, if indicated.

See Side Panel for Additional Precautionary Statements.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Cleaning of Equipment: When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store product in original container only, separate from pesticides, fertilizers, food and feed. Store at temperatures above 32°F.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office for guidance.

CONTAINER DISPOSAL: (Metal) Triple rinse (or equivalent) and offer for recycling or reconditioning or dispose of in a sanitary landfill, or by other approved State and local procedures. (Plastic) Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local officials, by burning. If burned, stay out of smoke.

WHERE TO USE

LESCO A-4D is used to control broadleaved weeds in cereal crops, corn, sorghum, pastures, roadsides, fence rows, turf, and similar non-crop uses. Also, for control of hardwoods by injection.

WEEDS CONTROLLED

LESCO A-4D will kill or control the following in addition to many other noxious plants susceptible to 2,4-D:

Arrowweed	Coffee bean	Locoweed	Smartweed
Artichoke	Creeping Jenny	Medican weed	Sow thistle annual
Bindweed	Curly indigo	Morning glory annual	Stinkweed
(hedge, field, and European)	Dandelion	Mustards	Sumac
Bitter winter cress	Docks	Parrot feather	Sunflower
Box Elder	Dogfennel	Pennywort	Velvetleaf
Buckhorn	Duckweed	Pigweed	Vetch
Bull thistle	Elderberry	Plantains	Virginia creeper
Bulrush	Goldenrod	Poleon Ivy	Water hyacinth
Burdock	Ground Ivy	Potterweed	Water lily
Bur ragweed	Hemp, wild	Poverlyweed	Water primrose
Buttercup	Hoary cress	Puncture vine	Wild garlic
Canada Thistle	Honeysuckle	Purslane	Wild lettuce
Catnip	Indigo	Ragweed	Wild onion
Chickweed	Ironweed	Rush	Wild radish
Chickory	Jewelweed	Russian thistle	Willow
Cocklebur	Jimson weed	Sagebrush	Witchweed
	Lamb's quarters	Shepherd's purse	

The maximum number of broadcast applications per treatment site is 2 per year.

CHEMIGATION: Do not apply this product through any type of irrigation system.

USE PRECAUTIONS

Do not apply this product to or otherwise permit it to come into contact with cotton, grapes, fruit trees, vegetables, flowers or other desirable crops or ornamental plants which are sensitive to 2,4-D. Do not permit spray mist containing it to drift onto them, since even very small quantities of spray, which may not be visible, can cause severe injury during both growing and dormant periods. Use coarse sprays to minimize drift. With ground equipment, spray drift can be lessened by keeping the spray boom as low as possible; by applying 20 gallons or more of spray per acre; by using no more than 20 pounds pressure with flat fan or flooding flat fan nozzle tips; by not spraying when wind exceeds 5 miles per hour. Do not apply with hollow cone-type insecticide or other type nozzles that produce a fine droplet spray. Do not use in a Greenhouse. Do not use the same equipment for applying other materials to 2,4-D susceptible crops as injury may result. With aircraft application, drift can be lessened by applying not less than 5 gallons of spray per acre; using no more than 20 gal at the nozzles; by using nozzles that produce a coarse spray pattern; and by spraying only when the wind velocity is less than 5 miles per hour. Aircraft applications should only be made by applicators experienced in the use of 2,4-D formulations. Consult local regulatory agencies concerning requirements before making aerial applications.

NOTE: When stored at temperatures below freezing, it may be necessary to warm contents to 45°F and mix thoroughly before using.

LAWNS, GOLF COURSES, PARKS, AND OTHER RECREATIONAL AND ORNAMENTAL TURF: Apply 2 to 3 pints per acre in sufficient water to give good coverage (usually between 2 to 3 gal. water per 1,000 sq.ft.). Increase the rate to 4 pints per acre if hard to kill weeds (Spurge) are present. Do not apply to newly seeded lawns until grasses become well established. Injury may result if applied to Bentgrass, St. Augustinegrass, Carpetgrass, Centipedegrass, Dichondra and Clovers. After weeds have died, remove all dead vegetation. Prepare the seed bed by addition of topsoil, peat moss, or other soil amendments. Work into the topsoil. Wait 2 weeks then seed the area at 1 1/2 times the recommended seeding rate. Keep soil moist through the first cutting.

Newly seeded turf should not be treated until the following dosage rate should be used. This rate, which provides up to 1.41 pounds acid equivalent per acre per application, is the maximum legal rate for turf.

FOR FENCES, DITCHBANKS, ROADSIDES

Apply 2 to 3 pints in 100 gallons of water. Spring as soon as possible since young plants are most susceptible. This rate, which provides up to 1.41 pounds acid equivalent per acre per application, is the maximum legal rate for turf.

SPOT TREATMENT

Mix 2 to 3 tablespoonfuls per gallon of water in small non-cropland areas with a herbicide surfactant to the spray mixture to insure better coverage. Use the same sprayer for insecticide purposes.

PASTURES AND

NOTE: Observe the following precautionary interval for grazing: a 30-day preharvest interval for grazing for most animals of 3 days. Do not use on legumes or on newly seeded pastures. Do not graze in the boot to milk stage when

For Bitterweed, Broomweed, Docks, Kochia, and other broadleaved weeds, apply 2 to 3 pints per acre as pre-emergence or 2 to 3 pints per acre may control weeds that have emerged. Repeated treatments in the same area may be necessary.

For Wild Onion and Wild Garlic apply 3 to 4 pints per acre in spring-fall or spring-fall-spring. In newly seeded pastures, apply 2 to 3 pints per acre as pre-emergence or up to 1.88 pounds of 2,4-D acid equivalent per acre maximum legal application rate for turf.

TREE MANAGEMENT

For control of unwanted hardwoods such as sycamore, maple, and other non-crop areas, apply undiluted herbicide to the trunk diameter using one injection per inch of trunk diameter. For harder to control species (ash, red maple, etc.) use 2 to 3 pints per injection. All injections should be made evenly spaced around the trunk. Injections are most effective during the growing period during the spring sap rise.

WARRANTY

LESCO warrants that this herbicide conforms to the label. When used in accordance with the label, this herbicide is reasonably fit for its intended use. No warranty is given concerning the use of this herbicide under conditions which are abnormal or under conditions which are abnormal. LESCO assumes all risks of any such use.

Under the Fungicide, as amended, registered