

<b>(A)</b> 	United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460 <b>Application for Pesticide:</b>	<input type="checkbox"/> Registration <input checked="" type="checkbox"/> <b>Amendment</b> <input type="checkbox"/> Other	OPP Identifier Number <b>NOTIFICATION</b> <span style="font-size: 24pt; font-weight: bold;">201717</span>
----------------	---	---	---

**Section I**

1. Company/Product Number <p style="text-align: center; font-size: 18pt;">10404-29</p>	2. EPA Product Manager Dennis Edwards	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) LESCO 32-5-7 FERTILIZER WITH DURSBAN	PM# <p style="text-align: center; font-size: 18pt;">19</p>	
5. Name and Address of Applicant (Include ZIP Code) LESCO, Inc. 20005 Lake Road Rocky River, OH 44116 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No. _____ Product Name _____	

**Section II**

<input type="checkbox"/> Amendment - Explain below	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - explain below.

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)

LABEL CHANGE PER PR NOTICES 93-3 and 93-8

NOTIFICATION  
 LABEL NOT REVIEWED  
 PER PR NOTICE 93-8  
 DATE: 8/3/93

**Section III**

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	
* Certification must be submitted.		If "Yes," Unit Package wgt.	No. per container	If "Yes," Package wgt.	No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other (_____) <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					

**Section IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name <p style="text-align: center; font-size: 14pt;">Julius C. Prinzo</p>	Title <p style="text-align: center; font-size: 14pt;">Manager, Product Registration</p>	Telephone No. (Include Area Code) <p style="text-align: center; font-size: 14pt;">216/333-0250</p>

**Certification**

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.			6. Date Application Received (Stamped)
2. Signature 	3. Title <p style="text-align: center; font-size: 14pt;">Manager, Product Registration</p>		
4. Typed Name <p style="text-align: center; font-size: 14pt;">Julius C. Prinzo</p>	5. Date <p style="text-align: center; font-size: 18pt;">7/23/93</p>		



# Fertilizer with DURSBAN

For Commercial Insect Control in Ornamental & Recreational Turf - Controls Ants, Fleas, Ticks, and Chiggers - Controls Fire Ants - Also For Treating Potting Soils and Container Grown Nursery Stock

1 POUND TREATS UP TO 333 SQ.FT.

Controls Ants, Armyworms (Beet, Fall, Yellowstriped), Brown Dog Ticks\*, Centipedes, Chiggers\*, Chinch Bugs\*, Clover Mites, Cutworms, Crickets, Earwigs, European Crane Fly Larvae\*, Fiery Skipper, Fleas\*, Grasshoppers, Leafhoppers, Millipedes, Sod Webworms\* (Lawn Moth), Sow Bugs, Springtails, Turfgrass Weevil\* (Hyperodes), White Grubs\* (Species of Black Turfgrass Ateenius, European Chafer, Southern Chafer, Japanese Beetle and June Beetle larvae), Bluegrass Billbugs\*, Fire Ants\*.

\*See Specific Directions

RESIDUAL INSECT CONTROL FOR PARKS - GOLF COURSES - ATHLETIC FIELDS - HOME LAWNS - FOR OUTSIDE OF HOMES - APARTMENTS - CONDOMINIUMS - WAREHOUSES - HOSPITALS - SCHOOLS - FOOD HANDLING ESTABLISHMENTS - COMMERCIAL AND OFFICE BUILDINGS

ACTIVE INGREDIENT Chlorpyrifos (O,O-Diethyl O-(3,5,5-trichloro-2-pyridyl) phosphorothioate) 0.74%  
INERT INGREDIENTS 99.26%  
Total 100.00%

NOTIFICATION LABEL NOT REVIEWED PER FR NOTICE 88-8

DURSBAN is a Registered Trademark of DowElanco  
EPA Reg. No. 10404-29

KEEP OUT OF REACH OF CHILDREN  
CAUTION

DATE: 2/3/93

EPA Est. No. 10404-CH-1

(SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS)

### STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. DO NOT induce vomiting or give anything by mouth to an unconscious or convulsing person. Get medical attention. IF IN EYES: Flush eyes with plenty of water. IF ON SKIN: In case of contact, remove contaminated clothing and wash affected area with soap and water. NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote only by injection.

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Wash thoroughly after handling and before eating or smoking. Wash contaminated clothing before reuse. Keep away from food, feedstuffs, and water supplies. Keep children and pets off treated areas until this material is washed into the soil and the grass is dry.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not contaminate water when disposing of equipment washwaters. Use only as directed.

### DIRECTIONS FOR USE

This is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in its original labeled container in a cool, dry, locked place out of reach of children. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned stay out of smoke.

### \*COMMERCIAL CONTROL

The following paragraphs correspond to insects listed by asterisk (\*) on the above label panel. Insects not followed by an asterisk (\*) may be controlled by following the instructions FOR USE ON LAWNS, PARKS, etc. Repeat as needed for control.

#### CHIGGERS, TICKS, & FLEAS

Use 3.0 lb. per 1,000 sq ft. for area control of these insects infesting non-crop land areas such as roadsides, footpaths, and trails, picnic and camping sites, parks, recreational areas and around dwellings where these pests are present and are creating a nuisance. DO NOT allow use of treated area during applications. For fleas (out-of-doors) only, also treat sleeping quarters and other areas frequented by pets such as beneath porches and along fencing.

#### CHINCH BUGS

Apply 3.0 to 4.6 lbs. per 1,000 sq ft. when insects appear or their damage is imminent. To prevent damage apply as soon as daily temperatures reach 50 degrees and repeat every 2 months. Use low rate for minimum infestations, high rate for heavy infestations.

#### SOD WEBWORMS

For Sod Webworms, delay watering or mowing the treated area for 12 to 24 hours after treatment. Treat in the spring or when insects first appear troublesome. Additional treatments at 30 day intervals may be needed for heavy infestations. Apply at rate of 3.0 lbs. per 1,000 sq ft.

#### TURFGRASS WEEVIL

Use 6.1 lbs. per 1,000 sq ft. Treat suspected problem areas in mid-April and again in mid-May or as recommended by your local Agricultural Extension Service.

#### WHITE GRUB SPECIES, - CRANE FLY LARVAE

To control White Grubs (Black Turfgrass Ateenius, European Chafer, Southern Masked Chafer, Japanese Beetle and June Beetle larvae), use 6.1 lbs. to treat 1,000 sq ft. After application, apply enough water (1/2") to thoroughly wash the insecticide into the turf. For best results, remove thatch first and treat when grubs are young and actively feeding near the soil surface, usually during late July and August. Consult your local Agricultural Extension Service Specialist for best time to treat. European Crane Fly larvae will be controlled using 4.6 lbs. per 1,000 sq ft. or will be controlled simultaneously with the same application being applied for control of White Grubs (6.1 lbs. per 1,000 sq ft.). Consult your Agricultural Agent for proper time to apply. For best results, first remove thatch. Water the granules into the soil.

#### BLUEGRASS BILLBUGS

Use 6.1 lbs. per 1,000 sq ft. for Billbug grubs. Remove thatch before treatment. Wash granules into soil as for White Grubs. Consult your local Turf Specialist for timing of applications.

NET WEIGHT 20 - (50) POUNDS

LESCO, Inc.

2005 Lake Road - Rocky River, OH 44116

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

### IMPORTED FIRE ANT CONTROL MOUND TREATMENT

To control Fire Ants in lawns, turf and premise areas, apply 1/2 cup (4 ounces) evenly over and around each mound. For best results, do not disturb the mound before or during the application. Apply in cool weather (65-80 F), or in early morning or later evening. Treat new mounds as they appear.

### FIRE ANT CONTROL IN NURSERY, BENCH AND POTTING SOILS INTENDED PRIMARILY FOR WOODY ORNAMENTALS TO BE GROWN OUTDOORS IN CONTAINERS

Mix 4 lbs. of this product with 1 cubic yard of growing medium. Thoroughly blend granules into media using an appropriate mechanical mixer. Wear dust mask, goggles, covering clothing and chemical resistant gloves during this operation. Do not use plants which have been exposed to treated soil for food or feed purposes. For 10" x 12" potted plants use 4 tbsps. Mix into soil surface.

### FOR USE ON LAWNS, PARKS, GOLF COURSES, SOD FARMS, PLAYGROUNDS and ALL OTHER ORNAMENTAL and RECREATIONAL TURF AREAS

Apply uniformly to home lawns, golf courses, parks, playgrounds, sod farms and all other ornamental and recreational turf and non-crop land areas using any hand or power operated gravity or rotary type spreader designed for application of granules.

### SURFACE INSECTS

For Surface Insects: Ants, Armyworms (Beet, Fall, Yellowstriped), Ticks, Centipedes, Cutworms, Crickets, Earwigs, Fiery Skipper, Grasshoppers, Leafhoppers, Millipedes, Clover Mites, Sowbugs and Springtails, use 2.4 lbs. per 1,000 sq ft. (105 lbs. per acre). Treat when insects first appear. Sprinkle the turf lightly with granules off grass blades out to soil surface. Observe delayed watering for Sod Webworm Control.

### SOIL INSECTS

For Soil Insects as listed on this label increase the rate to 6.1 lbs. per 1,000 sq ft. Immediately after application, sprinkle the turf with 30 gallons of water per 1,000 sq ft. (1300 gals. per acre) to move the granules down into the zone of insect infestation. Repeat treatment as necessary.

### SPREADER SETTINGS

Rate (lb./1000 sq ft.)	1/2 Acre	Effective Spreader Width	Travel Rate (ft./min)	Approx. Setting
3.0	10.0	10.0	100	1/4
4.6	15.0	15.0	150	1/2

Above spreader settings are approximate. Rate of walk, moisture and spreader condition can vary the setting necessary to apply the correct amount.

### INSECT CONTROL USING BAND AND PERIMETER TREATMENT USE FOR CRAWLING INSECT CONTROL OUTSIDE OF HOMES, APARTMENTS, CONDOMINIUMS, WAREHOUSES, HOSPITALS, SCHOOLS, FOOD HANDLING ESTABLISHMENTS AND COMMERCIAL BUILDINGS.

To protect against insects entering the indoors, a band of granules may be placed around the outside of buildings to kill Ants, Brown Dog Ticks, Crickets, Earwigs, Fleas, Millipedes, Sowbugs, Springtails and Spiders before they attempt to enter. Use 4.0 lbs. to 6.1 lbs. to treat 500 Sq. Ft. (as a band 5 ft. x 100 feet long) around the structure. Apply when insects have become troublesome or before they cause problems in the spring or early fall. Repeat one month later and then as needed for control but not more than once every 7 days. Keep children and pets off treated area until granules are sprinkled in and the area is dry.

### GUARANTEED ANALYSIS

Total Nitrogen (N) 12%  
Available Phosphoric Acid (P<sub>2</sub>O<sub>5</sub>) 5%  
Soluble Potash (K<sub>2</sub>O) 5%  
Ingredients: Urea, Ammoniated Phosphate, Mixture of Potash

WARRANTY: LESCO INC. warrants that this herbicide conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this herbicide is reasonably fit for its intended purposes. Since the method of application, weather, plant and soil conditions, moisture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use. 10404-29 PM4/08-01-92