
1040

(

(

12/18/2000





## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

DEG 1 8 2000 -

Stephen M. Jedrzejek Director of Regulatory Affairs LESCO, Inc. 20005 Lake Road Rocky River, OH 44116

Subject: Chlorpyrifos MOU dated June 7, 2000 LESCO 32-5-7 Fertilizer with Dursban EPA Reg No.: 10404-29 Submission Dated: August 30, 2000

Dear Mr. Jedrzejek:

The revised labeling referenced to above, submitted in connection with the registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) as amended, is acceptable, provided you incorporate the Agency's conditions as enumerated in this letter below and submit one copy of your final printed label prior to releasing the product for shipment.

1) The wording "non-cropland areas" must be deleted from the product label. The only outdoor, non-residential uses allowed for this product are golf course turf, road medians and the industrial plant sites.

2) The product name currently on the label, Dursban 0.74% Plus Fertilizer, must be revised to reflect the name of record with the Agency, LESCO 32-5-7 Fertilizer with Dursban.

3) On the left hand panel, you must revise the text "residual insect control for golf courses (turf only), road medians and industrial sites - for outside of warehouses, food handling establishments, commercial and industrial sites" to read "residual insect control for golf course turf, road medians and outside of industrial plant sites such as warehouses and food handling establishments. The term "commercial" must be deleted. Similarly, the text on the right hand

panel "use for crawling insect control outside of warehouses, food handling establishments, commercial and industrial sites" must be revised to read "use for crawling insect control outside of industrial plant sites such as warehouses and food handling establishments."

4) All references to treatment of golf courses must be changed to "golf course turf only."

5) Per the document "Guidance for Formulators of End-Use Products Containing Chlorpyrifos," you must add the text "For Professional Use Only" to your fire ant use directions.

6) Under the Commercial Control section, "Etc." must be deleted from the label when used as follows: FOR USE ON GOLF COURSES, ETC.

Submit one copy of the revised final printed label before releasing the product for shipment. If the conditions enumerated above are not complied with, the registration will be subject to cancellation in accordance with FIFRA Section 6(e).

A stamped copy of the label is enclosed for your records. If you have questions about this label review, please contact me at (703) 308-6742 or electronically at McNeilly.Dennis@EPA.gov. You may also contact Judy Loranger at (703)-308-8056 if you have specific questions regarding this letter.

Sincerely,

menung

Dennis McNeilly, Chemist Insecticide-Rodenticide Branch Registration Division (7505C)

Enclosure: stamped label

(

### 1 Pound Treats 333 Square Feet

Residual insect control for golf courses (turf only), road medians and industrial sites - for outside of warehouses - food handling establishments - commercial and industrial sites.

### Active Ingredient:

Chlorpyrifos: [0,0-dlethyl 0-(3,5,6-trichloro-2-pyridyl)

phosphorothloate]...... 0.74% 



### **GUARANTEED ANALYSIS**

Total Nitrogen (N)	XX.XX%
X.XX% Ammoniacal Nitrogen	
XX.XX% Urea Nitrogen*	
Available Phosphate (PoOs)	
Soluble Potash (KoO)	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> ) Soluble Potash (K <sub>2</sub> O) Sulfur (S) Total	XX.XX%
X.XX% Free Sulfur (S)	•••••
iron (Fe) Total	X XX%
Iron (Fe) Total Manganese (Mn) Total	X XX%
X.XX% Water Soluble Manganese (Mn)	
ERIVED FROM: XXXX	
	X XX%
nlorine (Cl) Max, * XX.XX% Slowly Available Nitrogen from LESCO <sup>®</sup> Poly	Plus® Sulfur Costed
	Fills Sunui Coaled
*****	Eàse
Urea. Made in U.S.A	F335

# **KEEP OUT OF REACH OF CHILDREN** CAUTION

STATEMENTS OF PRACTICAL TREATMENT If Swallowed: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. DO NOT induce vomiting or give anything by mouth to an unconscious or convulsing person. Get medical attention. If in Eyes: Flush eyes with plenty of water. If on Skin: In case of contact, remove contaminated clothing and wash affected area with scap and water. <u>Note to Physician</u>: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote only by injection.

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Avoid contact with eyes, skin and clothing. Avoid breathing dust, Wash thoroughly after handling and before eating or smoking. Wash contaminated clothing before reuse. Keep away from food, feedstuffs, and water supplies. As recommended, water lawn after application and allow to dry before permitting children and pets on treated area.

ENVIRONMENTAL HAZARDS This product is toxic to fish, birds, and other wildlife. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. Use only as directed.

### **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistant with its labeling

EPA Reg. No. 10404-29 EPA Est. No. 10404-OH-04 (M) / 10404-FL-1 (S) First letter of lot code indicates manufacturing site



F335 Manufactured by: LESCO, Inc. 20005 Lake Road Rocky River, Ohio 44116-1545 state and local authorities, by burning. If burned, stay out of stricke. \*COMMERCIAL CONTROL

The following paragraphs correspond to insects followed by asterisk(\*) on the above front panel. Insects not followed by an asterisk (\*) may be controlled by following the instructions FOR USE ON GOLF COURSES, etc. Repeat as needed for control.

TICKS AND FLEAS Use 3.0 lb./1,000 sq ft for area control of these insects, infesting non-crop land areas such as golf courses (turf only), road medians and industrial sites where these pests are present and are creating a nuisance. DO NOT allow use of treated area during applications.

CHINCH BUGS Apply 3.0 lb/1,000 sq ft when insects appear or their damage is imminent. To prevent damage apply as soon as daily temperatures reach 80<sup>o</sup> and repeat every 2 months. For best results, product should be watered in after application. SOD WEBWORMS

SOD WEBWORMS For Sod Webworms, delay watering or mowing the treated area for 12 to 24 hours after treatment. Treat in the spring or when insects first appear troublesome. Additional treatments at 30-day intervals may be needed for new infestations. Apply at rate of 3.0 ib/1,000 sq ft. IMPORTED FIRE ANT CONTROL - MOUND TREATMENT To control Fire Ants in lawns, turf and premise areas, apply 1/2 cup (4 ounces) evenly over and around each mound. For best results, do not disturb the mound before or during the application. Apply in cool weather (65-80° F) or in early morning or late evening. Treat new mounds as they appear.

FOR USE ON GOLF COURSES, ROAD MEDIANS AND INDUSTRIAL SITE TURF AREAS: Apply uniformly to golf courses, road medians and industrial site turf and non-crop land areas using any hand or power operated gravity or rotary type spreader designed for application of granules.

### SURFACE INSECTS

SURFACE INSECTS For Surface Insects: Ants, Armyworms (Beet, Fall, Yellowstriped) Ticks, Centipedes, Cutworms, Crickets, Earwigs, Fiery Skipper, Grasshoppers, Leafhoppers, Millipedes, clover Mites, Sowbugs, and springtalls, use <u>2.4 lb</u> /<u>1.000 sq ft</u> (105 lb/acre). Treat when insects first appear. For best results, product should be watered in after application. Observe delayed watering for Sod Webworm control.

Lb Product Lb A.I. Effective Third Calibrati	
	on
/1,000 sq ft /Acre Spreader Width Hole Gauge	
3.0 lb 1.0 lb 7 feet Open # 14	

Above spreader settings are approximate. Rate of walk, moisture, and spreader condition can vary the setting necessary to apply the correct amount.

### INSECT CONTROL USING BAND AND PERIMETER TREATMENT

INSECT CONTROL USING BAND AND PERIMETER TREATMENT Use for Crawling Insect Control Outside Warehouses. Food Handling Establishments. Commercial and Industrial Sites: To protect against insects entering the indoors, a band of granules may be placed around the outside of buildings to kill Ants, Brown Dog Ticks, Crickets, Earwigs, Fleas, Millipedes, Sowbugs, Springtails, and Spiders before they attempt to enter. Use 3.0 ib to treat 1000 sq ft (as a band 5 ft x 200 ft long) around the structure. Apply when insects have become troublesome or before they cause problems in the spring or early fall. Repeat one month later and then as needed for control but not more than once even X days. than once every 7 days.

### WARRANTY

WARRANTY LESCO, inc. warrants that this insecticide conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this insecticide is reasonably fit for its intended purposes. since timing, method of application, weather, plant and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseenble. The user assumes all related for user burget. foreseeable. The user assumes all risks of any such use.

Information concerning the raw materials composing this product can be obtained by writing to: LESCO, Inc., Altn. RA Dept., 20005 Lake Rd., Rocky River, OH 44116, referring to the item number found on this bag.

Dursban is a registered trademark of DowAgrosciences, L.L.C., LESCO and Poly Plus are registered trademarks of LESCO, Inc. g:/regul/mastribl/dursban74.doc Rev.3/00WPF (010494) (040194) (110998)

Net Weight: 50 lb (22.7 kg)

