04-29

2/28/2001

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Feb 28, 2001

Ms. Bernadine Javorek LESCO, Inc. 15885 Sprague Road Strongsville, OH 41136-1799

Subject: 32-5-7 Fertilizer with Dursban EPA Reg. No. 10404-29 Submission dated Feb 14, 2001

Dear Ms. Javorek:

ľ

(

The revised product labeling referred to above, submitted in connection with the registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) as amended, is acceptable, provided you incorporate the condition enumerated in this letter below and submit one copy of your final, printed label prior to releasing the product for shipment.

1. The statement directly under the product name "... industrial sites such as warehouses and - food handling establishments." Must be revised to: "... industrial sites such as warehouses and food processing establishments."

A stamped copy of the label is enclosed for your files. If you have questions, please contact me at (703) 308-6742 or electronically at mcneilly.dennis@epa.gov.

Sincerely,

Mr. Me

Dennis McNeilly, Chemist Insecticide-Rodenticide Branch Registration Division (7505C)

Active Ingredient:

Chlorpyrifos: [O,O-diethyl O-(3,5,6-trichloro-2-pyridyl)

100.00% TOTAL.



GUARANTEED ANALYSIS

Total Nitrogen (N)	32.00%
Available Phosphate (P_2O_5) Soluble Potash (K_2O)	7.00%
Made in U.S.A,	F335

KEEP OUT OF REACH OF CHILDREN CAUTION

ſ <u></u>	FIRST AID
If inhaled	 Move person to fresh air If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth- to-mouth, if possible. Call a poison control center or doctor for further
If on skin or clothing	treatment advice.
lf in eyes	 Hold eye open and rinse slowly and gently with water for 15-10 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.
If swallowed	 Call poison control center of doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
	HOT LINE NUMBER
Have the product contai or doctor, or going to tre emergency treatment in	
	NOTE TO PHYSCIAN
Chloropyrifos is a cholin antidote by injection.	esterase inhibitor, treat symptomatically. Atropine is

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION: May be harmful if swallowed. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Wash thoroughly after handling and before eating the most and before eating or smoking. Wash contaminated clothing before reuse. Keep away from food, feedstuffs, and water supplies. As recommended, water lawn after application and allow to dry before permitting children and pets on treated area.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water, or to areas where surface water is present, or to Intertidal areas below the mean high water mark. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. Use only as directed.

EPA Reg. No. 10404-29

EPA Est. No. 10404-OH-04 (M) / 10404-FL-1 (S) First letter of lot code indicates manufacturing site

#009681

F1406 Manufactured by: LESCO, Inc. 15885 Sprague Road Strongsville, Ohio 44136

and local authorities, by burning. If burned, stay out of smoke. *COMMERCIAL CONTROL

The following paragraphs correspond to insects followed by asterisk (*) on the above front panel. Insects not followed by an asterisk (*) may be controlled by following the instructions FOR USE ON GOLF COURSE. Repeat as needed for control

TICKS AND FLEAS

Use 3.0 lb./1,000 sq ft for area control of these insects, infesting non-crop land areas, golf course turf only, road medians and industrial sites where these pests are present and are creating a nuisance. DO NOT allow use of treated area during applications.

CHINCH BUGS

Apply 3.0-Ib/1,000 sq. ft when insects appear or their damage is imminent. To prevent damage apply as soon as daily temperatures reach 80° and repeat every 2 months. For best results, product should be watered in after application. SOD WEBWORMS

For Sod Webworms, delay watering or mowing the treated area for 12 to 24 hours after treatment. Treat in the spring or when Insects first appear troublesome. Additional treatments at 30-day intervals may be needed for new infestations. Apply at rate of 3.0 b/1,000 sq ft. IMPORTED FIRE ANT CONTROL - MOUND TREATMENT FOR PROFESSIONAL USE ONLY

To control Fire Ants in lawns, burf and premise areas, apply 1/2 cup (4 ounces) evenly over and around each mound. For best results, do not disturb the mound before or during the application. Apply in cool weather (65-80°F) or in early morning or late evening. Treat new mounds as they appear.

FOR USE ON GOLF COURSE TURF ONLY, ROAD MEDIANS AND INDUSTRIAL SITE TURF AREAS: Apply uniformly to golf course turf, road medians and industrial site turf and non-crop land areas using any hand or power operated gravity or rotary type spreader designed for application of granules.

SURFACE INSECTS

For Surface Insects: Ants, Armyworms (Beet, Fall, Yellowstriped) Ticks, Centipedes, Cutworms, Crickets, Earwigs, Fiery Skipper, Grasshoppers, Leafhoppers, Millipedes, clover Mites, Sowbugs, and springtails, use <u>2.4. lb</u> (1.000 sq ft (105 lb/acre). Treat when insects first appear. For best results, product should be watered in after application. Observe delayed watering for Sod Webworm control.

	s	PREADER SETTIN	IGS*		
Lb Product	Lb A.I.	Effective	Third	Calibration	1
/1,000 sq ft	/Acre	Spreader Width	Hole	Gauge	
3.0 lb	1.0 lb	7 feet	Open	# 14	
* Above enreader	eattinge	am annrovimate	Pate of walk	moleture	эли

Above spreader settings are approximate. Rate of walk, moisture, and spreader condition can vary the setting necessary to apply the correct amount.

INSECT CONTROL USING BAND AND PERIMETER TREATMENT

INSECT CONTROL USING BAND AND PERIMETER TREATMENT Use for Crawling Insect Control Outside of Industrial Plant. Sites such as <u>Warehouses and Food Handling Establishments</u>. To protect against insects entering the indoors, a band of granules may be placed around the outside of buildings to kill Ants, Brown Dog Ticks, Crickets, Earwigs, Fleas, Millipedes, Sowbugs, Springtails, and Spiders before they attempt to enter. Use 3.0 lb to treat 1000 sq ft (as a band 5 ft x 200 ft long) around the structure. Apply when insects have become troublesome or before they cause problems in the spring or early fall. Repeat one month later and then as needed for control but not more than once every 7 days. than once every 7 days.

WARRANTY LESCO, Inc. warrants that this product conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this product is reasonably fit for its intended purposes. Since timing, method of application, weather, plant and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use.

Information concerning the raw materials composing this product can be obtained by writing to: LESCO, Inc., Attn. RA Dept., 15885 Sprague Rd., Strongsville, OH 44136, referring to the item number found on this bag.

Dursban is a registered trademark of DowAgrosciences, L.L.C., LESCO and Poly Plus are registered trademarks of LESCO Technologies, LLC.

g:/regul/mastribi/3257dursban74.doc Rev.2/12/01WPB (010494) (040194) (110998)

Net Weight: 50 lb (22.7 kg)

758073xxxxx