



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

APR 13 1994

Julius C. Prinzo
LESCO INC.
20005 Lake Rd - Box 16915
Rocky River, OH 44116

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

SUBJECT: Label Amendment Submission of 09/07/93 in Response to PR Notice 93-7
EPA Reg. No. 10404-39
LESCO FERTILIZER & ATRAZINE 22-5-7 + FE+MN

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, successfully **REMOVES THE PRODUCT FROM THE SCOPE** of PR Notice 93-7 once the comments (if any) on the attached sheet are addressed. Other than the alterations (if any) listed on the attached sheet, no further alterations to the labeling are necessary to reflect the requirements of the Worker Protection Standard.

Since your amendment proposes to delete uses directly and/or to delete uses implicitly through the use of exclusionary statements, the Agency will publish in the Federal Register a notice of receipt of your amendment to delete uses, as required by section 6(f)(1) of FIFRA. The Agency will defer action for 90 days from the date of the Federal Register notice to give affected minor users an opportunity to try to persuade you to retain the uses(s). When the comment period has expired, the Agency will approve the amendment unless you have withdrawn it, and stamp the amended labeling "accepted." Your stamped-accepted labeling will then be sent to you.

As described in Supplement A of PR Notice 93-11 (self-verification option), you may sell and distribute product bearing the submitted labeling before you receive a copy of your stamped-accepted labeling. Note that your registration is not amended until the comment period required by section 6(f)(1) of FIFRA has expired and the Agency has approved the amendment. Therefore, you may withdraw your proposed amendment at any time during the comment period and until you receive your stamped-accepted labeling.

Sincerely,

James Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)

Enclosures



Recycled/Recyclable
Printed with Soy/Candle Ink on paper that
contains at least 50% recycled fiber

1082



ACCEPTED
with COMMENTS
In EPA Letter Dated

JUL - 1994

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

10404-39

Fertilizer + Atrazine 22-5-7

FOR USE on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

FOR COMMERCIAL USE ONLY ON ST. AUGUSTINE AND CENTIPEDE LAWNS

ACTIVE INGREDIENT:

Atrazine: 2-chloro-4-ethylamino-6-isopropylamino-S-triazine	0.76%
Related Compounds	0.04%
INERT INGREDIENTS	99.20%
TOTAL	100.00%

E.P.A. Reg. No. 10404-39 E.P.A. Est. No. 37105-FL-02

Post emergent broadleaf control of such weeds as: Chickweed, Creeping Charlie, Dandelion, Evening Primrose, Florida Betony, Florida Pusley, Lippia, Oxalis, Pigweed, Pennywort, Plantain, Rabbit Tobacco, and Toadflax.

Pre-emergent control of: Crabgrass, Paspalums, Sedge, and Spotted Spurge.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.
Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GUARANTEED ANALYSIS	
TOTAL NITROGEN (N)*	22.00%
Ammoniacal Nitrogen	1.04%
Urea Nitrogen	9.96%
Sulfur Coated Urea	11.00%
AVAILABLE PHOSPHORIC ACID (P ₂ O ₅)	5.00%
SOLUBLE POTASH (K ₂ O)	7.00%

WHEN TO APPLY: For broadleaf post-emergence control, apply anytime the weeds are present and actively growing. (Spring application is recommended for best control.) For preemergence control, apply before the Crabgrass, Paspalums, Sedge and Spotted Spurge germinate. The precise time of application for a specific area will vary. Consult state agricultural experiment station weed specialist or local turf authorities for any additional information regarding specific weed germination dates in your area.

CAUTION: Brush off walks and painted surfaces following application to avoid discoloration.

KEEP OUT OF REACH OF CHILDREN CAUTION

HOW TO APPLY: Apply 4.5 To 6.0 Pounds of LESCO Atrazine 0.76% + 17-4-6 Fertilizer uniformly over 1,000 sq. ft. of lawn area (equivalent to 1.5 to 2.0 pounds Atrazine per acre.) This will provide 0.76 to 1 pound of actual nitrogen per 1,000 sq. ft. Watering of treated area immediately after application is recommended to wash pellets off the grass blades.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing dust or spray mist. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling. In case of contact: for eyes, flush with water for 15 minutes; for skin, wash with plenty of soap and water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Atrazine can travel (leech or leach) through soil and can enter groundwater which may be used as drinking water. Atrazine has been found in groundwater. Users are advised not to apply Atrazine to sand and loamy sand soils where the water table (groundwater) is close to the surface and where the soils are very permeable; i.e., well drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of groundwater.

CAUTION: Avoid application under the drip line of trees, shrubs, and ornamentals to prevent injury to plants. LESCO Atrazine 0.76% + 17-4-6 Fertilizer should not be applied to newly seeded Centipede until the new grass has been mowed at least once. Delay spring planting one month and seeding 6 months after application.

APPROXIMATE LESCO ROTARY SPREADER SETTINGS

#Product/ 1,000 sq.ft.	#N/ 1,000 sq.ft.	#A/A	Effective Spreading Width	3rd Hole	Approx.* Setting
4.5	0.76	1.5	8'	Open	D 11/32"
6	1.00	2	8'	Open	E 13/32"

*IMPORTANT: These settings are only approximate. Age, condition of spreader, and operator speed can cause wide variation. Be sure to calibrate your spreader with each application.

WARRANTY

LESCO warrants that this product conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this product is reasonably fit for its intended purposes. Since timing, method of application, weather, plant, and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the following carefully before application. Use this product only for recommended purposes and at recommended dosage.

For use on St. Augustine and Centipede lawns. Do not use on Bluegrass, Fescue, Bent, Bahia, Rye, Bermuda, or Dicondra lawns.

Manufactured For
LESCO, Inc.
2005 Lake Road, P O Box 16915
Rocky River, Ohio 44116

Net Wgt 50 Lbs

Rev 08/93WP

2