10404-39

7-11-2006

l	15
•	A-F

Please read instructions	n reverse before comp	leting form.		Form Ap	proved.	OMB No	. 2070-006	30. Approval expires 2-28-
⊕EPA	PA Environmental Protection Age Washington, DC 20460					Registi Amend Other		OPP Identifier Number
		Applicati	ion for Pesti	cide - Sec	tion I			
1. Company/Product Num 10404-39	ber			A Product Mar Fompkins	neger		3. P.	roposed Classification
4. Company/Product (Name) LESCO Atrazine 0.76% Plus Fertilizer			PM# 25	PM#				
5. Name and Address of A LESCO, Inc. 1301 East 9th Stree Cleveland, OH 441	et	ode)	(b)(i), to: EPA	my product	is simila	r or ider	ntical in co	FIFRA Section 3(c)(3) imposition and labeling
			Section -	II				
Amendment - Explain Resubmission in resubmission - Explain	sponse to Agency letter	r dated		Final printed Agency lett "Me Too" A Other - Exp	er dated Application	on.	se to	NOTIFICATION JUL 1 1 2006
Optional Marketing and Fer This notification is consisted labeling or the confidential EPA. I further understand to FIFRA and I may be subject	nt with the provisions of f statement of formula of th nat if this notification is no	nis product. I ur ot consistent wi	nderstand that it is a ith the terms of PR,	violation of 18 Notice 98-10 ar d 14 of FIFRA.	U.S.C. S nd 40 CFI	Sec 1001 i	o willfully m	ake any false statement to
1. Material This Product W	ill Be Packaged In:							
Child-Resistent Peckaging Yes No Certification must be submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per container	Water Soluble Yes No If "Yes" Package wgt	Packaging No. per container	2.	. Type of	Container Metal Plastic Glass Paper Other (S	pecify)
3. Location of Net Contents	Information Container	4. Size(s) Ret	ail Container	<u> </u>	5. Locati	on of Lab	el Direction	ns
5. Manner in Which Label is	Affixed to Product	Lithogi Paper Stencil	raph glued ed	Other				
			Section - I	V	-			
1. Contact Point Complete	items directly below fo	or identification	n of individual to b	e contacted, it	necesse	ry, to pro	cess this e	pplication)
sme Susan Spencer		ì	Title Manager, Regulatory Affairs			Telephone No. (Include Area Code) 216-706-9250 e.:t 2313		
	ments i have made on t ny knowlinglly false or n Jaw.		all attachments the				nplete.	8. Date Application Recuived (Stamped)
Sugar Elseven			3, Title Manager, Regulatory Affairs					
. Typed Name Susan E. Spencer		5	. Date 4/13	lac				

2/5

10404-39	LESCO Atrazine 0.76% Plus Fertilizer
10404-39	LESCO StAugustinegrass Weed and Feed (ABN)
10404-94	LESCO Atrazine 1.05% Plus Fertilizer
10404-95	LESCO Atrazine 0.45% Plus Fertilizer
10404-96	LESCO Atrazine 0.92% Plus Fertilizer

Notification to address the following:

- ♦ Addition to Optional/Marketing statements:
 - o "Contains LESCO® Poly Plus® Sulfur Coated Urea to provide uniform growth with extended nitrogen feeding:"
- ♦ Clarification of 'Derived From' statement in the Guaranteed (Fertilizer) Analysis box:
 - o "Slowly Available Urea Nitrogen from Polymer Coated Sulfur Coated Urea"
- Clarification of 'Poly Plus' composition in the Trademark section:
 - o "Poly Plus is comprised of Polymer Coated Sulfur Coated Urea"



Atrazine 0.76% Plus Fertilizer

Weed Control with Premium Lawn Food

NOTIFICATION

50 Pounds covers up to 11,000 Sq Ft of Turfgrass

Prevents Crabgrass, Paspalums, and Spotted Spurge Controls Dollarweed, Florida Pusley, Lippia, Pigweed

Over Forty-Five More Weeds as Listed

Contains LESCO® Poly Plus® Sulfur Coated Urea to provide uniform growth with extended nitrogen feeding

growth with extended nitrogen feeding.

A WEED & FEED FOR ST. AUGUSTINEGRASS AND CENTIPEDEGRASS LAWNS

ACTIVE INGREDIENTS:

Atrazine; 2-chloro-4-ethylamino-6-isopropylamino-s-triazine	0.76%
Related active triazine compounds	0.02%
OTHER INGREDIENTS:	99.22%
Total 1	100.00%

CAUTION

	FIRST AID
if swallowed	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then, continue rinsing. Call a poison control center or doctor for treatment advice.
lf on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then, give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact Chem-Trec at 1-800-424-9300 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin or inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Loaders, applicators, and other handlers must wear long-sleeved shirt, long pants, shoes and socks. Do not apply granular lawn products by hand. Avoid contact with hands or skin. Broadcast applications must NOT be made using hand-held devices, such as a belly grinder or handheld rotary applicator. Such equipment may only be used for spot treatments.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Loaders, applicators and other handlers must wear long-sleeved shirt and long pants, shoes and socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Atrazine can travel (seep or leach) through soil and can enter ground water which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply Atrazine to sand and loamy sand soils where the water table (ground water) is close to the surface and where these soils are very permeable; i.e., well-drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water.

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash water.

#XXXXXX

(Front)

JUL 1 1 2005



GUARANTEED ANALYSIS

GUARANTEED ANALYSIS	
TOTAL NITROGEN (N)	XX.XX%
XX.XX% Ammoniacal Nitrogen	
XX.XX% Urea Nitrogen*	
XX.XX% Water Insoluble Nitrogen	
XX.XX% Water Soluble Controlled Release Nitrogen	
AVAILABLE PHOSPHATE (P2O6)	XX.XX%
SOLUBLE POTASH (K2O)	XX.XX%
MAGNESIUM (Mg) Total	XX.XX%
XX.XX% Water Soluble Magnesium (Mg)	
SULFUR (S) Total	XX.XX%
XX.XX% Free Sulfur (S)	
XX.XX% Combined Sulfur (S)	
COPPER (Cu) Total	XX.XX%
XX.XX% Water Soluble Copper (Cu)	
IRON (Fe) Total	XX.XX%
XX.XX% Water Soluble Iron (Fe)	
MANGANESE (Mn) Total	XX.XX%
XX.XX% Water Soluble Manganese (Mn)	
ZINC (Zn) Total	XX.XX%
XX.XX% Water Soluble Zinc (Zn)	
DERIVED FROM:	
CHLORINE (CI) Max.	
*X.XX% Slowly available Urea Nitrogen from Polymer Coated Sulfur C	oated Urea.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

When applying multiple products containing atrazine, the total pounds of atrazine applied in pounds of atrazine per acre may not exceed 4 pounds of atrazine from all applications made in a year.

Turfgrass at Residential Sites (including homes, daycare facilities, schools, playgrounds, parks, recreational areas, and sports fields.)

This product must be watered in immediately after application. Watering-in must be performed by the commercial applicator or the commercial applicator must provide the following instructions to the resident or owner in writing:

-This product must be watered in immediately.

 Do not enter or allow others (including children or pets) to enter the treated areas (except those involved in the watering) until the watering-in is complete and the surface is dry.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

ANY USE OF THIS PRODUCT IN AN AREA WHERE USE IS PROHIBITED IS A VIOLATION OF FEDERAL LAW. Before using this product, you must consult the Atrazine Watershed information Center (AWIC) to determine whether the use of this product is prohibited in your watershed. AWIC can be accessed through www.atrazine-watershed.info or 1-866-365-3014. If use of this product is prohibited in your watershed, you may return this product to your point of purchase or contact LESCO for a refund.

WEEDS CONTROLLED OR SUPPRESSED .

Annual Bluegrass (Pos annual Annual Sowthistle Black Medic Blue Toadflax Bull Paspalum Buckhom Plantain **Bur Clover** Carolina Geranium (Cranesbill) Chickweed (Common and Mouse Ear) Cocklebur Common Dandelion Common Pursiana Crabarass Crowfoot Grass

CONTROLLED OR SU
Cutleaf Evening Pring Se
Dichondra
Dollarweed
Florida Beggarweed
Florida Betony
(Rattlesnake Weed)
Florida Pusley
Fragrant Cudweed
(Rabbit Tobatco)
Henbit
Knotweed
Lambsquarter
Lespedeza
Lippia (Matchweed)
Moneywort

Morning Glory

Parsley-Piert

Narrowleaf Vetch

Oxalis (Common and Yallow Woodsorrel)
Pigweed
Pursinge
Ragweed
Red Sorrel
Rescueglass
Sandspur
Sheptnerd's Purse
Sicklepod
Spotted Spurge
Spurweed
Stinging Nettle
Swingerest
Venus Leoking Glass
Virginia Creeper
Wild Mustard
Wood Sorrel

Atrazine 0.76% Plus Fertilizer

NON-AGRICULTURAL REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. Do not enter or allow others to enter the treated area until dusts have settled. If soil incorporation is required after the application, do not enter or allow others to enter the treated area (except those persons involved in the incorporation) until the incorporation is complete. If the incorporation is accomplished by watering-in, do not enter or allow others to enter the treated area until the surface is dry after the watering-in.

IMPORTANT: In addition to providing turfgrass with required plant nutrients this product will control both "weeds that are present" and "weeds germinating from

FOR WEEDS THAT ARE PRESENT: Includes broadleaf weeds from the list such as; Chickweed, Creeping Charlie, Dandelion, Evening Primrose, Florida Betony,

Florida Pusley, Lippia, Oxalls, Pigweed, Plantain, Rabbit Tobacco, and Toadflax.

FOR WEEDS GERMINATING FROM SEEDS: Applied before weed seeds germinate; includes grassy weeds from the list such as; Crabgrass, Paspalum, and Spotted Spurge.

WHERE TO USE

FOR CONTROL of weeds in St. Augustine and Centipede grass in or on residential tawns, corporate lawns, parks, recreational areas, golf course, cemeteries, and athletic fields

NOT FOR USE on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes

NOT FOR USE on Bluegrass, Fescue, Bentgrass, Bahiagrass, Ryegrass, Bermudagrass, or Dichondra lawns.

WHEN TO APPLY

Best weed control will result if applied before weeds sprout since the product acts as a "pre-emergent" and also as a "post-emergent" herbicide. Established weeds are harder to kill and may require an additional application in the fall or spring. For newly seeded centipede, wait until grass has been mowed at least once. Do not plant "sprigs" within one month after application, or seed within 6 months after application. For broadleaf weeds apply anytime the weeds are present and actively growing. Early spring application is recommended for best control such as January 1st up to March 1st, otherwise it may be applied up to June 15th with good weed

For pre-emergence weed control (see above) apply before seeds germinate. A fall application will be needed for control of certain annuals such as Chickweed, Henbit, Rabbit Tobacco, Florida Betony and Evening Primrose. In case of heavy weed infestation or low soil moisture, a repeat application may be necessary. Wait 2 months for a repeat application. Apply when air is calm to prevent particle wind drift. Apply this product only when grass blades are dry. To verify proper application timing consult your State Agricultural Extension Service, Turfgrass Specialist.

USE PRECAUTIONS

Sweep product off walks and painted surfaces following application to avoid possible discolorations. Do not apply this product on or over the root zone of omamental trees and shrubs, nor to bedding plants, flowers, or garden plants since injury to these plants may result. Do not apply to lawns containing grasses or mixtures of grasses other than St. Augustine or Centipede grasses, since injury to those other grasses may result.

DO NOT APPLY THIS PRODUCT IN A WAY THAT WILL CONTACT ANY PERSON OR PET, EITHER DIRECTLY OR THROUGH DRIFT. KEEP PEOPLE AND PETS OUT OF THE AREA DURING APPLICATION, THIS PRODUCT MUST BE WATERED IN IMMEDIATELY AFTER APPLICATION. DO NOT ENTER OR ALLOW OTHERS (INCLUDING CHILDREN OR PETS) TO ENTER THE TREATED AREAS (EXCEPT THOSE INVOLVED IN THE WATERING) UNTIL THE WATERING-IN IS COMPLETE AND THE SURFACE IS DRY.

Apply 4.5 lb to 6.0 lb uniformly over 1,000 sq ft of lawn area. (equivalent to the required 1.5 - 2.0 lb Atrazine per acre). Use the lower rate for average weed problems; the higher rate for heavy weed population. Do not exceed recommended rates. Do not apply more than 4 lb a.i. Atrazine (2 applications at 6.0 lb product) per acre per year. Apply to dry grass. This product must be watered in immediately after application.

SUGGESTED SPREADER SETTINGS*

	(Leconsider Lates	119	
Spreader		4.5 lb	6,0 lb
LESCO	Calibration Gauge	#XX	#XX
SCOTTS® R8	I-A	XX	XX
Cyclone® or S	clone® or Spyker® XX		XX
Lely [®]	•	XX II	XX II

*Settings are approximate. Age, condition of apreader and operator speed can cause variations. Be sure to calibrate your spreader with each application.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store product in original labeled container in a cool, dry, locked place out of reach of children.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, State or local procedures. Or call (1-800-CLEANUP) for disposal instructions. Never place unused product down any indoor or outdoor drain.

EMPTY CONTAINER DISPOSAL: Do not reuse bag. Dispose of emptied bag(s) in a sanitary landfill approved for pesticide disposal, or by incineration. SPILL: In case of spill, sweep up material and dispose of material according to "product disposal" directions listed above.

WARRANTY

LESCO, Inc. warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label directions under normal conditions of use. LESCO MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES EITHER OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE. Handling, storage and use of the product by Buyer or User are beyond the control of LESCO and Seller. Risks such as crop injury, ineffectiveness or other unintended consequences resulting from, but not limited to, weather or soil conditions, presence of other materials, disease, pest, drift to other crops or property or failure to follow label directions will be assumed by the Buyer or User. IN NO CASE WILL LESCO OR SELLER BE HELD LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE, OR USE OF THIS PRODUCT.

Information concerning the raw materials composing this product can be obtained by writing to: LESCO, Inc., Attn: RA Dept., 1301 East 9th Street, Suite 1300, Cleveland, Ohio 44114-1849, referring to the item number found on this bag.

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-a1.com.

LESCO and Poly Plus are registered trademarks and the sweeping design is a trademark of LESCO Technologies, LLC. Poly Plus is comprised of Polymer Coated Sulfur Coated Urea. SCOTTS is a registered trademark of The SCOTT Company. Spyker and Cyclone are registered trademarks of Spyker Spreaders, LLC. Lely is a registered trademark of C Van Der Lely N.V.

G:REGUL\WP\Regul Private\MstrLbi_ERIEVIEW ADDRESS\New EPA
Approved\Atrazine 076FL formatted.doc (112904) Rev. 11/11/05 BS

Net Weight: XX lb (XX kg)

EPA REG. NO. 10404-39 EPA EST. NO.82757-OH-001 (M), 82757-FL-001 (S)



F1560 Distributed by: LESCO, Inc. 1301 East 9th Street Cleveland, OH 44114-1849



5/5-



Phone: 216.706.9250 800.321.5325 www.lesco.com Nasdaq: LESCO

June 15, 2006

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attn: Mr. Jim Tompkins, PM 25

SUBJECT:

Notification - Optional Language and Fertilizer Statements

EPA #10404-39 LESCO Atrazine 0.76% Plus Fertilizer

√EPA #10404-39 LESCO StAugustinegrass Weed and Feed (ABN)

EPA #10404-94 LESCO Atrazine 1.05% Plus Fertilizer EPA #10404-95 LESCO Atrazine 0.45% Plus Fertilizer EPA #10404-96 LESCO Atrazine 0.92% Plus Fertilizer

Dear Mr. Tompkins:

Notifications are being submitted for your review and acceptance to address the following:

- Addition to Optional/Marketing statements:
 - Contains LESCO® Poly Plus® Sulfur Coated Urea to provide uniform growth with extended nitrogen feeding."
- Clarification of 'Derived From' statement in the Guaranteed (Fertilizer) Analysis box:
 - o "Slowly Available Urea Nitrogen from Polymer Coated sulfur Coated Urea"
- Clarification of 'Poly Plus' composition in the Trademarks section:
 - o "Poly Plus is comprised of Polymer Coated sulfur Coated Urea"

The following documentation is provided in support of the above:

- ♦ 8570-1: Notification request form for each EPA registration number
- One (1) highlighted label of each EPA registration noting the above items
- Five (5) copies of the clean label for each EPA registration

If you have any questions, or further clarification is required, please feel free to contact me at <u>sspencer@lesco.com</u> or 1-216-706-9250 ext 2343.

Thank you for your assistance on this matter.

Sincerely,

Susan E. Spencer

Manager

Regulatory Affairs

Enclosures

Corporate Office: 1301 East Ninth Street, Suite 1300 • Cleveland, Ohio • 44114-1849