

10404-39

4-3-2007

1-13



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
Ariel Rios Building
1200 Pennsylvania Ave., NW
Washington, D.C. 20460

EPA Reg. Number

10404-39

Date of Issuance:

04/03/07

NOTICE OF PESTICIDE:

Registration
[X] Reregistration
(under FIFRA, as amended)

Term of Issuance:

Name of Pesticide Product:

Atrazine 0.76% Plus Fertilizer

Name and Address of Registrant (include ZIP Code):

Mr. John Olizinger
Lesco, Inc.
1301 East 9th St., Suite 1300
Cleveland, OH 44114-1849

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

The label described above, submitted under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable. This product is re-registered in accordance with FIFRA sec. 4(g)(2)(C). Reregistration under this section of the Act does not eliminate the need for continual assessment of the registration of this product.

This labeling supersedes all previous accepted labeling for this product.

The removal of the pad requirement from the Environmental Hazards section is acceptable.

A copy of the label stamped accepted is enclosed for your records. Please submit one copy of the final printed labeling when product is released for shipment.

Signature of Approving Official
James A. Tompkins
Product Manager 25
Herbicide Branch
Registration Division (7505P)

[Handwritten signature of James A. Tompkins]

Date:

4-3-07

# Atrazine 0.76% Plus Fertilizer

Weed Control with Premium Lawn Food

50 Pounds covers up to 11,000 Sq Ft of Turfgrass  
 Controls Crabgrass, Paspalums, and Spotted Spurge  
 Controls Dandelion, Florida Pusley, Lippia, Pigweed  
 Over 100 Active Ingredients  
**A WEED & FEED FOR ST AUGUSTINEGRASS AND CENTIPEDEGRASS LAWNS**

Contains 15.5% Poly Plus, Sulfur Coated Urea to provide uniform growth  
 and excellent feeding  
**ACTIVE INGREDIENTS**  
 Atrazine 2-chloro-4-ethylamino-6-isopropylamino-s-triazine 0.76%  
 Fertilizer 15.5%  
 Refined petroleum hydrocarbons 89.22%  
**OTHER INGREDIENTS**  
 Total 100.00%

## KEEP OUT OF REACH OF CHILDREN CAUTION

**FIRST AID**  
 • Call a poison control center or doctor immediately for treatment advice.  
 • Have person sip a glass of water if able to swallow.  
 • Do not induce vomiting unless told by the poison control center or doctor.  
 • Do not give anything by mouth to an unconscious person.  
**In eyes**  
 • Hold eye open and rinse slowly and gently with water for 15-20 minutes.  
 • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.  
**On skin**  
 • Take off contaminated clothing.  
 • Rinse skin immediately with plenty of water for 15-20 minutes while removing clothing.  
 • Call a poison control center or doctor for treatment advice.  
**If inhaled**  
 • Move person to fresh air.  
 • If person is not breathing, call 911 or an ambulance; then, give artificial respiration, preferably mouth-to-mouth if possible.  
 • Call a poison control center or doctor for further treatment advice.  
 • Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact Chem-Trec at 1-800-321-9500 for emergency medical treatment information.

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
 CAUTION: Irritant if swallowed or absorbed through skin or inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Loaders, applicators, and other handlers must wear long-sleeved shirt, long pants, socks and shoes. Broadleaf applications must NOT be made using hand-held devices, such as a belly grinder or hand-held rotary applicator. Such equipment may only be used for spot treatments.  
**PERSONAL PROTECTIVE EQUIPMENT (PPE)**  
 Loaders, applicators and other handlers must wear long-sleeved shirt and long pants, socks and shoes. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

**User Safety Recommendations**  
 Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE (including shoes, socks and gloves) immediately after each use and before re-entry. As soon as possible, wash thoroughly and change into clean clothing.

**ENVIRONMENTAL HAZARDS**  
 Atrazine can travel (leach or leach) through soil and can enter ground water which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply Atrazine to sand and loamy sand soils where the water table (ground water) is close to the surface and where these soils are very permeable. If well-drained, your local agricultural agencies can provide further information on the use of Atrazine. Atrazine is not to be applied to water courses, streams, rivers, natural or impounded lakes and reservoirs. Product must not be applied within 60 feet of points where field surface water runoff enters perennial or intermittent streams and rivers or within 200 feet of natural or impounded lakes and reservoirs. If this product is applied to highly erodible land, the 60 foot buffer or setback from runoff entry points must be planted to crop, or seeded with grass or other vegetation. Product must not be used or loaded or used within 50 feet of all wells, including abandoned wells, drainage wells, and sink holes. Additional State imposed requirements regarding well-head setbacks and operational area containment must be observed.  
 One of the following restrictions must be used in applying atrazine to life-outletted fields containing standpipes:  
 1. Apply this product to the entire life-outletted field and immediately incorporate it to a depth of 2 - 3 inches in the entire field.  
 2. Apply this product to the entire life-outletted field under a no-till practice only where a high crop residue management practice is practiced. High crop residue management is described as a crop management practice where little or no crop residue is removed from the field during and after crop harvest.

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intended areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and rain from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash-water.

#XXXXXX (Front)



**GUARANTEED ANALYSIS**

TOTAL NITROGEN (N)	..... XX XX%
XX XX% Ammoniacal Nitrogen	
XX XX% Urea Nitrogen	
XX XX% Water Insoluble Nitrogen	
XX XX% Water Soluble Controlled Release Nitrogen	
AVAILABLE PHOSPHATE (P <sub>2</sub> O <sub>5</sub> )	..... XX XX%
XX XX% Water Soluble	
XX XX% Controlled Release	
SOLUBLE POTASH (K <sub>2</sub> O)	..... XX XX%
XX XX% Water Soluble	
XX XX% Controlled Release	
MAGNESIUM (Mg) Total	..... XX XX%
SULFUR (S) Total	..... XX XX%
XX XX% Free Sulfur (S)	
XX XX% Combined Sulfur (S)	
COPPER (Cu) Total	..... XX XX%
XX XX% Water Soluble Copper (Cu)	
IRON (Fe) Total	..... XX XX%
XX XX% Water Soluble Iron (Fe)	
MANGANESE (Mn) Total	..... XX XX%
XX XX% Water Soluble Manganese (Mn)	
ZINC (Zn) Total	..... XX XX%
XX XX% Water Soluble Zinc (Zn)	
<b>DERIVED FROM:</b>	
CHLORINE (Cl) Max.	..... XX XX%
XX XX% Slowly available Urea Nitrogen from Polymer Coated Sulfur Coated Urea	

This product has efficient N-P-K fertilizer ratios to meet the needs for different geographies, varieties, and temperatures.

**DIRECTIONS FOR USE**  
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.  
 When applying multiple products containing atrazine, the total pounds of atrazine applied in pounds of atrazine per acre may not exceed 4 pounds of atrazine from all applications made in a year.  
**Turfgrass - at Residential Sites** (including homes, daycare facilities, schools playgrounds, parks, recreational areas, and sports fields)  
 Apply this product to the turfgrass with a rotary applicator. Watering in must be performed by the commercial applicator or the commercial applicator must provide the following instructions to the resident or owner in writing:  
 - This product must be watered in immediately.  
 - Do not enter or allow others (including children or pets) to enter the treated areas (except those involved in the watering) until the watering is complete and the surface is dry.  
 For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.  
**ANY USE OF THIS PRODUCT IN AN AREA WHERE USE IS PROHIBITED IS A VIOLATION OF FEDERAL LAW.** Before using this product, you must consult the Atrazine Water shed information Center (AWIC) to determine whether the use of this product is prohibited in your watershed. AWIC can be accessed through www.afratill.com, 1-888-365-3014. If use of this product is prohibited in your watershed, you may return this product to your point of purchase or contact LESCO for a return.

**NEEDS CONTROLLED OR SUPPRESSED**

Annual Bluegrass	Orchard Grass (Common and Yellow Woodcock)
Annual Ryegrass	Pigeon
Barnyard Grass	Red Top
Bermuda Grass	Red Top
Bluegrass	Red Top
Bluegrass (Kentucky)	Red Top
Bluegrass (Pennsylvania)	Red Top
Bluegrass (Tennessee)	Red Top
Bluegrass (Virginia)	Red Top
Bluegrass (West Virginia)	Red Top
Bluegrass (Maryland)	Red Top
Bluegrass (North Carolina)	Red Top
Bluegrass (South Carolina)	Red Top
Bluegrass (Georgia)	Red Top
Bluegrass (Alabama)	Red Top
Bluegrass (Florida)	Red Top
Bluegrass (Louisiana)	Red Top
Bluegrass (Mississippi)	Red Top
Bluegrass (Arkansas)	Red Top
Bluegrass (Missouri)	Red Top
Bluegrass (Illinois)	Red Top
Bluegrass (Indiana)	Red Top
Bluegrass (Ohio)	Red Top
Bluegrass (Pennsylvania)	Red Top
Bluegrass (Maryland)	Red Top
Bluegrass (Virginia)	Red Top
Bluegrass (North Carolina)	Red Top
Bluegrass (South Carolina)	Red Top
Bluegrass (Georgia)	Red Top
Bluegrass (Alabama)	Red Top
Bluegrass (Florida)	Red Top
Bluegrass (Louisiana)	Red Top
Bluegrass (Mississippi)	Red Top
Bluegrass (Arkansas)	Red Top
Bluegrass (Tennessee)	Red Top
Bluegrass (Kentucky)	Red Top
Bluegrass (West Virginia)	Red Top
Bluegrass (Ohio)	Red Top
Bluegrass (Indiana)	Red Top
Bluegrass (Michigan)	Red Top
Bluegrass (Wisconsin)	Red Top
Bluegrass (Minnesota)	Red Top
Bluegrass (Iowa)	Red Top
Bluegrass (Missouri)	Red Top
Bluegrass (Illinois)	Red Top
Bluegrass (Indiana)	Red Top
Bluegrass (Ohio)	Red Top
Bluegrass (Pennsylvania)	Red Top
Bluegrass (Maryland)	Red Top
Bluegrass (Virginia)	Red Top
Bluegrass (North Carolina)	Red Top
Bluegrass (South Carolina)	Red Top
Bluegrass (Georgia)	Red Top
Bluegrass (Alabama)	Red Top
Bluegrass (Florida)	Red Top
Bluegrass (Louisiana)	Red Top
Bluegrass (Mississippi)	Red Top
Bluegrass (Arkansas)	Red Top
Bluegrass (Tennessee)	Red Top
Bluegrass (Kentucky)	Red Top
Bluegrass (West Virginia)	Red Top
Bluegrass (Ohio)	Red Top
Bluegrass (Indiana)	Red Top
Bluegrass (Michigan)	Red Top
Bluegrass (Wisconsin)	Red Top
Bluegrass (Minnesota)	Red Top
Bluegrass (Iowa)	Red Top
Bluegrass (Missouri)	Red Top
Bluegrass (Illinois)	Red Top
Bluegrass (Indiana)	Red Top
Bluegrass (Ohio)	Red Top
Bluegrass (Pennsylvania)	Red Top
Bluegrass (Maryland)	Red Top
Bluegrass (Virginia)	Red Top
Bluegrass (North Carolina)	Red Top
Bluegrass (South Carolina)	Red Top
Bluegrass (Georgia)	Red Top
Bluegrass (Alabama)	Red Top
Bluegrass (Florida)	Red Top
Bluegrass (Louisiana)	Red Top
Bluegrass (Mississippi)	Red Top
Bluegrass (Arkansas)	Red Top
Bluegrass (Tennessee)	Red Top
Bluegrass (Kentucky)	Red Top
Bluegrass (West Virginia)	Red Top
Bluegrass (Ohio)	Red Top
Bluegrass (Indiana)	Red Top
Bluegrass (Michigan)	Red Top
Bluegrass (Wisconsin)	Red Top
Bluegrass (Minnesota)	Red Top
Bluegrass (Iowa)	Red Top
Bluegrass (Missouri)	Red Top
Bluegrass (Illinois)	Red Top
Bluegrass (Indiana)	Red Top
Bluegrass (Ohio)	Red Top
Bluegrass (Pennsylvania)	Red Top
Bluegrass (Maryland)	Red Top
Bluegrass (Virginia)	Red Top
Bluegrass (North Carolina)	Red Top
Bluegrass (South Carolina)	Red Top
Bluegrass (Georgia)	Red Top
Bluegrass (Alabama)	Red Top
Bluegrass (Florida)	Red Top
Bluegrass (Louisiana)	Red Top
Bluegrass (Mississippi)	Red Top
Bluegrass (Arkansas)	Red Top
Bluegrass (Tennessee)	Red Top
Bluegrass (Kentucky)	Red Top
Bluegrass (West Virginia)	Red Top
Bluegrass (Ohio)	Red Top
Bluegrass (Indiana)	Red Top
Bluegrass (Michigan)	Red Top
Bluegrass (Wisconsin)	Red Top
Bluegrass (Minnesota)	Red Top
Bluegrass (Iowa)	Red Top
Bluegrass (Missouri)	Red Top
Bluegrass (Illinois)	Red Top
Bluegrass (Indiana)	Red Top
Bluegrass (Ohio)	Red Top
Bluegrass (Pennsylvania)	Red Top
Bluegrass (Maryland)	Red Top
Bluegrass (Virginia)	Red Top
Bluegrass (North Carolina)	Red Top
Bluegrass (South Carolina)	Red Top
Bluegrass (Georgia)	Red Top
Bluegrass (Alabama)	Red Top
Bluegrass (Florida)	Red Top
Bluegrass (Louisiana)	Red Top
Bluegrass (Mississippi)	Red Top
Bluegrass (Arkansas)	Red Top
Bluegrass (Tennessee)	Red Top
Bluegrass (Kentucky)	Red Top
Bluegrass (West Virginia)	Red Top
Bluegrass (Ohio)	Red Top
Bluegrass (Indiana)	Red Top
Bluegrass (Michigan)	Red Top
Bluegrass (Wisconsin)	Red Top
Bluegrass (Minnesota)	Red Top
Bluegrass (Iowa)	Red Top
Bluegrass (Missouri)	Red Top
Bluegrass (Illinois)	Red Top
Bluegrass (Indiana)	Red Top
Bluegrass (Ohio)	Red Top
Bluegrass (Pennsylvania)	Red Top
Bluegrass (Maryland)	Red Top
Bluegrass (Virginia)	Red Top
Bluegrass (North Carolina)	Red Top
Bluegrass (South Carolina)	Red Top
Bluegrass (Georgia)	Red Top
Bluegrass (Alabama)	Red Top
Bluegrass (Florida)	Red Top
Bluegrass (Louisiana)	Red Top
Bluegrass (Mississippi)	Red Top
Bluegrass (Arkansas)	Red Top
Bluegrass (Tennessee)	Red Top
Bluegrass (Kentucky)	Red Top
Bluegrass (West Virginia)	Red Top
Bluegrass (Ohio)	Red Top
Bluegrass (Indiana)	Red Top
Bluegrass (Michigan)	Red Top
Bluegrass (Wisconsin)	Red Top
Bluegrass (Minnesota)	Red Top
Bluegrass (Iowa)	Red Top
Bluegrass (Missouri)	Red Top
Bluegrass (Illinois)	Red Top
Bluegrass (Indiana)	Red Top
Bluegrass (Ohio)	Red Top
Bluegrass (Pennsylvania)	Red Top
Bluegrass (Maryland)	Red Top
Bluegrass (Virginia)	Red Top
Bluegrass (North Carolina)	Red Top
Bluegrass (South Carolina)	Red Top
Bluegrass (Georgia)	Red Top
Bluegrass (Alabama)	Red Top
Bluegrass (Florida)	Red Top
Bluegrass (Louisiana)	Red Top
Bluegrass (Mississippi)	Red Top
Bluegrass (Arkansas)	Red Top
Bluegrass (Tennessee)	Red Top
Bluegrass (Kentucky)	Red Top
Bluegrass (West Virginia)	Red Top
Bluegrass (Ohio)	Red Top
Bluegrass (Indiana)	Red Top
Bluegrass (Michigan)	Red Top
Bluegrass (Wisconsin)	Red Top
Bluegrass (Minnesota)	Red Top
Bluegrass (Iowa)	Red Top
Bluegrass (Missouri)	Red Top
Bluegrass (Illinois)	Red Top
Bluegrass (Indiana)	Red Top
Bluegrass (Ohio)	Red Top
Bluegrass (Pennsylvania)	Red Top
Bluegrass (Maryland)	Red Top
Bluegrass (Virginia)	Red Top
Bluegrass (North Carolina)	Red Top
Bluegrass (South Carolina)	Red Top
Bluegrass (Georgia)	Red Top
Bluegrass (Alabama)	Red Top
Bluegrass (Florida)	Red Top
Bluegrass (Louisiana)	Red Top
Bluegrass (Mississippi)	Red Top
Bluegrass (Arkansas)	Red Top
Bluegrass (Tennessee)	Red Top
Bluegrass (Kentucky)	Red Top
Bluegrass (West Virginia)	Red Top
Bluegrass (Ohio)	Red Top
Bluegrass (Indiana)	Red Top
Bluegrass (Michigan)	Red Top
Bluegrass (Wisconsin)	Red Top
Bluegrass (Minnesota)	Red Top
Bluegrass (Iowa)	Red Top
Bluegrass (Missouri)	Red Top
Bluegrass (Illinois)	Red Top
Bluegrass (Indiana)	Red Top
Bluegrass (Ohio)	Red Top
Bluegrass (Pennsylvania)	Red Top
Bluegrass (Maryland)	Red Top
Bluegrass (Virginia)	Red Top
Bluegrass (North Carolina)	Red Top
Bluegrass (South Carolina)	Red Top
Bluegrass (Georgia)	Red Top
Bluegrass (Alabama)	Red Top
Bluegrass (Florida)	Red Top
Bluegrass (Louisiana)	Red Top
Bluegrass (Mississippi)	Red Top
Bluegrass (Arkansas)	Red Top
Bluegrass (Tennessee)	Red Top
Bluegrass (Kentucky)	Red Top
Bluegrass (West Virginia)	Red Top
Bluegrass (Ohio)	Red Top
Bluegrass (Indiana)	Red Top
Bluegrass (Michigan)	Red Top
Bluegrass (Wisconsin)	Red Top
Bluegrass (Minnesota)	Red Top
Bluegrass (Iowa)	Red Top
Bluegrass (Missouri)	Red Top
Bluegrass (Illinois)	Red Top
Bluegrass (Indiana)	Red Top
Bluegrass (Ohio)	Red Top
Bluegrass (Pennsylvania)	Red Top
Bluegrass (Maryland)	Red Top
Bluegrass (Virginia)	Red Top
Bluegrass (North Carolina)	Red Top
Bluegrass (South Carolina)	Red Top
Bluegrass (Georgia)	Red Top
Bluegrass (Alabama)	Red Top
Bluegrass (Florida)	Red Top
Bluegrass (Louisiana)	Red Top
Bluegrass (Mississippi)	Red Top
Bluegrass (Arkansas)	Red Top
Bluegrass (Tennessee)	Red Top
Bluegrass (Kentucky)	Red Top
Bluegrass (West Virginia)	Red Top
Bluegrass (Ohio)	Red Top
Bluegrass (Indiana)	Red Top
Bluegrass (Michigan)	Red Top
Bluegrass (Wisconsin)	Red Top
Bluegrass (Minnesota)	Red Top
Bluegrass (Iowa)	Red Top
Bluegrass (Missouri)	Red Top
Bluegrass (Illinois)	Red Top
Bluegrass (Indiana)	Red Top
Bluegrass (Ohio)	Red Top
Bluegrass (Pennsylvania)	Red Top
Bluegrass (Maryland)	Red Top
Bluegrass (Virginia)	Red Top
Bluegrass (North Carolina)	Red Top
Bluegrass (South Carolina)	Red Top
Bluegrass (Georgia)	Red Top
Bluegrass (Alabama)	Red Top
Bluegrass (Florida)	Red Top
Bluegrass (Louisiana)	Red Top
Bluegrass (Mississippi)	Red Top
Bluegrass (Arkansas)	Red Top
Bluegrass (Tennessee)	Red Top
Bluegrass (Kentucky)	Red Top
Bluegrass (West Virginia)	Red Top
Bluegrass (Ohio)	Red Top
Bluegrass (Indiana)	Red Top
Bluegrass (Michigan)	Red Top
Bluegrass (Wisconsin)	Red Top
Bluegrass (Minnesota)	Red Top
Bluegrass (Iowa)	Red Top
Bluegrass (Missouri)	Red Top
Bluegrass (Illinois)	Red Top
Bluegrass (Indiana)	Red Top
Bluegrass (Ohio)	Red Top
Bluegrass (Pennsylvania)	Red Top
Bluegrass (Maryland)	Red Top
Bluegrass (Virginia)	Red Top
Bluegrass (North Carolina)	Red Top
Bluegrass (South Carolina)	Red Top
Bluegrass (Georgia)	Red Top
Bluegrass (Alabama)	Red Top
Bluegrass (Florida)	Red Top
Bluegrass (Louisiana)	Red Top
Bluegrass (Mississippi)	Red Top
Bluegrass (Arkansas)	Red Top
Bluegrass (Tennessee)	Red Top
Bluegrass (Kentucky)	Red Top
Bluegrass (West Virginia)	Red Top
Bluegrass (Ohio)	Red Top
Bluegrass (Indiana)	Red Top
Bluegrass (Michigan)	Red Top
Bluegrass (Wisconsin)	Red Top
Bluegrass (Minnesota)	Red Top
Bluegrass (Iowa)	Red Top
Bluegrass (Missouri)	Red Top
Bluegrass (Illinois)	Red Top
Bluegrass (Indiana)	Red Top
Bluegrass (Ohio)	Red Top
Bluegrass (Pennsylvania)	Red Top
Bluegrass (Maryland)	Red Top
Bluegrass (Virginia)	Red Top
Bluegrass (North Carolina)	Red Top
Bluegrass (South Carolina)	Red Top
Bluegrass (Georgia)	Red Top
Bluegrass (Alabama)	Red Top
Bluegrass (Florida)	Red Top
Bluegrass (Louisiana)	Red Top
Bluegrass (Mississippi)	Red Top
Bluegrass (Arkansas)	Red Top
Bluegrass (Tennessee)	Red Top
Bluegrass (Kentucky)	Red Top
Bluegrass (West Virginia)	Red Top
Bluegrass (Ohio)	Red Top
Bluegrass (Indiana)	Red Top
Bluegrass (Michigan)	Red Top
Bluegrass (Wisconsin)	Red Top
Bluegrass (Minnesota)	Red Top
Bluegrass (Iowa)	Red Top
Bluegrass (Missouri)	Red Top
Bluegrass (Illinois)	Red Top
Bluegrass (Indiana)	Red Top
Bluegrass (Ohio)	Red Top
Bluegrass (Pennsylvania)	Red Top
Bluegrass (Maryland)	Red Top
Bluegrass (Virginia)	Red Top
Bluegrass (North Carolina)	Red Top
Bluegrass (South Carolina)	Red Top
Bluegrass (Georgia)	Red Top
Bluegrass (Alabama)	Red Top
Bluegrass (Florida)	Red Top
Bluegrass (Louisiana)	Red Top
Bluegrass (Mississippi)	Red Top
Bluegrass (Arkansas)	Red Top
Bluegrass (Tennessee)	Red Top
Bluegrass (Kentucky)	Red Top
Bluegrass (West Virginia)	Red Top
Bluegrass (Ohio)	Red Top
Bluegrass (Indiana)	Red Top
Bluegrass (Michigan)	Red Top
Bluegrass (Wisconsin)	Red Top
Bluegrass (Minnesota)	Red Top
Bluegrass (Iowa)	Red Top
Bluegrass (Missouri)	Red Top
Bluegrass (Illinois)	Red Top
Bluegrass (Indiana)	Red Top
Bluegrass (Ohio)	Red Top
Bluegrass (Pennsylvania)	Red Top
Bluegrass (Maryland)	Red Top
Bluegrass (Virginia)	Red Top
Bluegrass (North Carolina)	Red Top</

# Atrazine 0.76% Plus Fertilizer

## NON-AGRICULTURAL REQUIREMENTS

The requirements for the application of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 155) are: The NPS requirements for application to agricultural plants (6) and to agricultural animals (7) do not apply. The NPS requirements for application to agricultural plants (6) and to agricultural animals (7) do not apply. The NPS requirements for application to agricultural plants (6) and to agricultural animals (7) do not apply. The NPS requirements for application to agricultural plants (6) and to agricultural animals (7) do not apply.

**IMPORTANT:** In addition to providing turfgrass with required plant nutrients this product will also provide the turfgrass with the following benefits:

**FOR WEEDS THAT ARE PRESENT:** Control of weeds from the list such as: Annual Bluegrass, Common Nutsedge, Florida Bluegrass, Florida Yellowgrass, Greenhouse Crabgrass, Large Crabgrass, and Tall Fescue.  
**FOR WEEDS GERMINATING FROM SEEDS:** Control of weeds such as: Annual Bluegrass, Common Nutsedge, Florida Bluegrass, Florida Yellowgrass, Greenhouse Crabgrass, Large Crabgrass, and Tall Fescue.

### WHERE TO USE

**FOR CONTROL OF WEEDS:** Atrazine and Cyfluthrin are for use on residential lawns, golf courses, parks, recreation areas, golf courses, cemeteries, and other areas.

**NOT FOR USE:** Do not use this product on ornamental plants, trees, shrubs, or other plants.

**NOT FOR USE:** Do not use this product on lawns, golf courses, parks, recreation areas, golf courses, cemeteries, and other areas.

### WHEN TO APPLY

Apply this product when the turfgrass is actively growing. Established weeds are controlled by this product at any time of the year. For new weeds, apply this product in the fall or spring. For newly seeded lawns, apply this product within 6 months after seeding. For established lawns, apply this product when weeds are present and actively growing. For newly seeded lawns, apply this product when weeds are present and actively growing. For established lawns, apply this product when weeds are present and actively growing.

For best results, apply this product before weeds germinate. A fall application will control a great deal of certain weeds such as Chickweed, Horned Larkspur, and others. For best results, apply this product in the fall or spring. For newly seeded lawns, apply this product within 6 months after seeding. For established lawns, apply this product when weeds are present and actively growing.

### USE PRECAUTIONS

Do not apply this product to wet or saturated surfaces. Following application to avoid injury to plants, apply this product to the lawn or garden plants since this product is a selective herbicide. Do not apply this product to lawns containing grasses of the following species: Annual Bluegrass, Common Nutsedge, Florida Bluegrass, Florida Yellowgrass, Greenhouse Crabgrass, Large Crabgrass, and Tall Fescue.

## HOW TO APPLY

Apply 4.5 lb to 6.0 lb uniformly over 1,000 sq ft of lawn area (equivalent to the required 1.5 to 2.0 lb Atrazine per acre). Use the lower rate for areas with low traffic and the higher rate for heavy used areas. Do not exceed 3 applications per year. Do not apply more than 4 lb of Atrazine per application at 6.0 lb of product per year. Apply to dry grass. This product is not to be watered in after application.

### SUGGESTED SPREADER SETTINGS\*

Spreader	4 lb lb	6.0 lb
LESCO Custom Coverage	XXX	XXX
SCOTT'S RE A	XX	XX
Cyclone or Spyker	XX II	XX II
Lolly	XX II	XX II

\*Settings are approximate. Age, condition of spreader and operator, speed, and conditions. Be sure to calibrate your spreader with each application.

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **PESTICIDE STORAGE:** Store product in original labeled container in a cool, dry, locked place out of reach of children.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, State or local procedures. Do not use CLEANUP for this product. Never use unused product down any indoor or outdoor drain.

**EMPTY CONTAINER DISPOSAL:** Do not re-fill. Dispose of empty container in a sanitary landfill approved for pesticide disposal or by other means.

**SPILL:** In case of spill, sweep up material and dispose of material according to product disposal directions listed above.

### WARRANTY

LESCO, Inc. warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label directions under normal conditions of use. LESCO MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES, EITHER OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE. Handling, storage and use of the product by Buyer or User are beyond the control of LESCO and Seller. Risk, such as crop injury, ineffectiveness or other unintended consequences resulting therefrom, but not limited to weather or soil conditions, presence of other materials, diseases, and other causes of property or failure to follow label directions will be assumed by the Buyer or User. IN NO CASE WILL LESCO OR SELLER BE HELD LIABLE FOR CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE, OR USE OF THIS PRODUCT.

Information concerning the raw materials comprising this product can be obtained by writing to LESCO, Inc., Attn: R&D Dept., 1301 East 9th Street, Suite 1300, Cleveland, Ohio 44114-1849, referring to the dem number found on this bag.

Information regarding the contents and levels of the raw materials in this product is available on the Internet at <http://www.reg-409cinfo-at.com>.

LESCO and Poly Plus are registered trademarks and the sweeping design is a trademark of LESCO Technologies, LLC. Poly Plus is composed of Polymer Coated Sulfur, Urea, Urea, SCOTT'S is a registered trademark of The SCOTT Company, Spyker and Lolly are registered trademarks of Spyker Spreaders, Lolly is a registered trademark of Van Der Lolly N.V.

US REGULATORY Private MstrLb: ERIE/IF A: AT 1-RT-55 71w EPA Approved Atrazine 0.76% Formatted 90c 1C70501 Rev. 3/2007

Net Weight: XX lb (XX kg)

EPA REG. NO. 10404-39  
 EPA EST. NO. 82757-OH-001 (M), 82757-FL-001 (S)

F1560  
 Distributed by LESCO, Inc.  
 1301 East 9th Street  
 Cleveland, OH 44114-1849

#XXXXXXXX


(Back)

10404-39

04-03-2007

1/3

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460



United States  
Environmental Protection  
Agency

Office of Pesticide Programs

4/3/07

Mr. John Olzinger  
Lesco, Inc.  
1301 East 9<sup>th</sup> St., Suite 1300  
Cleveland, OH 44114-1849

Subject: Label Revisions for Compliance with Atrazine IRED  
EPA Reg. No.: 10404-39/ Atrazine 0.76% Plus Fertilizer

Dear Mr. Olzinger,


We have received your label, dated 03/26/07, revised in response to the Agency letter of February 8, 2007, regarding revisions required to be in compliance with the Atrazine IRED.

The removal of the pad requirements from the Environmental Hazards section is acceptable, per our discussion with Susan Spencer on March 19, 2007.

The amended label is acceptable, and your product is hereby reregistered in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended.

One copy of the accepted stamped label is enclosed for your records. Please submit one copy of final printed labeling before releasing the product for shipment. If you have any questions, please contact Kathryn Montague (703-305-1243 or [montague.kathryn@epa.gov](mailto:montague.kathryn@epa.gov)).

Sincerely,

  
James A. Tompkins  
Product Manager 25  
Herbicide Branch  
Registration Division (7505P)

# Atrazine 0.76% Plus Fertilizer

2/3

## Weed Control with Premium Lawn Food

50 Pounds covers up to 11,000 Sq Ft of Turfgrass  
Prevents Crabgrass, Paspalums, and Spotted Spurge  
Controls Dollarweed, Florida Pusley, Lippia, Pigweed  
Over Forty-Five More Weeds as Listed  
A WEED & FEED FOR ST. AUGUSTINEGRASS AND  
CENTIPEDEGRASS LAWNS

Contains LESCO Poly Plus® Sulfur Coated Urea to provide uniform growth with extended nitrogen feeding

**ACTIVE INGREDIENTS:**

Atrazine; 2-chloro-4-ethylamino-6-isopropylamino-s-triazine .....	0.76%
Related active triazine compounds .....	0.02%
<b>OTHER INGREDIENTS:</b> .....	<b>99.22%</b>
<b>Total</b> .....	<b>100.00%</b>

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash water.

#XXXXXX (Front)

# X-X-X

**GUARANTEED ANALYSIS**

<b>TOTAL NITROGEN (N)</b> .....	XX.XX%
XX.XX% Ammoniacal Nitrogen	
XX.XX% Urea Nitrogen*	
XX.XX% Water Insoluble Nitrogen	
XX.XX% Water Soluble Controlled Release Nitrogen	
<b>AVAILABLE PHOSPHATE (P<sub>2</sub>O<sub>5</sub>)</b> .....	XX.XX%
<b>SOLUBLE POTASH (K<sub>2</sub>O)</b> .....	XX.XX%
<b>MAGNESIUM (Mg) Total</b> .....	XX.XX%
XX.XX% Water Soluble Magnesium (Mg)	
<b>SULFUR (S) Total</b> .....	XX.XX%
XX.XX% Free Sulfur (S)	
XX.XX% Combined Sulfur (S)	
<b>COPPER (Cu) Total</b> .....	XX.XX%
XX.XX% Water Soluble Copper (Cu)	
<b>IRON (Fe) Total</b> .....	XX.XX%
XX.XX% Water Soluble Iron (Fe)	
<b>MANGANESE (Mn) Total</b> .....	XX.XX%
XX.XX% Water Soluble Manganese (Mn)	
<b>ZINC (Zn) Total</b> .....	XX.XX%
XX.XX% Water Soluble Zinc (Zn)	
<b>DERIVED FROM:</b>	
<b>CHLORINE (Cl) Max.</b> .....	XX.XX%
*X.XX% Slowly available Urea Nitrogen from Polymer Coated Sulfur Coated Urea	

This product has different N-P-K fertilizer ratios to meet the needs for different geographies, varieties, and temperatures.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

**FIRST AID**

If swallowed	<ul style="list-style-type: none"> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
If in eyes	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then, continue rinsing.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If on skin or clothing	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If inhaled	<ul style="list-style-type: none"> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then, give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact Chem-Trec at 1-800-424-9300 for emergency medical treatment information.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed or absorbed through skin or inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Loaders, applicators, and other handlers must wear long-sleeved shirt, long pants, shoes and socks. Do not apply granular lawn products by hand. Avoid contact with hands or skin. Broadcast applications must NOT be made using hand-held devices, such as a belly grinder or handheld rotary applicator. Such equipment may only be used for spot treatments.

**PERSONAL PROTECTIVE EQUIPMENT (PPE)**  
Loaders, applicators and other handlers must wear long-sleeved shirt and long pants, shoes and socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

**User Safety Recommendations**  
Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**ENVIRONMENTAL HAZARDS**

Atrazine can travel (seep or leach) through soil and can enter ground water which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply Atrazine to sand and loamy sand soils where the water table (ground water) is close to the surface and where these soils are very permeable, i.e., well-drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water.  
Product must not be mixed or loaded within 50 feet of intermittent streams and rivers, natural or impounded lakes and reservoirs. Product must not be applied within 66 feet of points where field surface water runoff enters perennial or intermittent streams and rivers or within 200 feet of natural or impounded lakes and reservoirs. If this product is applied to highly erodible land, the 66 foot buffer or setback from runoff entry points must be planted to crop, or seeded with grass or other suitable crop.  
Product must not be mixed or loaded, or used within 50 feet of all wells, including abandoned wells, drainage wells, and sink holes.  
Additional State imposed requirements regarding well-head setbacks and operational area containment must be observed.  
One of the following restrictions must be used in applying atrazine to tile-outletted fields containing standpipes:  

- Do not apply within 66 feet of standpipes in tile-outletted fields
- Apply this product to the entire tile-outletted field and immediately incorporate it to a depth of 2 - 3 inches in the entire field
- Apply this product to the entire tile-outletted field under a no-till practice only where a high crop residue management practice is practiced. High crop residue management is described as a crop management practice where little or no crop residue is removed from the field during and after crop harvest.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.  
When applying multiple products containing atrazine, the total pounds of atrazine applied in pounds of atrazine per acre may not exceed 4 pounds of atrazine from all applications made in a year.  
Turfgrass at Residential Sites (including homes, daycare facilities, schools, playgrounds, parks, recreational areas, and sports fields.)  
This product must be watered in immediately after application. Watering-in must be performed by the commercial applicator or the commercial applicator must provide the following instructions to the resident or owner in writing.  

- This product must be watered in immediately.
- Do not enter or allow others (including children or pets) to enter the treated areas (except those involved in the watering) until the watering-in is complete and the surface is dry.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

**ANY USE OF THIS PRODUCT IN AN AREA WHERE USE IS PROHIBITED IS A VIOLATION OF FEDERAL LAW.** Before using this product, you must consult the Atrazine Watershed Information Center (AWIC) to determine whether the use of this product is prohibited in your watershed. AWIC can be accessed through [www.atrazine-watershed.info](http://www.atrazine-watershed.info) or 1-866-365-3014. If use of this product is prohibited in your watershed, you may return this product to your point of purchase or contact LESCO for a refund.

**WEEDS CONTROLLED OR SUPPRESSED**

Annual Bluegrass (Poa annua)	Cutleaf Evening Primrose	Oxalis (Common and Yellow Woodsorrel)
Annual Sowthistle	Dockweed	Pigweed
Clover	Florida Beggarweed	Purslane
Black Medic	Florida Beltony (Rattlesnake Weed)	Ragweed
Blue Toadflax	Florida Pusley	Red Sorrel
Bull Paspalum	Fragrant Cudweed (Rabbit Tobacco)	Rescuegrass
Buckhorn Plantain	Henbit	Sandspur
Bur Clover	Knockweed	Shepherds Purse
Carolina Geranium (Cranebill)	Lambquarter	Sicklepod
Chickweed (Common and Mouse Ear)	Lespedeza	Spotted Spurge
Cocklebur	Lippia (Matchweed)	Spurweed
Common Dandelion	Moneywort	Stinging Nettle
Common Purslane	Morning Glory	Swinecrest
Crabgrass	Narrowleaf Vetch	Venus Looking Glass
Crowfoot Grass	Parsley-Plant	Virginia Creeper
Cudweed		Wild Mustard
		Wood Sorrel

**ACCEPTED**  
04/23/07  
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 10404-39

3/3

# Atrazine 0.76% Plus Fertilizer

## NON-AGRICULTURAL REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. Do not enter or allow others to enter the treated area until dusts have settled. If soil incorporation is required after the application, do not enter or allow others to enter the treated area (except those persons involved in the incorporation) until the incorporation is complete. If the incorporation is accomplished by watering-in, do not enter or allow others to enter the treated area until the surface is dry after the watering-in.

**IMPORTANT:** In addition to providing turfgrass with required plant nutrients this product will control both "weeds that are present" and "weeds germinating from seeds".

**FOR WEEDS THAT ARE PRESENT:** Includes broadleaf weeds from the list such as; Chickweed, Creeping Charlie, Dandelion, Evening Primrose, Florida Betony, Florida Pusley, Lippia, Oxalis, Pigweed, Plantain, Rabbit Tobacco, and Toadflax.

**FOR WEEDS GERMINATING FROM SEEDS:** Applied before weed seeds germinate; includes grassy weeds from the list such as; Crabgrass, Paspalum, and Spotted Spurge.

## WHERE TO USE

FOR CONTROL of weeds in St. Augustine and Centipede grass in or on residential lawns, corporate lawns, parks, recreational areas, golf course, cemeteries, and athletic fields

NOT FOR USE on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes

NOT FOR USE on Bluegrass, Fescue, Bentgrass, Bahiagrass, Ryegrass, Bermudagrass, or Dichondra lawns.

## WHEN TO APPLY

Best weed control will result if applied before weeds sprout since the product acts as a "pre-emergent" and also as a "post-emergent" herbicide. Established weeds are harder to kill and may require an additional application in the fall or spring. For newly seeded centipede, wait until grass has been mowed at least once. Do not plant "sprigs" within one month after application, or seed within 6 months after application. For broadleaf weeds apply anytime the weeds are present and actively growing. Early spring application is recommended for best control such as January 1st up to March 1st, otherwise it may be applied up to June 15th with good weed control.

For pre-emergence weed control (see above) apply before seeds germinate. A fall application will be needed for control of certain annuals such as Chickweed, Henbit, Rabbit Tobacco, Florida Betony and Evening Primrose. In case of heavy weed infestation or low soil moisture, a repeat application may be necessary. Wait 2 months for a repeat application. Apply when air is calm to prevent particle wind drift. Apply this product only when grass blades are dry. To verify proper application timing consult your State Agricultural Extension Service, Turfgrass Specialist.

## USE PRECAUTIONS

Sweep product off walks and painted surfaces following application to avoid possible discolorations. Do not apply this product on or over the root zone of ornamental trees and shrubs, nor to bedding plants, flowers, or garden plants since injury to these plants may result. Do not apply to lawns containing grasses or mixtures of grasses other than St. Augustine or Centipede grasses, since injury to those other grasses may result.

DO NOT APPLY THIS PRODUCT IN A WAY THAT WILL CONTACT ANY PERSON OR PET, EITHER DIRECTLY OR THROUGH DRIFT. KEEP PEOPLE AND PETS OUT OF THE AREA DURING APPLICATION. THIS PRODUCT MUST BE WATERED IN IMMEDIATELY AFTER APPLICATION. DO NOT ENTER OR ALLOW OTHERS (INCLUDING CHILDREN OR PETS) TO ENTER THE TREATED AREAS (EXCEPT THOSE INVOLVED IN THE WATERING) UNTIL THE WATERING-IN IS COMPLETE AND THE SURFACE IS DRY.

## HOW TO APPLY

Apply 4.5 lb to 6.0 lb uniformly over 1,000 sq ft of lawn area (equivalent to the required 1.5 - 2.0 lb Atrazine per acre). Use the lower rate for average weed problems, the higher rate for heavy weed population. Do not exceed recommended rates. Do not apply more than 4 lb a.i. Atrazine (2 applications at 6.0 lb product) per acre per year. Apply to dry grass. This product must be watered in immediately after application.

## SUGGESTED SPREADER SETTINGS\* (Recommended Rates in lb per 1,000 sq ft)

Spreader		4.5 lb	6.0 lb
LESCO	Calibration Gauge	#XX	#XX
SCOTTS® R8-A		XX	XX
Cyclone® or Spyker®		XX	XX
Lely®		XX II	XX II

\*Settings are approximate. Age, condition of spreader and operator speed can cause variations. Be sure to calibrate your spreader with each application.

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal

**PESTICIDE STORAGE:** Store product in original labeled container in a cool, dry, locked place out of reach of children

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, State or local procedures. Or call (1-800-CLEANUP) for disposal instructions. Never place unused product down any indoor or outdoor drain.

**EMPTY CONTAINER DISPOSAL:** Do not reuse bag. Dispose of emptied bag(s) in a sanitary landfill approved for pesticide disposal, or by incineration

**SPILL:** In case of spill, sweep up material and dispose of material according to "product disposal" directions listed above.

## WARRANTY

LESCO, Inc warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label directions under normal conditions of use. LESCO MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES EITHER OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE. Handling, storage and use of the product by Buyer or User are beyond the control of LESCO and Seller. Risks such as crop injury, ineffectiveness or other unintended consequences resulting from, but not limited to, weather or soil conditions, presence of other materials, disease, pest, drift to other crops or property or failure to follow label directions will be assumed by the Buyer or User. IN NO CASE WILL LESCO OR SELLER BE HELD LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE, OR USE OF THIS PRODUCT.

Information concerning the raw materials composing this product can be obtained by writing to LESCO, Inc., Attn: RA Dept., 1301 East 9<sup>th</sup> Street, Suite 1300, Cleveland, Ohio 44114-1849, referring to the item number found on this bag

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-a1.com>

LESCO and Poly Plus are registered trademarks and the sweeping design is a trademark of LESCO Technologies, LLC. Poly Plus is comprised of Polymer Coated Sulfur Coated Urea. SCOTTS is a registered trademark of The SCOTT Company. Spyker and Cyclone are registered trademarks of Spyker Spreaders, LLC. Lely is a registered trademark of C Van Der Lely N.V.

G:\REGUL\WP\Regul Private\MstrLb\ERIEVIEW ADDRESS\New EPA Approved\Atrazine 076FL formatted.doc (070505)  
Rev 3/26/07

**Net Weight: XX lb (XX kg)**

EPA REG. NO. 10404-39  
EPA EST. NO.82757-OH-001 (M), 82757-FL-001 (S)  
First letter of lot code indicates manufacturing site

#XXXXXXXX

(Back)

F1560

Distributed by: LESCO, Inc.  
1301 East 9<sup>th</sup> Street  
Cleveland, OH 44114-1849