

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

John M. Olzinger LESCO, Inc. 1385 East 36th Street Cleveland, OH 44114 MAY 8 2013

Subject:

Notification per PRN 98-10

Proposed Primary Brand Name: LESCO Atrazine 0.76% Plus Fertilizer Proposed Alternate Brand Name: LESCO St. Augustinegrass Weed & Feed

Proposed Alternate Brand Name: LESCO Atrazine Weed & Feed 76

EPA Registration Number: 10404-39 Application Dated: May 2, 2013

Dear Mr. Olzinger,

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for LESCO Atrazine 0.76% Plus Fertilizer (EPA Reg. No. 10404-39) dated May 2, 2013. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The primary and alternate brand names are acceptable. Our records will be updated to reflect these changes.

If you have any questions, please contact Emily Hartman of my staff at (703) 347-0189 or hartman.emily@epa.gov.

Sincerely,

Kable Bo Davis, Product Manager 25

Herbicide Branch Registration Division

Office of Pesticide Programs

2/4

Please read instructions on n	everse before completing form.		Form Appre	oved.	OMB No. 20	70-0060	
United States Environmental Protection Agent Washington, DC 20460			ncy	×	Registra Amenda Other		OPP Identifier Number
Application for Pesticide - Section I							
1. Company/Product Number 10404-39			2. EPA Product Manager K. Montague				posed Classification
4. Company/Product (Name) LESCO Atrazine 0.76% Plus Fertilizer			PM# 23	None Restricted			
5. Name and Address of Applicant (Include ZIP Code) LESCO, Inc. 1385 East 36th Street Cleveland, OH 44114 Check if this is a new address			6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name				
Section - II							
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below.			Finel printed labels in response to Agency letter dated "Me Too" Application. Other - Explain below.				
Explanation: Use additional page(s) If necessary. (For section I and Section II.) Notification of primary and alternate brand name. (Certification Statement attached) MAY -8 2013							
Section - III							
1. Material This Product Will Be Packaged in:							
Child-Resistent Packaging Yes X No * Certification must If "Yes" No. per		Water Soluble Packaging Yes X No If "Yes" No. per			2. Type of Container Metal Mestic Glass Paper		
be submitted	Unit Packaging wgt. container	Packag	ge wgt container	7	L	Other (S	pecify)
3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions Container 50 lbs - 50 lbs - 50 lbs -							
6. Manner in Which Label is Affixed to Product X Dither Pocket bag Stenciled							
Section - IV							
1. Contact Point							
Name John M. Olzinger		I Man Danidakam Affalus			Telephone 216.706.	No. (Include Area Code) 9250	
		hments thereto are true, accurate and complete. sy be punishable by fine or imprisonment or				6. Data Application Received (Stamped)	
2. Signeture Gahn M. Olzmyn			3. Title Manager, Regulatory Affairs				`
4. Typed Name John M. Oizinger		5. Date May 2, 2013					



Phone:

216.706.9250 800.321.5325

May 2, 2013

Document Processing Desk (NOT1F)
Office of Pesticide Programs (7504P)
Ms, Kathryn Montague, PM 23
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

SUBJECT:

Notifications: Clarification of Primary and Alternate Brand Names

Dear Ms. Montague:

Enclosed are applications requesting clarification of Primary and alternate Brand Names for LESCO-branded Atrazine EPA Registrations. The following are the brand names requested:

Primary: LESCO Atrazine 0.76% Plus Fertilizer, EPA Reg. No. 10404-39

ABN: LESCO St. Augustinegrass Weed & Feed, EPA Reg. No. 10404-39

ABN: LESCO Atrazine Weed & Feed 76, EPA Reg. No. 10404-39

Primary: LESCO Atrazine 1.05% Plus Fertilizer, EPA Reg. No. 10404-94

ABN: LESCO Atrazine Weed & Feed 105, EPA Reg. No. 10404-94

Primary: LESCO Atrazine 0.45% Plus Fertilizer, EPA Reg. No. 10404-95

ABN: LESCO Atrazine Weed & Feed 45, EPA Reg. No. 10404-95

Primary: LESCO Atrazine 0.92% Plus Fertilizer, EPA Reg. No. 10404-96

ABN: LESCO Atrazine Weed & Feed 92, EPA Reg. No. 10404-96

The following documentations is provided as support of each registration request:

- Notification Application EPA #8570-1 (1 copy)
- Certification Statement (1 copy)
- Master Label reflecting Primary Brand Name (1 copy)

Please have Agency files updated to reflect the above Primary and ABNs for each registration.

We appreciate your assistance on these submissions. Please do not hesitate to contact me with any questions or concerns you may have when reviewing our applications.

Sincerely,

John M. Olzinger

Manager, Regulatory Affairs

LESCO, Inc.

Phone: 216-706-9250 ext. 2207

JOlzinger@JohnDeereLandscapes.com

Enclosures

Atrazine 0.76% Plus Fertilizer [ESCO.

Weed Control with Premium Turf Food PRESENT FOOD WITH Premium Turf Food RESENT FOOD WITH PREMIUM Turf Food RESENT FOOD WITH PARTY FOOD WAS TO BE AND WITH FOOD WAS TO BE AND WITH FOOD WAS TO BE AND W

Lies should with hands before wars, decking hands all compared and an addition or using one said. Uses the decking should be some debt again. The second many second and an order some debt again. The second second is second to second second

0.76% 99.27% 140.00%

Polystem make is a high file fight of the file of the

KEEP OUT OF REACH OF CHILDREN CAUTION

Attacle care toward weigh cause) (many) the date on owing profit water with many to use of eighty arth. Attacle tall such that of portrain described and an experiment of the polystation is not of such part of also denote the water than the country to great to the attach and such these these sides are way pame. And, i.e. self-circled. When these special despecial can provide hatch becausion into the page of the hat, by the self-circled. When these special despecial can provide hatch becausion into the page of the hat propose round not be maked to thread and the provide hatch and the self-circled and the propose of the self-circled and the provide and the self-circled and the self-circle and th

as of the following matricions must be used in applying arracine to the outerled fields containing stand

Hod 646 Open and intel score) and goally with water for 15-30 mander.
Remove contact lenses, I present, efer the fest 5 minutes, then continue states.
Call a pollen consist center or doctor for tosestment entron.

Taka del contamentales Colding. Finas stán tempodately with plemy of water for 15-20 minutes. Call a policy control contast or species for treatment adoles.

Have person sip a glass of water if abla to smalltow. Do not influen womiting unless kief its by the policon contact center or doctos. Do not give amplituip by mooth to an unconsoloosi person.

FIRSTAID

repy is a product of the value was produced as the production of t

IMPORTANT: In addition to providing Lufgrass with required plant nutrients this product well control both interests that are gossess, and imends perminating from seept."

FOR INCEDS GERBURATHIG FROM SEEDS, Applied before weed seeds geminate; includes grassy weeds from the list such as: Crabgrass, Pospotum, and Spotled Spurge.

WHERE TO USE

i Medicini de Federial lara to use è si provinci è a generica riconselari in fra si Robring. De not apply frei produce con la conferio de la conferio del la conferio de la conferio del la conferio de l

leng the product container of tabel with you when calling a proton control conter or clocks or the feet for treatment. You may also contaid CHEMTREC at 1-400-424-3300 for oriengoing medical treatment theoriesten.

X-X-X

TOTAL WITHOUGH (0)

XX XXX LEAST RETORNEY
XX XXXX CONF WERE TREADER HENGEN
XX XXXX CONF WERE TREADER HENGEN
DOUBLE POSSESS TOTAL FORCE
MAGNIFICATION OF A PRESENCE OF A PR

LFUR (5) Total
XX.XX% Fine Sufur(5)
XX.XXX% Combined Sufar (5)

Move petion to fresh as.
promit not the second of the surfactors. Then give selficial respiration, preferred your second compared to the second companies of the second companies of the second companies of decease for Names Second contrast devices.

We are over group extraction.

When paper making process of countries parterine, the stud pounds of sharine applied in bounds of studies paper missing the studies process. It is not seen to the studies of the studies

USE PRECAUTIONS
Sweep product of walks and patients surfaces (obewing application to enoid possible discolorations.
Do not apply the product on or over the roat zone of ornamental levels and struks, nor to bedding plants, fowers, or granted patients, and struks, nor to bedding plants, fowers, or another plants since in pary to these plants may result. On not apply to bewindlind confairing passes or michoses of grasses other than St. Augustine or Centipute grasses, since in jury to those other grasses may result.

DO HOT APPLY THIS PRODUCT IN A WAY THAT WILL CONTACT ANY PERSON OR PET, EI-THER DIRECTLY OR PHYCOUGH DATF, THER PECPLE, AND PETS OUT OF HER MARE, AURNIG APPLICATION, HIS PRODUCT MISTS BE WATERED IN MINEDANTLY AFTER APPLICATION, DO AND ENTER OR ALLOW OTHERS (INCLUDING CHILDREN OR PETS) TO ENTER THE TREATED MERS (EXCEPT THOSE INVOLVED IN THE WATERING) UNTIL THE WATERING-IN IS COMPLETE AND THE GUARAGES IS DIV.

Shepherdi Puna Sedepod Spored Spurge

Fords Musey
Forts of Colosed
(Rabbi Toberco)
Forts
(Victorial

a Cover ardea Gorseum (Cravette) non and Mouse Ear)

Gott Prapatum Suctions Plantan

XXXXX XXXXX XXXX

COPPER (Co) Total

TOTAL THE SALE CAPOR (Co)

ROM 64 Total

TOTAL THE SALE SALE CAPOR (Co)

MARCANER (RM) Total

TOTAL THE SALE SALE IMPROPER

DITC (Zo) Total

TOTAL THE SALE SALE (Zo)

DETAINED FROM

TOTAL THE SALE SALE (Zo)

TOTAL THE SALE SALE (Zo)

XXXX Stork analote Unestlargus from Polymer Colon Une

Agenda Author Agenda Ag

Spureed Sweezel Sweezel Week Looking Gass Water Makind Water Makind

Acroming Unity Autromotest VEED Strain, Feet Strain Common and Yellow Whoodsored

Affect Evening Primase

rabgrass Ornwood Geass

MAY -8 2013

The requisionest in this tox stayls used of his potable that see HOT when he scope of the Worder Postscon Search (16 or 16 or 16 or 16). The WPS appears when the product is used in the WPS appears when this product is used in product a spicialized plants on farms, toward, mustakes, or generators in product is used after the used to see the search of the product of

<u>FOR WEEDS INVITABE REGSEIT</u> includes broadend weeds from the fet such est. Cheisweed, Creeping Chefe, Dandelon, Evening Primmer, Fraktis Behay, Florids Prisey, Lipia, Chafa, Pry weed, Painsie, Rathei Tobacco, and Ioanflax.

FOR CONTROL of wends in St. Augustive and Centipode grass in or on residential buf, corporate but, pack, recording laster, recording laster, and adhered belos.

NOT FOR USE on and beny grown for safe or other commercial sea.

production, or for research purposes.

NOT FOR USE on Brungsas, Frecore, benignass, Reportes. Bemudagnass, or Diction-daulti, and buth.

Bust weed condid will requil if applied before such supported acts as a "the-emerted and base a "post-emergent" herolding. Established weeds are handle to his and may require
an additional application in the last or spring. For newly seaded comfigued, well writely for
moved all less or ora. Direct allerant "sports" herold now moral stage application, or seader when for
moved all less ora. Direct allerant "sports" herold now moral stage application, or seader when for
yourting. Early spring application is experimented for less control with as Lasurary 1st up to March
To groennergowners weed control (see above) apply before seeds gommistia. A fall application will be
for greennergowners weed control (see above) apply before seeds gommistia. A fall application will be
for greennergowners weed control (see above) apply before seeds gommistia. A fall application will be
may be necessary. What I control is or special application. Apply when aris is carm to prevent control
wend fall, Apply his product only when grees baddes are or it, to evily proper application of the
such applies product only when grees baddes are or it, to evily proper application of the
such applies product only when grees baddes are or it, to evily proper application of the
such your State Applicature I controls. Service, Unity ass Speciation.

NOTIFICATION

Abb 4.5 bib 6.0 B, unformity org. 1.000, so it of utilities, (nota-start to the required 15–2.0 b. Nazine per excit.) Use the lower rate for average weed proutent; the higher rate for heavy veed population. On the super incommended rates. On the suptimess than it is as, fusicine (2 spatical most as to B product) per acre per year. Apply to dry grass. This product must be valened in immediately after application.

SUGGESTED SPREADER SETTINGS*
Recommercede Rates in the 1,000 on 4,50.00 e 0,00.00 e 0, Spreader LESCO Cathration Gauge SCOTTSØ RBA Cyclone®or Spyker® LELY

'Schings are appropriate Age, condition of sprawder and operator speed can cause varifs-tions, Be sure to calibrate your sprawder with each application. An extended Spreader Serbing Extregion he found at were/seco.com.

STORAGE AND DISPOSAL

TREATM SEED ASON.

CONSTITION OF SELL ROY LEAR (VARIED ANY ADDITIONAL PROSECULTY ADDITIONAL ADDITIO

Partitions.

The state of the product conforms to the detailed destribition in the laces and in measurably fit for the product conforms to the detailed sestribition in the laces and the interest and the product conforms to the substitution of the substitution in the laces and the following the substitution of the product of the substitution is the substitution with approaches the following the product conserve the substitution with approaches to when conforms and assessment to the substitution of the

Expression conserving the right reflection to proposed case to conserve by smooth to LEASO, No., ACM FALOROL. LOS East District Convention for the reflection to the conservation of the c