

12/18/2000



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

DEC 1 8 2000

Stephen M. Jedrzejek Director of Regulatory Affairs LESCO, Inc. 20005 Lake Road Rocky River, OH 44116

Subject: Chlorpyrifos MOU dated June 7, 2000 LESCO 20-0-10 Fertilizer with Dursban EPA Reg No.: 10404-40 Submission Dated: August 30, 2000

Dear Mr. Jedrzejek:

1

The revised labeling referenced to above, submitted in connection with the registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) as amended, is acceptable, provided you incorporate the Agency's conditions as enumerated in this letter below and submit one copy of your final printed label prior to releasing the product for shipment.

1) The wording "non-crop turfgrass area" must be replaced with "golf course turf, road medians and industrial site only." The only outdoor, non-residential uses allowed for this product are golf course turf, road medians and industrial sites.

2) The product name currently on the label, Dursban 0.42% Plus Fertilizer, should be revised to reflect the name of record with the Agency, LESCO 20-0-10 Fertilizer with Dursban. Alternatively, a product name change should be submitted as a separate application for amended registration.

Submit one copy of the revised final printed label before releasing the product for shipment. If the conditions enumerated above are not complied with, the registration will be subject to cancellation in accordance with FIFRA Section 6(e).

A stamped copy of the label is enclosed for your records. If you have questions about this label review, please contact me at (703) 308-6742 or electronically at McNeilly.Dennis@EPA.gov. You may also contact Judy Loranger at (703)-308-8056 if you have specific questions regarding this letter.

Sincerely,

many 9-

2/3

Dennis McNeilly, Chemist Insecticide-Rodenticide Branch Registration Division (7505C)

Enclosure: stamped label

(

(

DURSBAN® 0.42% CCEPTED In EPA Letter Da DMMENTS A Letter Dated: NFC 1 8 2000 **Plus Fertilizer** Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.

FOR USE on Golf Courses (turf only), road medians and industrial sites only.

For the control of surface insects such as ants, armyworms, cutworms, sod webworms, chinchbugs, earwigs, sowbugs, and crickets.

Active Incredient

Chlorpyrifos [0,0-diethyl-0-(3,5,6-trichloro-2-pyridyl)	
phosphorothioate]	
Inert ingredients:	
Total	

U.S. Patent No. 3,244,586.



GUARANTEED ANALYSIS

Total Nitrogen (N)	
xxxxx% Ammoniacal Nitrogen	
xx.xx% Urea Nitrogen*	
Available Phosphate (P2Os)	
Soluble Potash (K20)	xx.xx%
Sulfur (S) Total	
DERIVED FROM: Poly Coated Sulfur Coated Urea, Urea, Ammoniu of Potash.	m Phosphate, Muriate
Chlorine (CI) Max	
"xxxxx% Slowly Available Nitrogen from LESCO® Poly Plus® Sutfur C	Coated Urea.
F335	Made in U.S.A.
A	P

Apply to dry foliage at recommended rates and water in after application. For best results, apply proir to or during favorable growing conditions. Avoid mowing immediately following application to prevent pick-up. Application recommended with LESCO Rotary, Drop and/or Pen-fulum spreader for uniform distribution,

rush off walks and painted surfaces following application to avoid discoloration.

KEEP OUT OF REACH OF CHILDREN CAUTION **READ ALL DIRECTIONS BEFORE USING.**

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Avoid contact with eyes, skin or clothing. Avoid breathing dust. Wash thoroughly after handling. Keep away from food, foodstuffs, and domestic water supplies. As recommended, water lawn after application and allow to dry before permitting children and pets on treated areas.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Call a physician.

If on Skin: Wash thoroughly with soap and water. If irritation persists, call a physician. If in Eves: Flush eyes with plenty of water. If irritation persists, call a physician.

NOTE TO PHYSICIAN: Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote.

E.P.A. Reg. No. 10404-40 E.P.A. Est. No. 10404-OH-04(M), 10404-FL-1(S) First Letter of Lot Code Indicates Manufacturing Site.



F335 1 ESCO Inc.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Pesticide Storage: Keep out of reach of children and animals. Store in original container only. Store in a cool, dry place to avoid excess heat. Carefully open containers. In case of split: Avoid contact, isolate area, and keep out animals and unprotected persons. Confine spilts

Pesticide Disposal: Do not contaminate water, food, or feed by storage and disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

HOW TO USE: To control chinch bugs, sod webworms, ants, armyworms, crickets, cutworms, earwigs, and sowbugs, uniformly apply 5.3 lbs. of this product to cover 1,000 sq. ft. of non-crop turigrass area. Treat when insects first appear, retreat as needed. To help obtain uniform distribution, apply one-half the required amount of product in one direction; then apply balance at a right angle. For best results, product should be watered in after application.

Approximate Spreader Settings for LESCO Rotary Spreader*

Pounds Product/		Effective	Third	Approximate
1,000 sq. ft.	AVA	Spreading Width	Hole	Setting
5.3	1.0	10"	1	G 1/2 (17)

"IMPORTANT: These settings are only approximate. Age, condition of the spreader, and operator speed can cause wide variation. Be sure to calibrate your spreader with each application.

WARRANTY

LESCO warrants that this insecticide conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this insecticide is reasonably fit for its intended purposes. Since timing, method of application, weather, plant and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use.

. .

.....

Information concerning the raw materials composing this product can be obtained by writing to: LESCO, Inc., Attn. RA Dept., 20005 Lake Rd., Rocky River, OH 44116, referring to the item number found on this bag. ••••

Dursban is a registered trademark of DowAprosciences, L.L.C., LESCO and Poly Plus are registered trademarks of LESCO, Inc. g/regulmastrib/dursban/2.doc Rev. 500 WPF (f (010494) Net Weight: 50 lb (22.7 kg)

20005 Lake Road Rocky River, Ohio 44116-1545

758073xxxx