

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

APR 0 1 1996

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Kresti A. Lyddon Lesco, Inc. 20005 Lake Road Rocky River, OH 44116

Dear Ms. Lyddon:

Subject: Lesco Three-way Selective Herbicide

EPA Registration No. 10404-43

Your Submission Dated October 10, 1995

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following provisions:

- 1. The statement under the heading "Where To Use and How To Apply" regarding 1.5 ounces should specify "fluid" ounces.
- 2. In reference to statements "less than 5 gallons" and "sizes 5 gallons and larger" since these statements deal with personal protective equipment, they shoud be relocated somewhere in the vicinity of the personal protective equipment in the precautionary statement.

A stamped copy is enclosed for your records. Please submit one (1) final printed copy of the referenced label, incorporating the above changes, before releasing the product for shipment.

The confidential Statement of formula (CSF) dated 10/10/95 for the alternate formulation agrees with the label claim in compliance with PR Notice 91-2 and is acceptable. The Confidential Statement of Formula has been added to your file as part of the record.

Sincerely yours,

Joanne I. Miller Product Manager (23) Fungicide-Herbicide Branch Registration Division (7505C)

Enclosure

# UNITED STATES ENVIRONMENTAL PROTECTION AGENC

CONCURRENCES										
SYMBOL .	7505C									
SURNAME •	мсооке									
DATE •	Apr 1, 1996						EICIAL EU E CO			



PROPOSED AMENDMENT 10/10/95

ACCEPTED
LA COMMENTS
PA Letter Date
APR 0 1 199

**Three-Way Selective Herbicide** 

NOT FOR USE on turf being grown for sale or other commercial use as sod

FOR PROFESSIONAL TURF MAINTENANCE OPERATORS ONLY

Contains 0.22 Lbs. Dicamba, 1.30 Lbs. MCPP, and 2.44 Lbs. 2,4-D per gallon)

#### KEEP FROM FREEZING

* Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid* 30.56* Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid 16.34* * Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid) 2.77* NERT INGREDIENTS 50.33* FOTAL 100.00*	RUHAE MAKEDIEM 3.	
) propionic acid		30.56%
* Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid) 2.77 NERT INGREDIENTS	\Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy)	
* Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid) 2.77 NERT INGREDIENTS	propionic acid	16.34%
	* Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)	2.77%
	NERT INGREDIENTS	50.33%

- \* Equivalent to 2,4-dichlorophenoxyacetic acid 2,44 pounds per gallon or 25,38%
- Equivalent to 2-(2-methyl-4-chlorophenoxy) propionic acid 1.30 pounds per gallon or 13 50%
- Equivalent to 3 6-dichloro-o-anisic acid 0 22 pounds per gallon or 2 30%

\*isomer specific by AOAC method, 14 Ed. #6.321

# DANGER PELIGRO

"PRECAUCION AL USUARIO: Si usted no leg ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente"

## STATEMENT OF PRACTICAL TREATMENT

If Swallowed Call a physician or Poison Control Center immediately. Induce vomiting by grang victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an knoonscious or consulsing person.

<u>If Inhaled</u>. Remoi∕e victim to fresh air and apply artificial respiration if indicated. Get medical attention

If in Eyes. Flush eyes with plenty of water. Get medical attention immediately If on Skin: Remove contaminated clothing and wash affected area with soap

and water. Get medical attention if irritation persists.

See side panel for additional precautionary statements

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal Storage. Store product in its original labeled container in a cool, dry, locked place, out of reach of children. Store away from seeds, feeds, fertilizers, insecticide, and fungicides. Keep from freezing. Pesticide Disposal. Pesticide wastes are toxic improper disposal of excess pesticide, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Container Disposal. (Metal) Triple rinse (or equivalent). Then offer for recycling or

Confainer Disposal. (Metal) Engle (insector equivalent). Then offer for recycling or reconditioning or, puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

approved by state and local authorities.
(Plastic) Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke

#### Directions for Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Re-entry into Treated Areas

Do not allow people (other than the applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried.

# PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: May be fata! if swallowed. Corrosive; causes eye damage and skin irritation. Do not get in eyes, on skin or clothing.

When using this product (non-commercial users AND commercial mixer/loader/applicators when applying on golf courses), wear long-sleeved shirt, long pants, socks, shoes, rubber gloves, and eye protection. It is recommended that safety glasses include front, brow, and temple protection.

When using this product (commercial mixer/loader/applicators when applying to places other than golf courses): When mixing, loading or applying this product, wear long-sleeved shirt, long pants, socks, shoes, chemical-resistant gloves, and eye protection. It is recommended that safety glasses include front, brow, and temple protection. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. Avoid contamination of food-stuffs. Wash hands after use and before eating or smoking.

#### **ENV'RONMENTAL HAZARDS**

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Do not use on Bentgrass or St. Augustinegrass as injury may result. Do not use on Clover or Dichondra. Vapors from this product may injure susceptible plants in the immediate vicinity. Apply this product only as specified on this label.

Groundwater contamination: Most cases of groundwater contamination involving phenoxy herbicides, such as 2,4-D and MCPP, have been associated with mixing/loading and disposal sites. Caution should be exercised when handling pesticide at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing and transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

CHEMIGATION Do not apply this product through any type of irrigation system

Cleaning of Equipment. When cleaning equipment, do not pour the washwater on the ground, spray or drain over a large area away from wells and other water sources.



#### THREE-WAY SELECTIVE HERBICIDE

# IMPORTANT

#### HOW TO USE THREE-WAY SELECTIVE HERBICIDE

Avoid drift of spray (coarse sprays are less likely to drift) onto vegetables, flowers, ornamental shrubs, trees, and other desirable crop plants.

Do not contaminate domestic or irrigation waters

Do not pour solution used to clean sprayer near desirable plants or where it may contaminate water

Do not use on centipedegrass, St. Augustinegrass, or Dichondra, nor on lawns or turf where desirable bentgrass or clovers are present. Newly seeded lawns may be treated after they have been mowed the second time. To re-seed small areas in treated lawns, wait at least 3 weeks after spraying. A good rain or deep watering should occur during this period. Do not apply to areas underlaid by roots of desirable trees and shrubs.

**General Information** 

A Partial List of Weeds Controlled k Medic Clovers Henbit Morning Glory Poison Oak Spotted Spurge **Dandelion** Knotweed Peppergrass Purslane Wild Carrot Buckhorn **Docks** Lambsquarter Pigweed Ragweed Ground Ivy Lespedeza Plantains Sheep Sorrel Wild Garlic Chicory Chickweed Heal-All Shepherd's Wild Lettuce Mallow Poison Ivy Purse

Speedwell Yarrow Wild Onion and many other broadlest weeds in lawns and turf

Where to Use and How to Apply

Use Three-Way Selective Herbicide on lawns, ornamental and recreational turf (not pastures) and golf courses (fairways, aprons, tees and rough) at the rate of 1.2 to 1.5 ounces per 1,000 sq. ft. (3 1/4 to 4 pints per acre) in sufficient water (1 to 5 gallons per 1,000 sq. ft.) to insure adequate coverage

Apply as a foliar spray when weeds are young and actively growing. It may be necessary to make a second application (spring and fall) to kill certain hard-to-kill weeds such as poison ivy, poison oak, and English daisy. Weeds that start growing in the fall, such as henbit and chickweed, may be controlled more effectively with a fall application. Where advisable, for best spray coverage, LESCO spreader sticker may be added to the spray solution as directed.

This rate, which provides 1.22 pounds of 2,4-D acid equivalent per acre per application per site, is the maximum legal application rate for turf.

The maximum number of broadcast applications per treatment site is 2 per year Three-Way is not recommended for closely mowed Bentgrass such as golf and bowling greens

(Less than 5 Gallons): persons engaged in open pouring of this product must also wear coveralls or a chemical-resistant apron.

(Sizes 5 Gallons and Larger): A mechanical system (probe & pump) must be used for transferring the contents of this container. If the contents of a non-refillable pesticide container are emptied, the probe must be rinsed before removal.

#### WARRANTY

Manufacturer warrants that this herbicide conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this herbicide is reasonably fit for its intended purposes. Since timing, method of application, weather, plant and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such usc

LESCO is a trademark of LESCO. Inc.

**NET CONTENTS:** 

T.P.A. Reg. No. 10404-43 P A Est No 10404-0H-02

□ 1 Gallon

#009146

☐ 2.5 Gal.

#019240

☐ 55 Gal.

#002768

☐ 6 X Gal./Cs.

#009160

□ 2 X 2.5 Gal #019325

LES( ), Inc. 20005 Lake Road, P.O. Box 16915 Rocky River, OH 44116

Rev 10/95WP