

PM 23

10404-43

1043



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

APR 30 1997

Kresti A. Lyddon
Lesco, Inc.
20005 Lake Road
Rocky River, OH 44116

Dear Ms. Lyddon:

SUBJECT: Lesco Three-Way Selective Herbicide
EPA Registration No. 10404-43
Your Submission Dated: March 5, 1997

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following provision:

- 1. In the statement under the heading "Personal Protective Equipment (PPE)" the phrase "waterproof gloves" should be replaced with the phrase "chemical resistant gloves."

A stamped copy is enclosed for your records. Please submit one (1) final printed copy of the referenced label, incorporating the above changes, before releasing the product for shipment.

Sincerely yours,

Joanne I. Miller
Product Manager 23
Herbicide Branch
Registration Division

Enclosure

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

CONCURRENCES

Table with 8 columns and 3 rows. Row 1: SYMBOL 7505C. Row 2: SURNAME MCOOKE. Row 3: DATE Apr 25, 1997.

203



Label Amendment to be submitted to EPA 03/05/97

Three-Way Selective Herbicide

FOR PROFESSIONAL TURF MAINTENANCE OPERATORS ONLY

(Contains 0.22 Lbs. Dicamba, 1.30 Lbs. MCPP, and 2.44 Lbs. 2,4-D per gallon)

KEEP FROM FREEZING

ACTIVE INGREDIENTS:

| | |
|--|----------------|
| * Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid | 30.56% |
| ** Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid | 16.34% |
| *** Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid) | 2.77% |
| INERT INGREDIENTS | 50.33% |
| TOTAL | 100.00% |

- Equivalent to 2,4-dichlorophenoxyacetic acid 2.44 pounds per gallon or 25.38%
- Equivalent to 2-(2-methyl-4-chlorophenoxy) propionic acid 1.30 pounds per gallon or 13.50%
- Equivalent to 3,6-dichloro-o-anisic acid 0.22 pounds per gallon or 2.30%

* Isomer specific by AOAC method, 14 Ed. #6.321

E.P.A. Reg. No. 10404-43
E.P.A. Est. No. 10404-OH-02

Directions for Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

WPS USES: Applicators and other handlers who handle this pesticide for any use covered by the Worker Protection Standard (40 CFR § 173) - in general, agricultural-plant uses are covered - must wear: long-sleeved shirt and long pants, waterproof gloves, shoes plus socks, protective eyewear, and a dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C). For exposures in enclosed areas, applicators and other handlers must wear a respirator with either an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G).

NON-WPS USES: Applicators and other handlers who handle this pesticide for any use NOT covered by the Worker Protection Standard (40 CFR § 173) - in general, only agricultural-plant uses are covered - must wear: long-sleeved shirt and long pants, waterproof gloves, shoes plus socks, and protective eyewear.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. DO NOT reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems, enclosed cabs or aircraft in a manner that meets the requirements of the Worker Protection Standard [40 CFR § 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Requirements

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR § 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about Personal Protective Equipment (PPE) and restricted-entry interval (REI). The requirements in this box apply only to uses of this product that are covered by the Worker Protection Standard.

DO NOT enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, waterproof gloves, shoes plus socks, and protective eyewear.

KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO

"PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente"

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

If Inhaled: Remove victim to fresh air and apply artificial respiration if needed. Get medical attention.

If in Eyes: Flush eyes with plenty of water. Get medical attention immediately.

If on Skin: Remove contaminated clothing and wash affected area with soap and water. Get medical attention if irritation persists.

See side panel for additional precautionary statements.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.
Storage: Store product in its original labeled container in a cool, dry, locked place, out of reach of children. Store away from seeds, feeds, fertilizers, insecticide, and fungicides. Keep from freezing.
Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
Container Disposal: (Metal) Triple rinse (or equivalent). Then offer for recycling or reconditioning or, puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.
(Plastic) Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities, by burning. If burned, do not breathe fumes.

ACCEPTED
with COMMENTS
In EPA Letter Dated
APR 30 1997

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
10404-43

LESCO Three-Way Selective Herbicide

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: May be fatal if swallowed. Corrosive; causes eye damage and skin irritation. Do not get in eyes, on skin or clothing.

When using this product (non-commercial users AND commercial mixer/loader/applicators when applying on golf courses), wear long-sleeved shirt, long pants, socks, shoes, rubber gloves, and eye protection. It is recommended that safety glasses include front, brow, and temple protection.

When using this product (commercial mixer/loader/applicators when applying to places other than golf courses): When mixing, loading or applying this product, wear long-sleeved shirt, long pants, socks, shoes, chemical-resistant gloves, and eye protection. It is recommended that safety glasses include front, brow, and temple protection. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. Avoid contamination of food-stuffs. Wash hands after use and before eating or smoking.

Less than 5 Gallons: persons engaged in open pouring of this product must also wear coveralls or a chemical-resistant apron.

(Sizes 5 Gallons and Larger): A mechanical system (probe & pump) must be used for transferring the contents of this container. If the contents of a non-refillable pesticide container are emptied, the probe must be rinsed before removal.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Do not use on Bentgrass or St. Augustinegrass as injury may result. Do not use on Clover or Dichondra. Vapors from this product may injure susceptible plants in the immediate vicinity. Apply this product only as specified on this label.

Groundwater contamination: Most cases of groundwater contamination involving phenoxy herbicides, such as 2,4-D and MCPP, have been associated with mixing/loading and disposal sites. Caution should be exercised when handling pesticide at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing and transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

CHEMIGATION: Do not apply this product through any type of irrigation system.

Cleaning of Equipment: When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources.

IMPORTANT

HOW TO USE THREE-WAY SELECTIVE HERBICIDE

Avoid drift of spray (coarse sprays are less likely to drift) onto vegetables, flowers, ornamental shrubs, trees, and other desirable crop plants.

Do not contaminate domestic or irrigation waters.

Do not pour solution used to clean sprayer near desirable plants or where it may contaminate water.

Do not use on centipedegrass, St. Augustinegrass, or Dichondra, nor on lawns or turf where desirable bentgrass or clovers are present. Newly seeded lawns may be treated after they have been mowed the second time. To re-seed small areas in treated lawns, wait at least 3 weeks after spraying. A good rain or deep watering should occur during this period. Do not apply to areas underlaid by roots of desirable trees and shrubs.

General Information

A Partial List of Weeds Controlled

| | | | | | |
|-------------|------------|--------------|---------------|------------------|----------------|
| Black Medic | Clovers | Henbit | Morning Glory | Poison Oak | Spotted Spurge |
| Buckthorn | Dandelion | Knotweed | Peppergrass | Purslane | Wild Carrot |
| Burdock | Docks | Lambsquarter | Pigweed | Ragweed | Wild Garlic |
| Chicory | Ground Ivy | Lespedeza | Plantains | Sheep Sorrel | Wild Lettuce |
| Chickweed | Heal-All | Mallow | Poison Ivy | Shepherd's Purse | Wild Onion |
| | | | | Speedwell | Yarrow |

and many other broadleaf weeds in lawns and turf.

Where to Use and How to Apply

Use **Three-Way Selective Herbicide** on lawns, ornamental and recreational turf (not pastures) and golf courses (fairways, aprons, tees and rough) at the rate of 1.2 to 1.5 fluid ounces per 1,000 sq. ft. (3 1/4 to 4 pints per acre) in sufficient water (1 to 5 gallons per 1,000 sq. ft.) to insure adequate coverage.

Apply as a foliar spray when weeds are young and actively growing. It may be necessary to make a second application (spring and fall) to kill certain hard-to-kill weeds such as poison ivy, poison oak, and English daisy. Weeds that start growing in the fall, such as henbit and chickweed, may be controlled more effectively with a fall application. Where advisable, for best spray coverage, **LESCO spreader sticker** may be added to the spray solution as directed.

This rate, which provides 1.22 pounds of 2,4-D acid equivalent per acre per application per site, is the maximum legal application rate for turf. The maximum number of broadcast applications per treatment site is 2 per year. **Three-Way** is not recommended for closely mowed Bentgrass such as golf and bowling greens.

WARRANTY

Manufacturer warrants that this herbicide conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this herbicide is reasonably fit for its intended purposes. Since timing, method of application, weather, plant and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use.

LESCO is a trademark of LESCO, Inc.
C:\WPV\IN60\WPDOCS\CTRLPROD\009146.AMD Rev. 03/97/WPK

NET CONTENTS:
□ 1 Gallon (3.75 L)

#009146

Manufactured by: **LESCO, Inc.**
20005 Lake Road, P.O. Box 16915
Rocky River, OH 44116

