

10404-44 PPA 23

PRECAUTIONARY STATEMENTS Hazard to Humans and Domestic Animals.

STATEMENT OF PRACTICAL TREATMENT

Danger. Corrosive, causes eye and skin damage. Do not get in eyes, on skin or clothing. Wear goggles or face shield and rubber gloves when handling. May be fatal if swallowed. Avoid breathing vapors.

If in eyes flush with plenty of water and get medical attention. If on skin wash with plenty of soap and water and get medical attention. If swallowed, drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

Environmental Hazard. This product is toxic to fish. Do not apply directly to water. Do not contaminate water by the cleaning of equipment or disposal of wastes. Apply this product only as directed on label.

DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE

Do not store in direct contact with fertilizer, seeds, insecticides, or fungicides. Keep from freezing.

PESTICIDE DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Metal - Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose in a sanitary landfill, or by other procedures approved by State and local authorities.

Plastic - Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose in a sanitary landfill, or by incineration, or if allowed by State and local authorities, by burning, if burned, stay out of smoke.

IMPORTANT

Avoid drift of spray (coarse sprays are less likely to drift) onto vegetables, flowers, ornamental shrubs, trees, and other desirable crop plants.

Do not contaminate domestic or irrigation waters.

Do not pour solution used to clean sprayer near desirable plants or where it may contaminate water.

Do not use on centipede grass, St. Augustine grass or dichondra, nor on lawns or turf where desirable bentgrass or clovers are present. Newly seeded lawns may be treated after they have been mowed the second time. To re-seed small areas in treated lawns, wait at least 3 weeks after spraying. A good rain or deep watering should occur during this period.

Do not apply to areas underlaid by roots of desirable trees and shrubs.

LESCO

THREE-WAY BENTGRASS SELECTIVE HERBICIDE

FOR PROFESSIONAL TURF MAINTENANCE OPERATORS ONLY

(Contains 0.20 lbs. Dicamba,
1.50 lbs. MCPP and 0.50 lbs. 2,4-D)

KEEP FROM FREEZING

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic acid..... 6.64%
Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy)
propionic acid 19.97%

***Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid) ... 2.68%
INERT INGREDIENTS: 70.71%

Total 100.00%

This Product Contains:

2,4-dichlorophenoxyacetic acid *0.50 pounds per gallon or 5.49%
2-(2-methyl-4-chlorophenoxy) propionic acid **1.50 pounds per gallon
or 16.48%

3,6-dichloro-o-anisic acid ***0.20 pounds per gallon or 2.19%

* some specific by AOAC method 6,001-5

Keep Out of Reach of Children

DANGER

See side panel for additional precautionary statements.

E.P.A. Reg. No. 10404-
E.P.A. Est. No. 10404-OH-02

Manufactured by

LESCO, INC.

20005 Lake Road, P.O. Box 18915
Rocky River, Ohio 44116

NET CONTENTS: □ 1 GAL. □ 5 GAL. □ 30 GAL. □ 55 GAL.

GENERAL INFORMATION

WEEDS CONTROLLED:

Bedstraw	Knotweed	Ragweed
Black Med-c	Lambquarter	Sheep Sorrel
Buckhorn	Laspedeze	Shepherd's Purse
Burdock	Mallow	Speedwell
Chicory	Morning Glory	Spurge
Chickweed	Oxalis	Wild Carrot
Clover	Peppergrass	Wild Garlic
Dandelion	Pigweed	Wild Lettuce
Dock	Plantains	Wild Onion
Ground Ivy	Poison Ivy	Yarrow
Heal-All	Poison Oak	
Henbit	Purslane	

and many other broadleaf weeds in lawns and turf.

USE & APPLICATION

Bentgrass Lawns and Turf - Apply Lesco Bentgrass Formula at the rate of 3 to 4 pints per acre in sufficient water for uniform coverage. If hardy weeds persist, make a second application after three weeks. Maximum kill of weeds will be obtained from spring or early fall application when weeds are actively growing. Avoid applying during long excessively dry or hot periods unless adequate irrigation is available. If application is made when soil is quite warm, use reduced rates to reduce potential injury. Do not irrigate within 24 hours of application. Do not apply to newly seeded turf until after the second or third mowing. Seed can be safely sown 3 to 4 weeks after application at recommended rate. Do not use on dichondra.

If dandelions persist as a special problem, individual spot treatment with a single nozzle hand sprayer is recommended. Do not overdose Bentgrass. In closely mowed Bentgrass (putting and bowling greens) apply Lesco Bentgrass Formula at a maximum rate of 1 fluid ounce per 1,000 square feet preferably in May, or through September. Any yellowing will disappear after about one week.

For hard-to-kill summer weeds, use 6 pints per acre. Do not apply this rate to bentgrass, centipede or St. Augustine grasses.

WARRANTY

Lesco warrants that this herbicide conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this herbicide is reasonably fit for its intended purposes. Since timing, method of application, weather, plant, and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use.

3841201W