

(A) 	United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460 Application for Pesticide:	<input type="checkbox"/> Registration <input checked="" type="checkbox"/> Amendment <input type="checkbox"/> Other	OPP Identifier Number NOTIFICATION 186051
----------------	---	---	--

Section I

1. Company/Product Number 10404-47	2. EPA Product Manager R. Forrest	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) LESCO Oftanol 1.5% Grn. Insecticide	PM# 14	
5. Name and Address of Applicant (Include ZIP Code) LESCO, Inc. 20005 Lake Road <input type="checkbox"/> Rocky River, OH 44116 <small>Check if this is a new address</small>	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section II

<input checked="" type="checkbox"/> Amendment - Explain below <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other - explain below.
--	---

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
 Incorporate PR 93-3; revise directions (Hyperodes weevil incorrectly listed with surface insects rather than soil insects)

 NOTIFICATION
 LABEL NOT REVIEWED
 PER PR NOTICE 93-3
 DATE 9/26/93

Section III

1. Material This Product Will Be Packaged In:					
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes," Unit Package wgt. _____ No. per container _____	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes," Package wgt. _____ No. per container _____	2. Type of Container		
* Certification must be submitted.			<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other (_____) <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Julius C. Prinzo	Title Manager, Product Registrations	Telephone No. (Include Area Code) 216-333-9250
--------------------------	---	---

Certification		6. Date Application Received (Stamped)
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		
2. Signature 	3. Title Dir. Reg. Prod. Registrations	
4. Typed Name Julius C. Prinzo	5. Date 6-16-93	



LESCO, Inc. • 2005 Lake Road, P.O. Box 16915 • Rocky River, Ohio 44116-0915 • (216) 333-9250
NATIONWIDE 1-800-321-5325

June 15, 1993

Mr. Robert Forrest
Product Manager 14
USEPA
Registration Division (H7505C)
401 M Street, SW
Washington, DC 20460

Re: LESCO Oftanol 1.5% Granular Insecticide (NOTIFICATION 186051)
EPA Reg. No. 10404-47

Dear Mr. Forrest:

When this product was submitted for an amendment in June of 1992, our consultant inadvertently listed Hyperodes Weevil (larval stage) with surface insects. We believe this pest should be grouped with soil insects. We are taking the liberty of submitting five (5) copies of revised labeling to reflect this change.


We are also submitting the revised labeling statement addressed in PR Notice 93-3 and ask that you stamp as accepted and return one label for our records.

Thank you for your time and assistance with this matter.

Yours truly,

Julius C. Prinzo
Manager
Product Registration

JCP/bmo





Oftanol® 1.5% Granular Insecticide

FOR INSECT CONTROL ON TURFGRASSES

ACTIVE INGREDIENT:

1-Methylethyl 2-((ethoxy(1-methylethyl)amino)phosphoroyl)oxy)benzoate **1.50%**
TOTAL 99.50%
EPA Reg. No. 10404-47 EPA Est. No. 10404-OH-04

U.S. Patent No. 3,621,082 Canadian Patent No. 825,198
*OFTANOL is a registered TM of Bayer AG, Germany

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

STOP - READ THE LABEL BEFORE USE

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION: Harmful if swallowed. Harmful if inhaled. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before reuse. Keep out of reach of children.
STATEMENT OF PRACTICAL TREATMENT
If swallowed, call a physician or Poison Control Center. Give 1 or 2 glasses of water and induce vomiting by forcing finger to back of throat. Do not induce vomiting or give anything by mouth to an unconscious or drowsy person. If in eyes, flush with plenty of water. If on skin, wash with soap and hot water. If inhaled, remove to fresh air. If not breathing, give artificial respiration. Promptly mouth to mouth. Get medical attention.
Physician Information: OFTANOL 1.5% Granular Insecticide is a cholinesterase inhibitor. Atropine and 2-PAM have been shown to be effective antidotes.
ENVIRONMENTAL HAZARDS
This insecticide is toxic to fish and aquatic life. For terrestrial uses, do not apply directly to water or to areas where surface water is present. Do not contaminate areas where it is used with high water mark.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL
Do not contaminate water, food, or feed by storage or disposal.
Recycling: Do not reuse empty container. Wash and put in trash collection.
Responsible Disposal (Except household): Pesticides that cannot be used according to their directions must be disposed of according to Federal, State, or local procedures under the Resource Conservation and Recovery Act.
Responsible Disposal (Except household): Do not use container in connection with food or feed disposal of in a sanitary landfill or by incineration, if permitted by State and local authorities.
Store in cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, feed, and food. Store in original container and out of reach of children.
Handle and open container in a manner as to prevent spillage. If the container is leaking or material spilled for any reason or cause, carefully sweep material into a pile. Do not walk through spilled material. Dispose of pesticide as directed above.

IMPORTANT: Read these entire Directions for Use and Warranty before using OFTANOL 1.5% Granular Insecticide

OFTANOL 1.5% Granular Insecticide is recommended for use on lawns and other ornamental and recreational turf grass areas as well as ornamental beds and non-crop areas such as fence rows and roadsides

APPLICATION EQUIPMENT

Apply OFTANOL 1.5% Granular uniformly over the turf area with suitable granular turf application equipment. Both drop-type and rotary-type spreaders may be used to apply OFTANOL 1.5% Granular. Avoid the use of equipment which would apply the material in narrow, concentrated bands. Calibrate application equipment prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly.

APPLICATION TECHNIQUES

OFTANOL 1.5% Granular application using a rotary-type spreader can be aided by a "V" band mounted under the hopper for more uniform granule distribution. A more uniform application can be made by spreading half the required amount of OFTANOL 1.5% Granular over the area, and then immediately applying the remaining half at right angles or crosswise. The full recommended rate of OFTANOL 1.5% Granular must be used for maximum benefit. When applying OFTANOL 1.5% Granular to automatic watering systems and make application when the wind is calm to prevent missed areas.

Net Weight: 40 Lbs

#002704

RECOMMENDED APPLICATIONS

Apply to lawns and non-crop areas such as fence rows and roadsides.

PEST	DOSAGE	REMARKS: Be sure to read "Application Equipment" section of this label
SOIL INSECTS: White grub larvae such as Japanese beetle, Black flygrass stemweevil, Chafers spp., Phyllophaga spp. (even as Green June beetle), Oriental beetle, Asiatic garden beetle	3 lbs. / 1,000 sq. ft.	Do not apply more than 6 lbs. of Oftanol 1.5% Granular per 1,000 sq. ft. per year or an equivalent amount of 1.45 pounds active ingredient per 1,000 sq. ft. regardless of formulation used. Minimum interval between applications must be 30 days.
Bill bug larval stages		For White Grub and Billbug Larval Control: Water turf area thoroughly immediately after application, using sufficient water to wet soil 1 to 1.5" deep.
Hyacinth root borer larval stages		For Hyacinth Root Borer Control: Apply between full bloom periods of hyacinth and flowering stopped, usually April 15 to May 15 and water-in immediately as for white grub larval control.
Moist crickets		For Moist Cricket Control: Water immediately after application using 0.5 to 1 inch of water.
SURFACE INSECTS: Soil nematode (sheep)	1.5 or 3 lbs / 1,000 sq. ft.	Apply 1/2 to 1 inch of water immediately after application. Re-apply as necessary for pest situations. Do not apply more than 6 lbs. OFTANOL 1.5% Granular per 1,000 sq. ft. per year or an equivalent amount of 1.45 pounds active ingredient per 1,000 sq. ft. regardless of formulation used. Minimum interval between applications is 15 days for 1.5 lb rate and 30 days for the 3 lb rate.
Chinch bug		
Fire Ants	3 lbs. / 1,000 sq. ft.	Use Fire Ant Control: Apply specified dosage uniformly over area to be treated for residual control. Water immediately after application using 1/2 to 1 inch of water. If established fire ant mounds are present, use the mound drench treatment prior to area application. If a mound drench treatment is made, only one area treatment may be made.
	0.5 oz / 9 sq. ft.	Established Fire Ant Mounding - Drench Treatment and Control: Distribute dosage evenly over 6 sq. ft. and immediately drench evenly with 3 gallons of water. Dry Control: Treat as noted for Wet Control; however, in drench applications, apply an additional 3 gallons of water to the treated mound area after treatment. Make only one mound drench treatment.

FOR ALL LABELED USES:

Check your local turf Care & Culture Extension Manual or State Extension Service Bulletin for more specific information regarding timing of application.

APPROXIMATE ROTARY SPREADER SETTINGS

Product/1,000 sq. ft.	#A/A	Effective Spreading Width	Thing Hole	"perforation" setting
3.0	2	"	PH	1.2

IMPORTANT: These settings are only approximate. Age, condition of spreader and operator speed can cause wide variation. Be sure to calibrate your spreader with each application.

RESTRICTIONS: Do not treat mowed turf areas where rainfall or irrigation has been applied. Upon completion of the application, the material must be watered in by the applicator with sufficient water to moisten the soil to a depth of 1 inch or the applicator shall instruct the owner of the property to water in with sufficient water to moisten the soil to a depth of 1 inch immediately after application. Keep children and pets off the treated area until watering in has been completed and foliage has dried. Do not collect clippings at first mowing after application. Do not graze treated area or use cleavage from treated areas for feed or forage. Do not allow material to come in contact with bare soil.

WARRANTY

LESCO warrants that the insecticide conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, the insecticide is reasonably fit for its intended purposes. Since timing, method of application, weather, soil and soil conditions, moisture, soil characteristics, and other factors affecting the use of this product are beyond our control, we expressly disclaim any liability for the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use.

Manufactured by
LESCO, Inc.
2000 Lake Road
Rocky River, OH 44116

Made in U.S.A.

Rev 08/93WP