

Reg # 10404-52

PM-25

193

H.R. McLane
 H.R. McLane Inc.
 7210 Red Road, Suite 212A
 Miami, FL 33143

BEST AVAILABLE COPY

Dear Mr. McLane:

Subject: Lesco Pre-1' 60% Herbicide
 EPA Registration No. 10404-52
 Re: Label Amendments
 Your Submission Dated October 12, 1989

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following comments. A stamped copy is enclosed for your records.

Change the referral statement on the supplemental labeling to read: "See EPA label printed on foil lined pouch for Precautionary Statements and Use Directions."

Sincerely yours,

Robert J. Taylor
 Product Manager (25)
 Fungicide-Herbicide Branch
 Registration Division (H7505C)

CONCURRENCES							
SYMBOL	H7505C						
SURNAME	marill						
DATE	1/22/91						

LESCO

EPA Reg. No. 10404

SUPPLEMENTAL LABELING
FOR A 1.25 POUND WATER SOLUBLE PACKET
(4 inches x 4 inches square)
Packaged 2 per Foil Lined Pouch

PRE-M® 60 WP HERBICIDE
A 60% Wettable Powder for use as a Pre-emergent
Weed Control in Lawns and Turf
EPA Reg. No. 10404-52

Supplemental Label Copy as Follows:

LESCO®

PRE-M

60 WP HERBICIDE

For Use as A Pre-Emergent Herbicide in Lawns & Turf

WATER SOLUBLE PACKET

ACTIVE INGREDIENT:
Pendimethalin [N-(1-ethylpropyl)-3,4-dimethyl-2
6-dinitrobenzamine] 60.0%

INERT INGREDIENTS: 40.0%

Total 100.0%

For Use Directions See EPA Approved Label Printed on Foil Lined Pouch

KEEP OUT OF REACH OF CHILDREN
CAUTION

EPA REG. NO. 10404-52 EPA EST. NO. 33967-NJ-1

NET WEIGHT 1.25 POUNDS

LESCO, INC.
20005 LAKE ROAD - ROCKY RIVER, OHIO 44116

ACCEPTED
BY THE STATES
in the United States

10404-52



PRE-M 60 WP HERBICIDE

A 60% Wettable Powder for use as a Pre-emergent Weed Control in Lawns and Turf

ACTIVE INGREDIENT:

Pendimethalin (N-(1-ethylpropyl)-
3,4-dimethyl-2,6-dinitrobenzamine) ——— 60.0%

INERT INGREDIENTS: ——— 40.0%
TOTAL 100.0%

One Pound contains 0.6 lbs. Pendimethalin. PRE-M® is a Reg. Trademark of Lesco, Inc.
EPA Reg. No. 10404-52 EPA Est. No. 33967-NJ-1

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Call a physician or Poison Control Center immediately. **IF IN EYES:** Flush eyes with plenty of water. Get medical attention. **IF ON SKIN:** Remove contaminated clothing and wash affected area with soap and water. Get medical attention if irritation occurs.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May cause eye and skin irritation. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling and before eating or smoking.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water or wetlands. Do not apply when weather conditions favor drift from target areas. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in manner inconsistent with its labeling

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food or feed by storage or disposal. Do not store above 120 F. Store product in its original labeled container in a cool, dry, locked place out of reach of children.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved wastes disposal facility.

CONTAINER DISPOSAL: Dispose of empty foil lined "outer-bag" in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned stay out of smoke.

MIXING AND APPLICATION INSTRUCTIONS

Remove the required number of "Water Soluble" (WS) packets of LESCO PRE-M® 60 WP from the foil lined cover-bags which contain 2 x 1.25 lb. packets. Add the Water Soluble packets in their entirety (do not remove PRE-M® 60 WP from the packet since water soluble bag will dissolve in tank) to a partially-filled tank (1/2 to 3/4 full) of water while agitating. Fill the remainder of the tank with water as needed after all PRE-M® 60 WP has been added. Maintain continuous agitation while adding the water soluble packets to water. If the spray mixture is allowed to settle for any period of time, thorough agitation is essential to resuspend the mixture before spraying is resumed. Continue agitation while spraying as needed. Apply with properly calibrated equipment in sufficient water per acre to provide uniform spray distribution. Low pressure (25-50 psi) sprayers are recommended. Nozzle screens must be no finer than 50 mesh. Avoid application when winds may cause spray drift.

Treatments are most effective in controlling weeds when adequate rain fall or overhead irrigation is received within 7 days after application. Avoid contact of spray solution with driveways, stone, wood or other porous surfaces. Rinse immediately to avoid staining.

COMPATIBILITY

LESCO PRE-M® 60 WP is compatible with most commonly used herbicides. When tank mixing be sure to add LESCO PRE-M® 60 WP to the partially filled tank first, mix thoroughly, and then add combination products to the mixture as directed or as instructed on its EPA approved label. Do not apply tank mix combinations unless product is approved for such tank-mix use and previous experience indicates the mixture is effective and will not result in application problems or plant injury. Do not attempt to mix LESCO PRE-M® 60 WP directly with liquid fertilizers.

#019010

Net Weight 2.5 Pounds
(Two x 1.25 Pound Water Soluble Packets)

LESCO, INC. - 20005 LAKE ROAD - ROCKY RIVER, OHIO 44116

GENERAL INFORMATION

LESCO PRE-M® 60 WP treatments will not control established weeds. Applications must be made prior to germination of weed seeds. Three applications per year may be made. Allow at least 2 months between applications except when otherwise indicated on this label.

Use only on well established turfgrass with a dense and uniform stand. Do not use on newly seeded or sprigged turfgrass. Do not use on winter-overseeded turfgrass. Do not use on turfgrass severely thinned by winter stress.

LESCO PRE-M® 60 WP provides effective residual weed control which may affect new turfgrass seedlings or sprigs. Do not reseed or winter overseed treated turfgrass within 4 growing months after application. Do not sprig turfgrass within 5 months after application. Do not use on Bentgrass or Dichondra maintained as desirable turf.

RATE AND APPLICATION CHART

TURF SPECIES	WEEDS CONTROLLED	PRE-M 60 WP RATE / ACRE	COMMENTS
NORTHERN GRASSES			
Fine Fescue Kentucky Bluegrass Perennial Ryegrass Tall Fescue	Barnyardgrass Crabgrass Fall Panicum Foxtail Hop Clover Prostrate Spurge Yellow Woodsorrel Cudweed	2.5 to 3.75 lbs. (2 - 3 W.S. Packets) per acre	Apply in spring before weeds germinate. Repeat application if necessary in 8 weeks using 2.5 lbs per acre
	Goosegrass Evening Primrose	5.0 lbs. per acre (4 W.S. Packets)	
	Annual Bluegrass Common Chickweed Mouseear Chickweed Henbit	2.5 to 3.75 lbs. (2 - 3 W.S. Packets) per acre	Apply in late summer to early fall, before weeds germinate
SOUTHERN GRASSES			
Bahia Bermudagrass Centipedegrass St. Augustinegrass Tall Fescue Zoysiagrass	Barnyardgrass Crabgrass Fall Panicum Foxtail Prostrate Spurge Yellow Woodsorrel Cudweed	2.5 to 3.75 lbs. (2 - 3 W.S. Packets) per acre	Apply in spring before weeds germinate. Repeat application if necessary in 8 weeks using 2.5 lbs. per acre.
	Goosegrass Hop Clover Evening Primrose	5.0 lbs. per acre (4 W.S. Packets)	
	Henbit Annual Bluegrass Common Chickweed Mouseear Chickweed	2.5 to 3.75 lbs. (2 - 3 W.S. Packets) per acre	Apply in late summer to early fall, before weeds germinate

***W.S. PACKETS:** The Foil Lined Cover-Bag bearing the entire EPA LABEL and Directions For Use contains 2 Water Soluble Packets of PRE-M® 60 WP. Each Water Soluble Packet contains 1.25 lb. PRE-M® 60 WP per packet. When adding Packets to spray tank do not remove PRE-M® 60 WP from the packet. Place the entire packet into the tank since the packet cover will dissolve in the spray tank. Follow DISPOSAL instructions for foil bags.

WARRANTY LESCO, INC. warrants that this herbicide conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this herbicide is reasonably fit for its intended purposes. Since timing, method of application, weather, plant and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use.

10-11-89

BEST AVAILABLE COPY