

(A) 	United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460	<input type="checkbox"/> Registration <input checked="" type="checkbox"/> Amendment <input type="checkbox"/> Other	OPP Identifier Number NOTIFICATION 201711
	Application for Pesticide:		

Section I

1. Company/Product Number <p style="text-align: center;">10404-52</p>	2. EPA Product Manager Robert Taylor	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) LESCO PRE-M 60DG HERBICIDE	PM# 25	
5. Name and Address of Applicant (Include ZIP Code) LESCO, Inc. 20005 Lake Road Rocky River, OH 44116 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ BEST AVAILABLE COPY Product Name _____	

Section II

<input type="checkbox"/> Amendment - Explain below <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other - explain below.
---	---

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

LABEL CHANGE PER PR NOTICES 93-3 and 93-8

NOTIFICATION LABEL NOT REVIEWED PER PR NOTICE 93-8
 DATE: 8/3/93

Section III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	* Certification must be submitted.	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	If "Yes," Unit Package wgt. No. per container If "Yes," Package wgt. No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner In Which Label Is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other (_____) <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Julius C. Prinzo	Title Manager, Product Registration	Telephone No. (Include Area Code) 216/333-9250

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.				6. Date Application Received (Stamped)
2. Signature 	3. Title Manager, Product Registration	5. Date 7/23/93		6. Date Application Received (Stamped)
4. Typed Name Julius C. Prinzo	5. Date 7/23/93			

293



NOTIFICATION LABEL NOT REVIEWED PER PR NOTICE 86-6
DATE 8/3/93

PRE-M® 60 DG HERBICIDE

A 60% Water Dispersible Granule for Use As A Preemergent Weed Control in Lawns, Turf and Ornamentals.

ACTIVE INGREDIENT:	
Pendimethalin [N-(1-ethylpropyl)-3,4-dimethyl-2,6-dinitrobenzamide]	60.0%
INERT INGREDIENTS:	40.0%
TOTAL	100.0%

One Pound contains 0.6 lbs. of Pendimethalin
PRE-M® is a Reg. Trademark of Lesco, Inc.
EPA Reg. No. 10404-52 EPA Est. No. 5905-IA-1

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

STATEMENTS OF PRACTICAL TREATMENT
IF SWALLOWED: Do not induce vomiting. Call a physician or Poison Control Center immediately. **IF IN EYES:** Flush eyes with plenty of water. Get medical attention. **IF ON SKIN:** Remove contaminated clothing and wash affected area with soap and water. Get medical attention if irritation occurs.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION: May cause eye and skin irritation. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling and before eating or smoking.

ENVIRONMENTAL HAZARDS
 This product is toxic to fish. Do not apply directly to water or wetlands. Do not apply when weather conditions favor drift from target areas. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE
 It is a violation of Federal law to use this product in manner inconsistent with its labeling.
CHEMIGATION: Do not apply this product through any type of irrigation system.

STORAGE AND DISPOSAL
STORAGE: Do not contaminate water, food or feed by storage or disposal. Do not store above 120°F. Store product in its original labeled container in a cool, dry, locked place out of reach of children.
PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
CONTAINER DISPOSAL: Completely empty bag into application equipment. Dispose of bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned stay out of smoke.

MIXING AND APPLICATION INSTRUCTIONS
 Add LESCO PRE-M® 60 DG slowly to partially-filled tank (1/2 to 3/4 full) of water while agitating and then fill the remainder of the tank with water. **MAINTAIN CONTINUOUS AGITATION WHILE ADDING LESCO PRE-M® 60 DG.** If the spray mixture is allowed to settle for any period of time, thorough agitation is essential to resuspend the mixture before spraying is resumed. Continue agitation while spraying as needed.

Apply with properly calibrated equipment in sufficient water per acre to provide uniform spray distribution. Low pressure (25-50 psi) sprayers are recommended. Nozzle screens must be no finer than 50 mesh. Avoid application when winds may cause drift.

#011965
10 LB Bag

MFG. FOR: LESCO, INC. - 20005 Lake Road - Rocky River, Ohio 44116

#011979
5 x 10 LB Bags

Treatments are most effective in controlling weeds when adequate rain fall or overhead irrigation is received within 7 days after application. Avoid contact with spray solution with driveways, stone, wood or other porous surfaces. Rinse immediately to avoid staining.

COMPATIBILITY
 LESCO PRE-M® 60 DG is compatible with most commonly used herbicides. When tank mixing be sure to add LESCO PRE-M® 60 DG to the partially filled tank first, mix thoroughly, and then add combination products to the mixture as directed or as instructed on its EPA approved label. Do not apply tank mix combinations unless product is approved for such tank-mix use and previous experience indicates the mixture is effective and will not result in application problems or plant injury. Do not attempt to mix LESCO PRE-M® 60 DG directly with liquid fertilizers. Premix one part of LESCO PRE-M® 60 DG with two parts water and add the diluted mixture slowly into the tank while agitating.

GENERAL INFORMATION
 LESCO PRE-M® 60 DG treatments will not control established weeds. Applications must be made prior to germination of weed seeds. Three applications per year may be made. Allow at least 2 months between applications except when otherwise indicated on this label.

Use only on well established turfgrass with a dense and uniform stand. Do not use on newly seeded or sprigged turfgrass. Do not use on winter-overseeded turfgrass. Do not use on turfgrass severely thinned by winter stress.

LESCO PRE-M® 60 DG provides effective residual weed control which may affect new turfgrass seedlings or sprigs. Do not reseed or winter overseed treated turfgrass within 4 growing months after application. Do not sprig turfgrass within 5 months after application. Do not use on Bentgrass or Dicynandra maintained as desirable turf.

WARRANTY LESCO, INC. warrants that this herbicide conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this herbicide is reasonably fit for its intended purposes. Since timing, method of application, weather, plant and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use.

Directions For Use continued on back panel
Licensed under one or more of the following U.S. Patents
3,920,742, 4,056,441 & 4,511,395

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

BEST AVAILABLE COPY

PRE-M® 60 DG HERBICIDE

A 60% Water Dispersible Granule for Use As A Preemergent Weed Control in Lawns, Turf and Ornamentals.

Directions For Use (Continued from front panel)

RATE AND APPLICATION CHART

TURF SPECIES	WEEDS CONTROLLED	PRE-M 60 DG RATE / ACRE	COMMENTS
NORTHERN GRASSES			
Fine Fescue Kentucky Bluegrass Perennial Ryegrass Tall Fescue	Barnyardgrass Crabgrass Fall Panicum Foxtail Hop Clover Prostrate Spurge Yellow Woodsorrel Cudweed	2.5 to 3.75 lbs. per acre (0.9 to 1.4 oz.) per 1,000 sq. ft.	Apply in spring before weeds germinate. Repeat application if necessary in 8 weeks using 2.5 lbs per acre or 0.9 oz. per 1,000 sq. ft.
	Goosegrass Evening Primrose	5.0 lbs. per acre (1.8 oz. per 1,000 sq. ft.)	
	Annual Bluegrass Common Chickweed Mouseear Chickweed Herbiv	2.5 to 3.75 lbs. per acre (0.9 to 1.4 oz. per 1,000 sq. ft.)	Apply in late summer to early fall, before weeds germinate.
SOUTHERN GRASSES			
Bahia Bermudagrass Centipedegrass St. Augustinegrass Tall Fescue Zoysiagrass	Barnyardgrass Crabgrass Fall Panicum Foxtail Prostrate Spurge Yellow Woodsorrel Cudweed	2.5 to 3.75 lbs. per acre (0.9 to 1.4 oz. per 1,000 sq. ft.)	Apply in spring before weeds germinate. Repeat application if necessary in 8 weeks using 2.5 lbs. per acre or 0.9 oz. per 1,000 sq. ft.
	Crabgrass Goosegrass Hop Clover Evening Primrose	5.0 lbs. per acre (1.8 oz. per 1,000 sq. ft.)	
	Herbiv Annual Bluegrass Common Chickweed Mouseear Chickweed	2.5 to 3.75 lbs. per acre (0.9 to 1.4 oz. per 1,000 sq. ft.)	Apply in late summer to early fall, before weeds germinate.

APPLICATION RATES FOR ORNAMENTALS

For preemergence control of the weed species listed in the next column, apply PRE-M® 60 DG at the following rates.

Length of Control and Amount of PRE-M 60 DG / Acre
Short Term Control (2-4 months) 3.3 lbs. per Acre
Long-Term Control (6-8 months) 6.6 lbs. per Acre

PRE-M® 60 DG will not control established weeds. The efficacy of PRE-M® 60 DG will be improved if the application is followed by one-half inch of rainfall or its equivalent in sprinkler irrigation.

FOR GROUND COVER ORNAMENTALS

PRE-M® 60 DG may be used for the preemergence control of the weed species listed in and around the following established ground cover plants.

COMMON NAME	SCIENTIFIC NAME
Capeweed	<i>Arctostaphylos californica</i>
Daisy, Trailing African	<i>Gnaphalium sphenolobosum</i>
Gazania	<i>Guzmania splendens</i>
Rose-of-Sharon	<i>Hesperis matronalis</i>
Iceplant, Large Leaf	<i>Lycopersicon esculentum</i>
Ivy, English	<i>Hedera helix</i>
Ivy, German	<i>Hedera helix</i>
Myoporum	<i>Myoporum laetifolium</i>
Pachysandra	<i>Pachysandra terminalis</i>
Potentilla	<i>Potentilla fruticosa</i>
Potentilla	<i>Potentilla fruticosa</i>

PRECAUTION
 Do not apply PRE-M® 60 DG in ornamental nurseries.

WEED CONTROL IN AND AROUND ORNAMENTAL PLANTINGS

PRE-M® 60 DG is recommended for use on the following established field grown and container ornamentals, plants, trees, and established ground covers. Care must be taken that soil or planting mixes have settled firmly following transplanting and that there are no cracks that would allow direct contact of PRE-M® 60 DG and roots. Directed sprays where soil and media surfaces are uniformly covered will result in best weed control and ornamental tolerance. Sprays can be safely applied over the top of those plants listed below. Plant only those ornamentals listed on this label into soil treated the previous season with PRE-M® 60 DG or injury may occur. Do not apply to seedbeds. PRE-M® 60 DG may be used for the preemergence control of weeds as listed in and around the following established ornamental plants

ORNAMENTAL PLANTS

COMMON NAME	SCIENTIFIC NAME
Abelia, Glossy	<i>Abelia grandiflora</i>
Ash, Red	<i>Fraxinus pennsylvanica</i>
Azalea	<i>Rhododendron indicum</i>
Baterry, Japanese	<i>Berberis thunbergii</i>
Bird, European Weeping	<i>Betula pendula</i>
Bird, River	<i>Betula nigra</i>
Bonwood, Common	<i>Buxus sempervirens</i>
Capeweed	<i>Gardneria jasminoides</i>
Cedar, Northern white	<i>Thuja occidentalis</i>
Cedar, Red	<i>Juniperus virginiana</i>
Colonaster, Rock	<i>Colonaster horizontalis</i>
Crapeyrtle, Common	<i>Lagerstroemia indica</i>
Dogwood, Flowering	<i>Cornus florida</i>
Dogwood, Silky	<i>Cornus amomum</i>
Eunonymus	<i>Eunonymus alata</i>
Fir, Fraser	<i>Abies fraseri</i>
Fir, White	<i>Abies concolor</i>
Forsythia, Border	<i>Forsythia intermedia</i>
Hemlock, Eastern	<i>Tsuga canadensis</i>
Holly, American	<i>Ilex opaca</i>
Holly, Chinese	<i>Ilex cornuta</i>
Holly, Japanese	<i>Ilex crenata compacta</i>
Holly, Yaupon	<i>Ilex vomifolia</i>
Juniper, Chinese	<i>Juniperus chinensis</i>
Juniper, Shore	<i>Juniperus conferta</i>
Juniper, Trailing	<i>Juniperus horizontalis</i>
Laurel, Mountain	<i>Kalmia latifolia</i>
Lilac, Common	<i>Syringa vulgaris</i>
Locust, Honey	<i>Gleditsia triacanthos</i>
Maple, Red	<i>Acer rubrum</i>
Nandina	<i>Nandina domestica</i>
Oak, Live	<i>Quercus virginiana</i>
Oak, Water	<i>Quercus nigra</i>
Peach	<i>Prunus persica</i>
Photinia	<i>Prunus trichocarpa</i>
Pine, Japanese	<i>Pinus japonica</i>
Pine, Austrian	<i>Pinus nigra</i>
Pine, Loblolly	<i>Pinus taeda</i>
Pine, White	<i>Pinus strobus</i>
Privet, California	<i>Ligustrum ovalifolium</i>
Privet, Japanese	<i>Ligustrum japonicum</i>
Robra	<i>Podocarpus tobin</i>
Sourwood	<i>Cycodendron arboreum</i>
Sprea	<i>Spirea vanhouttei</i>
Spirea, Colorado Blue	<i>Picea pungens</i>
Waxmyrtle, Common	<i>Myrica caroliniana</i>
Yew	<i>Taxus Media</i>
Yew, Japanese	<i>Taxus cuspidata</i>

* Not labeled for use in California

WEED SPECIES CONTROLLED

The following grass and broadleaf weeds are controlled by preemergence treatments of PRE-M 60 DG at the rates as shown under the section entitled APPLICATION RATES FOR ORNAMENTALS.

GRASSES CONTROLLED

COMMON NAME	SCIENTIFIC NAME
Barnyardgrass	<i>Echinochloa crus-galli</i>
Bluegrass, annual	<i>Poa annua</i>
Crabgrass	<i>Dactyloctenium aegyptium</i>
Crowfootgrass	<i>Setaria faberii</i>
Foxtail, Green	<i>Setaria viridis</i>
Foxtail, Yellow	<i>Setaria pumila</i>
Goosegrass	<i>Elymus indica</i>
Johnsongrass (seed)	<i>Sorghum halepense</i>
Johnsongrass (seed)	<i>Sorghum halepense</i>
Junegrass	<i>Echinochloa crus-galli</i>
Lovegrass	<i>Eragrostis ciliaris</i>
Panicum, Browntop	<i>Panicum fasciculatum</i>
Panicum, Fall	<i>Panicum dichotomifolium</i>
Panicum, Texas	<i>Panicum texanum</i>
Sandbur, Field	<i>Cenchrus ciliaris</i>
Signalgrass	<i>Brachiaria platyphylla</i>
Sprengleop, Mexican	<i>Lepochloa uncinata</i>
Sprengleop, Red	<i>Lepochloa illinoensis</i>
Wedgegrass	<i>Panicum capillare</i>
Woolly Cupgrass	<i>Echinochloa villosa</i>

BROADLEAF WEEDS CONTROLLED

COMMON NAME	SCIENTIFIC NAME
Capeweed	<i>Mollugo verticillata</i>
Chickweed, Common	<i>Stellaria media</i>
Chickweed, Mouseear	<i>Cerastium vulgatum</i>
Clover, Hop	<i>Trifolium procumbens</i>
Cudweed	<i>Gnaphalium sphenolobosum</i>
Fiddleneck	<i>Amsinckia intermedia</i>
Flame	<i>Erodium cicutarium</i>
Herbiv	<i>Lamium amplexicaule</i>
Knotted (prostrate)	<i>Polygonum aviculare</i>
Kochia	<i>Kochia scoparia</i>
Lambquarters	<i>Chenopodium album</i>
Pigweed	<i>Amaranthus spinosus</i>
Puncturevine	<i>Tribulus terrestris</i>
Purslane	<i>Portulaca oleracea</i>
Purshia, Florida	<i>Richardia scabra</i>
Rocket, London	<i>Sisymbrium irio</i>
Shepherdspurse	<i>Capella bursa-pastoris</i>
Smartweed, Pennsylvania	<i>Polygonum pennsylvanicum</i>
Spurge, annual	<i>Euphorbia sp.</i>
Spurge, prostrate	<i>Euphorbia maculata</i>
Woodsorrel, yellow	<i>Oxalis stricta</i>
Velvetleaf (buttonweed)	<i>Abutilon theophrasti</i>

EPA Reg. No. 10404-52
 EPA Est. No. 5905-IA-1

BEST AVAILABLE COPY