



-2-

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Robert J. Taylor  
Product Manager (25)  
Fungicide-Herbicide Branch  
Registration Division (TS-767C)

Enclosure

## Keep Out of Reach of Children

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

## CAUTION!

### MAY IRRITATE EYES, NOSE, THROAT, AND SKIN.

Avoid breathing dust or spray mist. Avoid contact with skin, eyes, and clothing.

In case of contact with eyes, immediately flush with plenty of water. Get medical attention if irritation persists. Wash thoroughly after handling. Remove and wash contaminated clothing before reuse.

#### ENVIRONMENTAL HAZARDS

Do not apply directly to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

#### IMPORTANT

Do not use on food or feed crops. Injury to or loss of desirable trees or other plants may result from failure to observe the following: Do not apply (except as recommended), or drain or flush equipment on or near desirable trees or other plants, or on areas where their roots may extend, or in locations where the chemical may be washed or moved into contact with their roots. Do not apply where runoff water may flow onto agricultural land as injury to crops may result. Do not contaminate any body of water, including irrigation water. Do not use on walks, driveways, tennis courts, or similar areas. Prevent drift of spray to cropland and other desirable plants. Do not use on dichondra lawns or where violets are the desired species. Keep from contact with fertilizers, insecticides, fungicides and seeds. Following application, the spray tank should not be used for other than non-crop applications. This is extremely important, as low rates of LESCO TFC can kill or severely injure most crops.

#### GENERAL INFORMATION

LESCO TFC Herbicide is a dispersible granule to be mixed in water and applied as a spot treatment to certain species of established grass. It is noncorrosive, nonflammable, nonvolatile and does not freeze.

LESCO TFC rapidly inhibits growth of susceptible weeds. However, typical symptoms (discoloration) of dying weeds may not be noticeable for 1 to 3 weeks after application depending on growing conditions and weed susceptibility. Warm, moist conditions following treatment promote the activity of LESCO TFC while cold, dry conditions delay the activity of LESCO TFC. Weeds hardened off by cold weather or drought stress may not be fully controlled.

Degree of control and duration of effect depend on a) rate used, b) weed spectrum, c) weed size, d) growing conditions at and following time of treatment, e) soil pH, f) precipitation, and g) soil organic matter.

**NOTE TO BUYER:** Purchase of this material does not confer any rights under patents of countries outside of the United States.

#### STORAGE AND DISPOSAL

**STORAGE:** Store product in original container only, away from other pesticides, fertilizer, food, or feed.

**DISPOSAL:** Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

# LESCO TFC

## DISPERSIBLE GRANULE TURF HERBICIDE

### FOR SELECTIVE SPOT

### TALL FESCUE CONTROL

## IN ESTABLISHED KENTUCKY BLUEGRASS, FINE FESCUE, BENTGRASS, BAHIAGRASS AND BERMUDAGRASS TURF

NET WEIGHT \_\_\_\_\_ GRAMS

#### ACTIVE INGREDIENT: Chlorsulfuron

2-Chloro-N-[(4-methoxy-6-methyl-1,3,5-triazin-  
2-yl)aminocarbonyl]benzenesulfonamide .....

75%

#### INERT INGREDIENTS .....

25%

U.S. Pat. 4,127,405

E.P.A. Est. No. 43152-PA-001

E.P.A. Reg. No. 10404-

## Keep Out of Reach of Children

## CAUTION

SEE SIDE PANEL FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS.

## FOR PROFESSIONAL USE ON ORNAMENTAL LAWN AND TURFGRASSES

#### WARRANTY

Lesco warrants that this herbicide conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this herbicide is reasonably fit for its intended purposes. Since timing, method of application, weather, plant and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or nor reasonably foreseeable. The user assumes all risks of any such use.

**NOTICE TO BUYER:** Purchase of this material does not confer any rights under patents of countries outside of the United States.

Manufactured by  
**LESCO, INC.**

20005 Lake Road, P.O. Box 16915  
Rocky River, Ohio 44116

# ACCEPTED

MAR 10 1988

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 10404-59

#### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

LESCO TFC Herbicide should be used only in accordance with recommendations of this label.

The manufacturer will not be responsible for losses or damages resulting from the use of this product in any manner not specifically recommended. User assumes all risks associated with such non-recommended use.

LESCO TFC Herbicide is to be applied as a postemergence spot treatment with a hand held sprayer to control perennial bunch or clump grasses such as tall fescue in actively growing established Kentucky bluegrass, fine fescue, bentgrass mowed over 1/4" in height, bahiagrass and bermudagrass lawns. For best results, apply LESCO TFC on bunch grasses when the desirable turf is not under any stress (i.e. hert or drought).

Adequate moisture by rainfall or irrigation is needed to activate the herbicide. Do not apply to soils saturated with moisture or during periods of intense rainfall.

**CHEMIGATION:** Do not apply this product through any type of irrigation system.

#### RATES OF APPLICATION

LESCO TFC is to be applied as a spot application only by a hand held sprayer. When spraying, only spray to wet the blades of the bunch grasses. Overapplication may result in temporary chlorosis of desirable grasses. LESCO TFC may also suppress desirable grass growth and inhibit grass seedhead formation.

Apply LESCO TFC at a rate of 2.76 to 5.33 ounces per acre. For conventional hand held sprayers, add 0.06 to 0.12 ounces (1.7 to 3.4 grams) per gallon of spray mix to cover 1,000 sq. ft. For low volume or controlled droplet application, mix LESCO TFC according to application rates per acre. A repeat application may be necessary after 60 days.

#### HOW TO USE

**SPRAY PREPARATION:** Add LESCO TFC to water and agitate or shake thoroughly to uniformly disperse the water dispersible granules. Shake the tank before each application. Use the mix: spray within 48 hours. LESCO TFC is more stable in high pH mixtures. Avoid application in low tank pH conditions. Do not mix with acid forming compounds.

**APPLICATION TECHNIQUE:** Apply LESCO TFC with a hand held sprayer until leaf blades are wet. Do not over apply. Do not allow spray to drift into adjacent plants or trees, as injury may occur. Extreme care must be taken to prevent drift. Once LESCO TFC has been used in a sprayer, use that sprayer only to apply LESCO TFC in the future. Do not use that sprayer to apply any other product.

**SPRAY VOLUME:** Apply LESCO TFC with a hand held sprayer and spot treat at a volume not to exceed 65 gallons per acre (1.5 gallons per 1,000 sq. ft.).

**MIXTURE:** Thoroughly mix and agitate spray solution. An antifoam agent may be used to avoid excessive foaming. A spreader-sticker or surfactant is not necessary.

**SELECTION OF USE RATES:** Rate selection is based on weed species, weed size and soil texture. Use the higher rates on established plants and on the fine textured soils and lower rates on smaller weeds and coarse textured soils.

Rev. 10/87

3870700W

2/3