DowElanco 4040 Vincennes Circle, Suite 601 Indianapolis, Indiana 46268-3030

Broadway EPA REG. NO. 10404-60-62719

III ASSERDANCE WITH PR. Notice 82-2.

(10/24/90)



# Broadway

For commercial use only on golf courses, parks, athletic fields, commercial and residential turfgrass areas.

- The state of the s
- Keep Out of Reach of Children
  DANGER

Notice to the second of the control of the

Betarist Commission of Commission of the Commission of Com

And the second of the second o

Downton swammanas parakaga una

**Specialty Fungicide** 

Not Combats 1 ga

### **Precautionary Statements**

Hazards to Humans and Domestic Animals

### **DANGER**

Corronive. Causes irreversible eye damage. Wear goggles or eye shield when handling this product. Harmful or fatal if awallowed. Avoid breathing spray mist. Do not get in eyes or on clothing. May be a potential skin sensitizer. Avoid contact with skin or clothing. Remove contiminated clothing and wash before reuse.

Note to User: This product may produce temporary altergic side effects characterized by redness of the eyes, mild bronchial irritation and redness or rash on exposed skin areas. Persons having an altergic reaction should contact a physician.

### First Aid

If in eyes: Flush with plenty of water.
Call a physician.
If swallowed: Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. If on sluin: Wash exposed areas with soap and warm water after handling or using Note to physicien: Probable mucosal damage may contraindicate the use of gastric lavage. Persons having an allergic reaction respond to treatment with anti-histamines or steroid.

Environmental Hazards
This product is toxic to fish, aquatic invertebrates, and marine/estuanne organisms. Runoff from treated areas may be hazardous to aquatic organisms

in neighboring areas. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from treated areas. Do not graze treated areas. Do not feed clippings to livestock.

### Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read all Directions for Use carefully before applying.

Not for Use in California

### STORAGE AND DISPOSAL

Storage: Store in a cool place. Protect from excessive heat. Avoid freezing. Peeticide Disposal: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide wastes are toxic. Improper disposal of excess pesticide, pesticide spray or meate is a violation of Federal law. If these wastes cannot be disposed of according to label instructions, contact your state pesticide or environmental control agency, or the hazardous waste representative at the nearest EPA regional office it guidance.
Container Disposal: Do not reuse empty container. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

25151

WU 3335 ANX

## DowElanco Broadway\* Specialty Fungicide

For commercial use only on: golf courses, parks, athletic fields, commercial and residential turfgrass areas.

Active ingredients:
Chlorothalonii:
tetrachlorosophthalonitrile 11.5%
Fenanmol: α-(2-chlorophenyl)α-(4-chlorophenyl)-5pyrimidinemethanol 2.5%
Inert ingredients 56,0%
TGTAL 100.0%
Contains 4.17 pounds chlorothalonii
plus .25 pounds fenanmol per gallon.

\*Trademark of DowElanco EPA Reg. No. 10404-60-62719

### **Precautionary Statements**

Hazards to Humans and Domestic Animals

Keep Out of Reach of Children

DANGER

Corrosive. Gauses irreversible eye demage. Wear gogg/es or eye shield when handling this 'groduct. Harmful or fatal if awailowed. Avoid breething

spray mist. Do not get in eyes or on clothing. May be a potential skin sensitizer. Avoid contact with skin or clothing. Remove contaminated clothing and wash before reuse. Note to User: This product may produce temporary allergic side effects characterized by redness of the eyes, mild bronchial imitation and redness or rash on exposed skin areas. Persons having an allergic reaction should contact a physician.

First Aid

If in eyes: Flush with plenty of water. Call a physician.

if swallowed: Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water.

Avoid alcohol.

If on skin: Wash exposed areas with soap and warm water after handling or using.

Note to physician: Probable mucosal damage may contraindicate the use of gastric lavage. Persons having an allergic reaction respond to treatment with antihistamines or steroid creams and/or systemic steroids.

Environmental Hazards
This product is toxic to fish, aquatic inverteurates, and manne/estuarize organisms. Runoff from treated area: may be hazardous to aquatic organisms in neighboring areas. Do not apply dweltly to water. Do not contaminate water when disposing of aquipment washwaters. Do not apply when weather conditions favor drift

### Precautionary Statements Hazards to Humans and Domestic Animals DANGER

Corrosive. Causes irreversible eye damage. Wear goggles or eye shield when handling this product. Harmful or fatal if swallowed. Avoid breathing spray "ist. Do not get in eyes or on clothing. May be a potential skin sensitizer. Avoid contact with skin or clothing. Remove contaminated clothing and wash before reuse. Note to User: This product may produce temporary allergic side effects characterized by redness of the eyes, mild bronchial irritation and redness or rash on exposed skin areas. Persons having an allergic reaction should contact a physician.

First Aid if in eyes: Flush with plenty of water. Call a physician. If swallowed: Drink promptly a large cuantity of mik, egg whites, geletin solution, or if these are not available, drink large cuantities of water. Avoid alcohol. If on aldin: Wash exposed areas with sosp and wirm water after handling or using. Note to physician: Probable mucosal damage may contraindicate the usu of gastric lavage. Persons having an allergic reaction respond to treatment with antihistamines or steroid creams and/or systemic steroids.

Environmental Hazards
This product is toric to fish, squatic invertebrates, and marine/estuarine organisms. Runoff from treated areas may be hazardous to aquetic organisms.

in neighboring areas. Do not apply o rectly to water. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from treated areas. Do not graze treated areas. Do not feed clippings to livestock.

### **Directions for Use**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions for Use carefully before applying.

Not for Use in California

### STORAGE AND DISPOSAL

Storage: Store in a cool place. Protect from excessive heat. Avoid freezing. Pesticide 5/sposal: Do not contammate water, locid or feed by storage or disposal. Open dumping is prohibited. Pesticide wastes are toxic. Improper disposal of excess pesticide, pesticide spray or nosate is a violation of Federal law. If these wasted cannot be disposed of according to label instructions, contact your state pesticide . envir.in Ental conirol agency, or the hazardous waste representative at the nearest EPA regional office for grada-site. Container Disposal: Dc Hot reu empty container. Triple rinse (or al: Dc intreune equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a senitary landfill, or interestation, or, if allowed by state at it local authorities, by burning. If burned, that but of smoke.

25151

PI 3590 A ...F

from treated areas. Do not graze treated areas. Do not feed clappings to livestock.

### **Directions for Use**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling Read all Directions for Use carefully before applying.

Not for Use in California

### STORAGE AND CISPOSAL

**Storage:** Store in a cool place. Protect from excessive heat. Avoid freezing.

Pesticide Disposal: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide wastes are toxic. improper disposal of excess pesticide, pesticide spray or rinsate is a violation of Federal law. If these wastes cannot be disposed of according to label instructions, contact your state pesticide or environmental control agency, or the hazardous waste representative at the nearest EPA regional office for guidance. Container Disposal: Do not reuse empty container. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burneo, stay out of smoke.

General Information
Broadway is a combination of chlorothalonil, a contact fungicide, and fenanmol, a locally systemic fungicide, in a proven 16:1 ratio for the protection against fungal turfgrass diseases. Two different active ingredients team up for highly effective control of a broader spectrum of turfgrass plant diseases when used according to the directions on this product label.

Chemigation. Do not apply this product through any type of imagation system.

Mixing Instructions Slowly invert container several times to assure uniform mixture. Broadway should be added to the spray tank during the last half of the filling operation. Add the required amount of Broadway to the spray tank while keeping the agitator running. Agitate thoroughly during the spraying operation to insure a uniform spray mixture. Use only a properly calibrated sprayer with nozzle screens and in-line strainers no finer than 50 mesh. Apply mixture in sufficient water volume for uniform coverage of turigrass plant surfaces. Do not combine Broadway in the spray tank with pesticides, surfactants, or feitilizer unless your prior use has shown the combination to be physically compatible, effective and noninjunous under your conditions of use. Do not mow or water after treatment until spray deposit on turigrass is thoroughly dry.

### Broadway Fungicide

EARLY SPF AG PREVENTIVE PROGRAM

Disease	Recom- mended Rates (Fl oz per 1000 sq ft)	Recom- mended Rates (Gallons per Acre)	Spray Interval (Days)	Com- ments (See Below)					
Leaf Spot, (Helminthosponum, Drechslera spp., Bipolans spp.)	3.0 - 5.25	1.0 - 1.75	14 - 21	1					
SUMA	SUMMER PREVENTIVE PROGRAM								
Dollar Spot (Scierotinia horneocarpa, or Moellerodiscus and Lantia Spp.)	3.0 - 4.5	1.0 - 1.5	14 - 21	1					
Anthracnose (Collatotrichum gramii: cola)	6.0 <b>- 8.0</b>	2.0 - 2.66	14 - 21	1					
Rhizoctonia Blight/ Large Brown Patch (Rhizoctonia solani)	3.0 - 6.0	1.0 - 2.0	7 - 10	1					
OTHE	OTHER DISEASES OF TURFGRASS								
Gray Leaf Spot (Pyriculana grisea)	3.0 - 9.0	1.0 - 3.0	7 - 10	1, 2					
Curvulana	3.0 - 9.0	1.0 - 3.0	7 - 10	1, 2					
Corticium Red Thread (Laetisana fucifornis)	3.0 - 9.0	1.0 - 3.0	7 - 10	1.2					
Copper Spot (Glosocercospore sorghi)	3.0 - 6.0	1.0 - 2.0	10 - 21	1, 3					
Povrdery Mildew (Erysiphe grammis)	8.0 - 16.0	2.66 - 5.33	30	1.3					

Disease	Recom- mended Rates (FI oz per 1000 sq ft)	Recom- mended Rates (Gallons per Acre)	Spray interval (Days)	Com- ments (See Below)
Stem Rust of Bluegrass (Puccinia spp.)	6.0 - 9.0	2.0 - 3.0	7 - 14	1, 2
Spring Dead Spot (Leptusphaeria korrae)	18.0	6.00	Single Appli- cation	4, 7
Take-All-Patch (Gaeumannomyce: graminis)	18.0	6.00	Two Appli- critions	5. 7

### WINTER DISEASES

TANTE DODAGO						
Fusanum Patch/Pink Snow Mold (Microdochium nivalis)	16.0	5.33	One or More Anpli- cations	5. 6		
Typhula Blight/Gray Snow Mold (Typhula incarnata) (Typhula ishikanansis)	16.0	5.33	One or More Appli- cations	5, 6		

 Use the high rate and shorter interval during conditions favoring heavy disease pressure.

Begin applications when conditions favor disease development and repeat applications as long as these conditions persist.

3) Applications to areas with visible disease symptoms should be made at the highest rate listed for that disease and continued at the shortest spray interval for that rate until the disease is brought under control. At this time, the lower rate, longer spray interval and continued at the shortest spray interval.

4) Single application in September.

. . . .

- Application should be made within a 30-day interval prior to show cover or frezen soil.
- 6) If show cover is intermittent or lacking, repeat applications every 3-4 weeks until disease conditions no longer prevail.
- 7) Applications for take-all-patch, and spring dead spot should be applied to the turfgrass and thoroughly irrigated with ½ to 1 inch of water.

### **Warranty Disclaimer**

DowElanco warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. DOWELANCO MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

### Inherent Risks of Use

It is impossible to eliminate all risks associated with use of this product. Injury to non-target vegetation, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperatures, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, humcanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of DowElanco or the seller. All such risks shall be assumed by Buyer

### Limitation of Remedies

The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at DowElanco's election, one of the following:

(1) Refund of purchase pr paid by buyer or user for product Liught, or (2) Replacement of amount of

(2) Replacement of amount of product used.

DowElanco shall not be liable for losses or damages resulting from handling or use of this product unless DowElanco is promptly notified of such loss or damage in writing. In no case shall DowElanco be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer above and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No emboyee or sales agent of DowElanco or the seller is authorized to vary or exceed the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.

Copyright© 1990 by DowElanco Literature issued September 10, 1990 DowElanco PI 3590 AMP Indianapolis, IN 46266, U.S.A.