

10404-61

7/7/2003

1/5



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

JUL 17 2003

Gloria M. Sielhoff, Ph.D
Manager, Regulatory Affairs
Lesco, Inc.
15885 Sprague Road
Strongsville, OH 44136-1799

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Subject: Label Amendment: First Aid and CDPR comments
Lesco 6.3% Sevin brand granular insecticide
EPA Reg. No. 10404-61
Resubmissions dated March 26, 2003, **acceptable with comments**

Dear Dr. Sielhoff:

The labeling referred to above submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following comment.

- 1) Revise the Precautionary Statements to read "Harmful if swallowed, **inhaled** or absorbed through the skin". Do not breath dust. Wash thoroughly with soap and water after handling. Wear long pants and sleeves. Remove contaminated clothing and wash thoroughly before reuse". Do not allow people, especially children or pets, on treated areas during treatment.
- 2) Add to the Direction for Use for Golf course turf "Do not allow people, especially children or pets, on treated areas during treatment and until the insecticide is washed into the soil and the turf has dried off completely".
- 3) Add under the Storage and Disposal heading "Do not contaminate water, food or feed by storage and disposal"

A stamped copy "accepted with comments" of the label is enclosed for your records. Please submit two (2) copies of the final printed label for our records. If you have any questions please call me at (703) 308-8328.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Akiva Abramovitch".

Akiva Abramovitch, Ph.D.

Chemist

Insecticide-Rodenticide Branch
Registration Division (7505C)

LESCO® 6.3% SEVIN® Brand Granular Insecticide

NOT FOR USE on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds.

ACTIVE INGREDIENT

Carbaryl (1-naphthyl N-methylcarbamate) 6.3%

INERT INGREDIENTS 93.7%

Total 100.0%

EPA Reg. No. 10404-61

EPA Est. No. 10404-OH-04 (M)

KEEP OUT OF REACH OF CHILDREN
CAUTION CUIDADO
READ ALL DIRECTIONS BEFORE USING
PRECAUCION AL USARIO: Si usted no ise ingies, no use este producto hasta que la etiqueta le haya sido explicada ampliament.

PRECAUTIONARY STATEMENTS
CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HARMFUL IF SWALLOWED OR ABSORBED THROUGH THE SKIN. OVEREXPOSURE MAY CAUSE: Salivation, watery eyes, pinpoint eye pupils, blurred vision, muscle tremors, difficult breathing, excessive sweating, abdominal cramps, nausea, vomiting, diarrhea, weakness, headache. IN SEVERE CASES CONVULSION, UNCONSCIOUSNESS AND RESPIRATORY FAILURE MAY OCCUR. SIGNS AND SYMPTOMS OCCUR RAPIDLY FOLLOWING OVEREXPOSURE TO THIS PRODUCT.

Avoid breathing dust. Do not take internally. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling this product. Change to clean clothing daily. Bathe and wash hair after each workday. Do not eat, drink, or use tobacco while working with this product. Wash hands and face before eating, drinking, or using tobacco. Keep out of reach of children and domestic animals.

DO NOT ALLOW Public Use of area during application.

ACCEPTED
with COMMENTS
In EPA Letter Dated:
JUL 7 2003

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
10404-61

FIRST AID

If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact Chem-Trec at 1-800-424-9300 for emergency medical treatment information.

NOTE TO PHYSICIAN

Carbaryl is a carbamate insecticide, which is a cholinesterase inhibitor. Overexposure to this substance may cause toxic signs and symptoms due to stimulation of the cholinergic nervous system. These effects of overexposure are spontaneously and rapidly reversible. Gastric lavage may be used if this product has been swallowed. Carbaryl poisoning may occur rapidly after ingestion and prompt removal of stomach contents is indicated.

Specific treatment consists of parenteral atropine sulfate. Caution should be maintained to prevent overatropinization. Mild cases may be given 1 to 2 mg. intramuscularly every 10 minutes until full atropinization has been achieved and repeated thereafter whenever symptoms reappear. Severe cases should be given 2 to 4 mg. intravenously every 10 minutes until fully atropinized, then intramuscularly every 30 to 60 minutes as needed to maintain the effect for at least 12 hours. Dosages for children should be appropriately reduced. Complete recovery from overexposure is to be expected within 24 hours.

Atropine is antidotal. Narcotics and other sedatives should not be used. Further, drugs like 2-PAM (pyridine-2-aldoxime methiodide) are NOT recommended.

To aid in confirmation of a diagnosis, urine samples should be obtained within 24 hours of exposure and immediately frozen.

Consultation on diagnosis, therapy and analysis can be obtained at all hours by calling the emergency number.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning equipment or disposal of wastes. Do not contaminate water when disposing of equipment wash waters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

LAWNS, RECREATIONAL AND ORNAMENTAL TURF AREAS

For control of turfgrass pests, apply granules uniformly to the turfgrass. For optimum control, follow specific directions for proper watering or irrigation after application.

Insect:	Pounds of SEVIN Brand Granular per 1,000 sq ft	Specific Directions
Ants, Armyworms, Centipedes, Chiggers, Chinch bugs, Crickets, Cutworms, Darkling ground beetles, Earwigs, Essex skipper, Fall armyworms, Fiery skipper, Fleas, Grasshoppers June beetles, Lawn moths (sod webworm), Lucerne, moth larvae, Millipedes, Sowbugs, Spittlebugs, Springtails, Ticks, Yellow striped armyworms.	2.2 to 3.0	For general insect control, apply granules uniformly when grass is dry. For optimum control to release insecticide from granule, lawn should be watered lightly after application. Repeat applications may be made as needed for control of new infestations.
White grubs (such as Japanese Beetle, Chafer Beetles, Phyllophaga spp., and Green June beetle grubs) Bluegrass billbugs, European crane fly larvae.	3.0	For white grub control, applications should be made when grubs are feeding near the soil surface, usually during late March through May or July to early September, or as recommended by local agricultural extension agents. To release insecticide from the granule to obtain optimum control, irrigate with a sufficient quantity of water to wet down the soil line.

STORAGE AND DISPOSAL

Storage: Store unused product in original container only, in cool, dry area out of reach of children and animals. Do not store in area where temperatures frequently exceed 100° F.

If container is damaged, before cleaning up, put on long sleeved shirt, full length trousers, head covering, and protective gloves.

Pesticide Disposal: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration; or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

APPROXIMATE LESCO ROTARY SPREADER SETTINGS

# Product/ 1,000 sq ft	#A.I./A	Effective Spreader Width	Third Hole	LESCO Calibration Gauge*
2.2	6.0	8'	1	#10
3.0	8.2	8'	1	#12

***IMPORTANT:** These settings are only approximate. Age, condition of spreader, and operator speed can cause wide variation. Be sure to calibrate your spreader with each application.

BARRIER PEST CONTROL IN AND AROUND FLOWER BEDS AND ORNAMENTAL PLANTINGS AND AROUND BUILDINGS

For control of ants, armyworms, ticks, cutworms, centipedes, crickets, earwigs, firebrats and silverfish, fleas, millipedes, sowbugs, scorpions and spiders; apply granules uniformly in an 6 foot band around the building. Apply granules at the rate of 5.8 ounces per 120 sq ft (6 x 20 ft band). Restrict applications to shrub and flower beds, foundations, ornamental plantings and lawn or soil areas immediately adjacent to the building. For optimum control, treated area should be lightly watered after application. Repeat treatments as necessary to control new infestations.

WARRANTY

LESCO, Inc. warrants that this insecticide conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this insecticide is reasonably fit for its intended purposes. Since timing, method of application, weather, plant and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use.

Information concerning the raw materials composing this product can be obtained by writing to: LESCO, Inc., Attn: RA Dept, 15885 Sprague Rd., Strongsville, OH 44136-1772, referring to the item number found on this bag.

LESCO is a registered trademark of LESCO Technologies, LLC. SEVIN is a registered trademark of Bayer.

G:\REGUL\WP\STRONGSV\Aprvd Lbl - Word\Control Products\Sevin\019025.doc
Rev. xx/xx/xx AAA

NET CONTENTS: 40 lb (18.2 kg)

#019025

F1406
Manufactured by:
LESCO Inc.
15885 Sprague Road
Strongsville, Ohio 44136-1772

