

| | | |
|--|---|---------------------------------------|
| US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460 NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGERISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended) | EPA REGISTRATION NO. 10404-62 | DATE OF ISSUANCE February 23, 1990 |
| | TERM OF ISSUANCE Until Reregistration | |
| | NAME OF PESTICIDE PRODUCT Lesco Fertilizer with 4% Sevin Brand Carbaryl Insecticide | |

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Lesco, Inc.
 20005 Lake Road
 Rocky River, OH 44116

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 10404-62."
 - b. A 1-year storage stability study must be submitted within 15 months from the date of this letter.
 - c. In the confidential statement of formula, you set and lower certified limits for lindane content. You must set the lower certified limit and submit required confidential statement of formula.

BEST AVAILABLE COPY

ATTACHMENT IS APPLICABLE

| | |
|---|-----------------|
| SIGNATURE OF APPROVING OFFICIAL <i>Lynn H. Edmunds</i> | DATE 2/23/90 |
|---|-----------------|

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Dennis H. Edwards, Jr.
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosures

BEST AVAILABLE COPY

LESCO Fertilizer with 4.0% Sevin® Brand CARBARYL INSECTICIDE

CONTAINS 25-3-5 LAWN FOOD
FOR LAWNS AND OTHER ORNAMENTAL and RECREATIONAL TURFGRASS AREAS
GOLF COURSES AND SOO FARMS
FOR FLOWERING PLANTS AND SHRUBS IN LANDSCAPE and FOUNDATION PLANTINGS.

FOR PROFESSIONAL USE ONLY
ACTIVE INGREDIENT:
Carbaryl 1-Naphthyl N-methylcarbamate 4.00%
INERT INGREDIENTS 96.00%
Total 100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONAL USUARIO: Si usted no lee ingles, no use este producto hasta que le otorgue haya sido explicado en español.
STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician of Poison Control Center immediately induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or comatose person.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air. Apply Artificial Respiration if indicated. Get medical attention.

NOTE TO PHYSICIAN: Carbaryl is a moderate reversible cholinesterase inhib. for Atropine is Antidotal.

SEE SIDE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENT
EPA Reg. No. 10434- EPA Est. No. 10404-01-2
Net Weight 25 Pound (50 lbs.)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or inhaled. Avoid breathing dust. Avoid contact eyes, skin and clothing. Wash thoroughly after handling and before eating or smoking. Change to clean clothing daily. Do not contaminate feed or feedstuffs. **NOTE TO PHYSICIAN:** Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidotal.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply the product or allow it to drift to blooming crops or weeds if bees are visiting the proposed treatment areas.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open container in case of spill. Avoid contact, isolate area and keep out animals and unprotected persons. Confine spills.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Do not reuse empty bag. Completely empty bag into equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning if burned stay out of smoke.

GENERAL DIRECTIONS: Best insect control will be obtained if troublesome "thatch" is mechanically removed or raked from the area before treating. This destroys insect habitats, allows granules to move to the insect feeding zone, and makes the fertilizer more quickly available to plants.

FOR LAWNS & ORNAMENTAL/RECREATIONAL TURF

Use when insects first appear and/or plant damage is imminent. For best results, mow lawn first and then apply material. Irrigate or instruct the property owner to irrigate 1/4" to wash insecticide into the grass. *See watering limitations for Sod Webworms. Keep children and pets off treated areas until grass is dry. Repeat applications may be made as needed for control of new insect infestations.

SURFACE FEEDING INSECTS

FOR ANTS, ARMYWORMS, CENTIPEDES, CHIGGERS, CUTWORMS, EARWIGS, FALL ARMYWORMS, FIERY SKIPPERS, GRASSHOPPERS, GREEN JUNE BEETLE GRUBS, JUNE BEETLER, LEAFHOPPERS, LUCERNE MOTH LARVAE, MILLIPEDES, BOW BUGS, SPITTLE BUGS, SPRINGTAILS, TICKS, AND YELLOWSTRIPED ARMYWORMS.

Apply 2.3 lbs./1,000 Sq Ft. when insects become a problem or their damage is imminent. This is equivalent to 4 lbs. carbaryl per acre. Refer to General Directions for LAWNS & ORNAMENTAL/RECREATIONAL TURF.

FOR CHINCH BUGS AND SOO WEBWORMS

Apply 3.45 lbs./1,000 Sq Ft of turf which is equal to 8.0 lbs. Carbaryl/Acre. For Chinch Bugs treat entire area to prevent their migration. *For Sod Webworms do not irrigate treated areas for 24 to 48 hours after treatment. Repeat applications may be made at 30 day intervals or as needed for control of new infestations. For heavy infestations increase rate to 4.5 lbs per 1,000 Sq Ft. and treat entire area.

ROOT FEEDING INSECTS

FOR CONTROL OF WHITE GRUBS (SUCH AS JAPANESE BEETLE, CHAFER BEETLES, AND PHYLLOPHAGA SPP. LARVAE), BLUEGRASS BILLBUGS, FLEAS, EUROPEAN CRANE FLY LARVAE, AND BLACK TURFGRASS ATENIUS.

Apply 4.5 lbs. per 1,000 sq ft. of turf area (equal to 6 lbs. A.I./Acre) during late March through May or July to early September when Grubs are feeding near the soil surface or as recommended by local agricultural extension agents. Water or irrigate turf thoroughly soon after treatment to move the insecticide into the root feeding zone. See General Directions.

For CRANE FLY LARVAE apply at the same rate in early spring; April 1 to April 15th or as recommended by the local Extension Service. Irrigate area after treatment to move granules into root feeding zone.

FOR FLOWERING PLANTS AND SHRUBS IN LANDSCAPE and FOUNDATION PLANTINGS

FOR CUTWORMS, ARMYWORMS, SOOBUGS, MILLIPEDES and CENTIPEDES which attack ornamental and flowering plants in shrubby and foundation plantings apply 2.3 lbs. granules evenly over 1,000 Sq Ft (20 x 50 ft). Repeat as needed for control up to 3 times per year.

SPREADER SETTINGS FOR LESCO ROTARY SPREADER

| Pounds of Product to use per 1,000 Sq Ft | Effective lbs. A./A. | Spreading Width | 3rd Hole | Approximate Setting |
|--|----------------------|-----------------|----------|---------------------|
| 2.30 lbs. | 4.0 lb. | 9 feet | 1 | F 1/2 |
| 3.45 lbs. | 6.0 lb. | 9 feet | 1 | G 1/4 |
| 4.80 lbs. | 8.0 lb. | 9 feet | 1 | H |

GUARANTEED FERTILIZER ANALYSIS

| | |
|---|--------|
| Total Nitrogen (N) | 25% |
| Nitrate Nitrogen | 0.00% |
| Ammoniacal Nitrogen | 1.20% |
| Water Soluble Nitrogen (and/or Urea Nitrogen) | 23.80% |
| Water Insoluble Nitrogen | 0.00% |
| Available Phosphoric Acid (P ₂ O ₅) | 3% |
| Soluble Potash (K ₂ O) | 5% |
| Derived from Urea, Ammoniated Phosphate, Sulfur Coated Urea, Muriate of Potash, | |

WARRANTY: LESCO INC. warrants that this insecticide conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this insecticide is fit for its intended purposes. Since timing, method of application, weather, plant and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of such use. 03-31-86

Sevin® is the Registered Trade Mark of Rhone Poulenc Nederland BV for Carbaryl insecticide.

ACCEPTED
with COMMENTS
in EPA Letter dated

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

10404-62

LESCO, INC.
2005 LAKE ROAD - ROCKY RIVER, OHIO 44116

BEST AVAILABLE COPY