



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

SEP 17 1993

Julius C. Prinzo
LESCO INC.
20005 Lake Road, Box 16915
Rocky River, OH 44116

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

SUBJECT: Label Amendment Submission of 09/08/93 in Response to PR Notice 93-7
EPA Reg. No. 10404-62
LESCO FERTILIZER W/4% SEVIN BRAND CARBARYL INSECT.


Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, successfully **REMOVES THE PRODUCT FROM THE SCOPE** of PR Notice 93-7 once the comments (if any) on the attached sheet are addressed. Other than the alterations (if any) listed on the attached sheet, no further alterations to the labeling are necessary to reflect the requirements of the Worker Protection Standard.

Since your amendment proposes to delete uses directly and/or to delete uses implicitly through the use of exclusionary statements, the Agency will publish in the Federal Register a notice of receipt of your amendment to delete uses, as required by section 6(f)(1) of FIFRA. The Agency will defer action for 90 days from the date of the Federal Register notice to give affected minor users an opportunity to try to persuade you to retain the uses(s). When the comment period has expired, the Agency will approve the amendment unless you have withdrawn it, and stamp the amended labeling "accepted." Your stamped-accepted labeling will then be sent to you.

As described in Supplement A of PR Notice 93-11 (self-verification option), you may sell and distribute product bearing the submitted labeling before you receive a copy of your stamped-accepted labeling. Note that your registration is not amended until the comment period required by section 6(f)(1) of FIFRA has expired and the Agency has approved the amendment. Therefore, you may withdraw your proposed amendment at any time during the comment period and until you receive your stamped-accepted labeling.

Sincerely,


James Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)



Recycled/Recyclable
Printed with Soy/Candle wax
contains at least 50% recycled paper

WORKER PROTECTION STANDARD
CERTIFICATION STATEMENT
WHEN DEVIATIONS ARE PROPOSED

I certify that the revised labeling being submitted for LESCO 16-3-6 Fertilizer with Sevin 4%, EPA Reg. No. 10404-62, is in complete accordance with the labeling requirements of PR Notices 93-7 and 93-11, which reflect the requirements of EPA's labeling regulations for worker protection statements (40 CFR part 156, subpart K), except where noted. I have, in one or more places in the revised labeling, proposed changes that deviate from the exact language or location specified in the PR Notices. I have identified all such statements by highlighting them in a way that distinguishes them from any other label revisions. I have proposed no changes to this labeling other than those required to comply with 40 CFR part 156, subpart K. I understand that EPA cannot guarantee to render its decision on revised labeling not in complete conformance with PR Notice 93-7 by 04/21/94. I understand that it would be a violation of FIFRA if I or my supplemental registrants were to sell or distribute this product after 04/21/94, without amended labeling complying with the requirements of 40 CFR part 156, subpart K.

Signature: _____

Julius C. Prinzo
Julius C. Prinzo,
Manager, Product Registrations

Date: _____

11/30/93

PRODUCT ACUTE TOXICITY CATEGORIES BY ROUTE OF EXPOSURE:

Acute Oral Toxicity *III*
Acute Dermal Toxicity *III*
Skin Irritation Potential *III*
Eye Irritation Potential
Acute Inhalation Toxicity *III*

BEST AVAILABLE COPY

LESCO

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 19404-62

16-3-6 Fertilizer with Sevin® 4%

NOT FOR USE on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds.

Active Ingredient	Carbaryl 1-Naphthyl N-methylcarbamate	4.00%
Inert Ingredients		96.00%
Total		100.00%

Sevin is a Registered Trade Mark of Rhone-Poulenc Nederland BV for Carbaryl Insecticide

GUARANTEED ANALYSIS

Total Nitrogen (%)	16.00%
1.15% Ammoniacal Nitrogen	
14.85% Urea Nitrogen*	
Available Phosphoric Acid (P ₂ O ₅)	3.00%
Soluble Potash (K ₂ O)	6.00%
Sulfur (S)	1.55%
1.55% Sulfur (S) Free	

DEFINITIONS: Sulfur Coated Urea, Urea, Diammonium Phosphate, Muriate of Potash

*4.45% Slowly available Nitrogen from LESCO Poly Plus™ Sulfur Coated Urea Wash or brush off walks and painted surfaces following application to avoid

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL DIRECTIONS

Best insect control will be obtained if troublesome "thatch" is mechanically removed or raked from the area before treating. This destroys insect habitats, allows granules to move to the insect feeding zone, and makes the fertilizer more quickly available to plants.

FOR LAWNS AND ORNAMENTAL/RECREATIONAL TURF

Use when insects first appear and/or plant damage is imminent. For best results, mow lawn first and then apply material. Irigate or instruct the property owner to irigate 1/4 inch to wash insecticide into the grass. See watering limitations for Sod Webworms. Keep children and pets off treated areas until grass is dry. Repeat applications may be made as needed for control of new insect infestations.

SURFACE FEEDING INSECTS

For Ants, Armyworms, Centipedes, Chiggers, Cutworms, Earwigs, Fall Armyworms, Fiery Skippers, Grasshoppers, Green June Beetle Grubs, June Beetles, Leafhoppers, Lucerne Moth Larvae, Millipedes, Sow Bugs, Spittlebugs, Springtails, Ticks, and Yellow-striped Armyworms:

Apply 2.3 lbs./1,000 sq. ft. when insects become a problem or their damage is imminent. This is equivalent to 4 lbs. A.I. Carbaryl per acre. Refer to General Directions FOR LAWNS AND ORNAMENTAL/RECREATIONAL TURF

FOR CHINCH BUGS AND SOD WEBWORMS

Apply 3.45 lbs./1,000 sq. ft. of turf which is equal to 6.0 lbs. A.I. Carbaryl per acre. For Chinch Bugs treat entire area to prevent their migration. For Sod Webworms, do not irigate treated areas for 24 to 48 hours after treatment. Repeat applications may be made at 30 day intervals or as needed for control of new infestations. For heavy infestations, increase rate to 4.6 lbs. per 1,000 sq. ft. and treat entire area.

ROOT FEEDING INSECTS

For control of White Grubs (such as Japanese Beetle, Chafer Beetles, and Phyllophaga spp. Larvae), Bluegrass Billbugs, Fleas, European Crane Fly Larvae, and Black Turfgrass Ateenius

Apply 4.6 lbs. per 1,000 sq. ft. of turf area (equal to 8 lbs. A.I. Carbaryl per acre) during late March through May or July to early September when grubs are feeding near the soil surface or as recommended by local agricultural extension agents. Water or irigate turf thoroughly soon after treatment to move the insecticide into the root feeding zone. See General Directions.

For Crane Fly Larvae, apply at the same rate in early spring - April 1 to April 15th or as recommended by the local extension service. Irigate area after treatment to move granules into root feeding zone.

FOR FLOWERING PLANTS AND SHRUBS IN LANDSCAPE AND FOUNDATION PLANTINGS

For Cutworms, Armyworms, Sowbugs, Millipedes, and Centipedes which attack ornamental and flowering plants in shrubbery and foundation plantings, apply 2.3 lbs. granules evenly over 1,000 sq. ft. (20'x50') Repeat as needed for control up to 3 times per year.

CONTROL OF TICKS THAT VECTOR LYME DISEASE

For control of juvenile and adult Ixodes spp. (Deer Tick and Black Legged Tick) and Amblyomma spp. ticks (Lone Star Ticks) which vector Lyme Disease: Apply granules at the rate of 4 to 4.6 pounds of product per 1,000 sq. ft. with appropriate equipment to ensure uniform coverage. Target applications to control juvenile ticks (larvae and nymphs) in late spring or early summer (May/June). Control of adult ticks can be achieved with late summer and fall applications (August-September). Make applications to lawns, shrub beds, ornamental plantings, wooded areas, and around outside perimeters of home and other buildings. Do not make spot applications. Treat entire lawn and perimeter wooded areas and property boundaries where exposure to ticks may occur. For optimum results, irigate treated areas after application to remove chemical from the granules. Ticks may be reintroduced from surrounding areas on host animals. Retreat as necessary to maintain adequate control levels.

Approximate Spreader Settings for LESCO Rotary Spreader*

Pounds Product/	Effective	Third	Approx. rate
1,000 sq. ft.	Spreading Width	Hole	Setting
2.30 lbs.	4.0' @ 9' cut	1	4 (14, 32)
3.45 lbs.	6.0' @ 9' cut	1	1.2 (15, 32)
4.60 lbs.	8.0' @ 9' cut	1	3 (15, 32)

*IMPORTANT: These settings are only approximate. Age, condition of the spreader, and operator speed can cause wide variation. Be sure to calibrate your spreader with each application.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**
PRECAUTION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicada ampliamente.

STATEMENTS OF PRACTICAL TREATMENT
If Swallowed: Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.
In Eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.
On Skin: Remove contaminated clothing and wash affected area with soap and water. Get medical attention if irritation persists.
Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated. Get medical attention.
NOTE TO PHYSICIAN: Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidotal.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION: Irritant if swallowed or inhaled. Avoid breathing dust. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling and before eating or smoking. Change to clean clothing daily. Do not contaminate feed or foodstuffs.
ENVIRONMENTAL HAZARDS
This product is extremely toxic to aquatic invertebrates. Do not apply directly to water or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the proposed treatment areas.

STORAGE AND DISPOSAL
Do not contaminate water, food, or feed by storage or disposal.
Storage: Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open container. In case of spill, avoid contact, isolate area, and keep out animals and unprotected persons. Confine spills.
Residue Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
Container Disposal: Do not reuse empty bag. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY
The user warrants that the product is as described on the label. When used in accordance with the directions under normal conditions, the insecticide is responsible for its intended purpose. The manufacturer, distributor, retailer, weather, plant and soil conditions, nature and extent of infestation, and the farmer's method of use of the product are beyond our control. We do not warrant the use of this product on any site that does not meet our minimum standards. We assume no liability for any such use.

BEST AVAILABLE COPY

EPA Reg. No. 10104-62
EPA Est. No. 10104-0109

Manufactured by
LESCO, Inc.
20005 Lake Road, P.O. Box 15915
Rocky River, Ohio 44116

Net Weight 50 lbs.
Made in U.S.A.

Rev. 09, 93/96

#019441