

10404-62

7-11-2006

1/5

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 2-28-95

 United States <b>Environmental Protection Agency</b> Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
---	--	-----------------------

**Application for Pesticide - Section I**

1. Company/Product Number 10404-62	2. EPA Product Manager Meredith Laws	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) LESCO Sevin 4% Plus Fertilizer	PM# 04	
5. Name and Address of Applicant (Include ZIP Code) LESCO, Inc. 1301 East 9th Street Cleveland, OH 44114-1849  <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____  Product Name _____	

**Section - II**

<input type="checkbox"/> Amendment - Explain below.  <input type="checkbox"/> Resubmission in response to Agency letter dated _____  <input type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input checked="" type="checkbox"/> Other - Explain below.	<b>NOTIFICATION</b>  <b>JUL 11 2006</b>
---	--	---

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)


**Optional Marketing and Fertilizer Statements**

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

**Section - III**

<b>1. Material This Product Will Be Packaged In:</b>			
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt.    No. per container	If "Yes" Package wgt    No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container	
5. Location of Label Directions <input type="checkbox"/> _____		6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other _____	

**Section - IV**

<b>1. Contact Point</b> (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Susan Spencer	Title Manager, Regulatory Affairs	Telephone No. (Includr Area Code) 216-706-9250 ext 2043
<b>Certification</b> I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Manager, Regulatory Affairs	
4. Typed Name Susan E. Spencer	5. Date 6/13/06	

## GUARANTEED ANALYSIS

Total Nitrogen (N) .....	XX.XX%
XX.XX% Ammoniacal Nitrogen	
XX.XX% Urea Nitrogen*	
XX.XX% Water Insoluble Nitrogen	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> ).....	XX.XX%
Soluble Potash (K <sub>2</sub> O).....	XX.XX%
Magnesium (Mg) Total.....	XX.XX%
XX.XX% Water Soluble Magnesium	
Sulfur (S) Total.....	XX.XX%
XX.XX% Free Sulfur (S)	
XX.XX% Combined Sulfur (S)	
Copper (Cu) Total.....	XX.XX%
XX.XX% Water Soluble Copper (Cu)	
Iron (Fe) Total.....	XX.XX%
XX.XX% Water Soluble Iron (Fe)	
Manganese (Mn) Total.....	XX.XX%
XX.XX% Water Soluble Manganese	
Zinc (Zn) Total.....	XX.XX%
XX.XX% Water Soluble Zinc (Zn)	
Derived From:	
Chlorine (Cl) Max.....	XX.XX%
*X.XX% Slowly Available Urea Nitrogen from Polymer Coated Sulfur Coated Urea.	

## KEEP OUT OF REACH OF CHILDREN CAUTION

\*PRECAUTIONAL USUARIO: Si usted no lee ingles, no use este producto hasta que las etiquetas haya sido explicado ampliamente\*

### FIRST AID

If swallowed	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to by the poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
If on skin or clothing	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
If inhaled	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
If in eyes	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>

### HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact Chem-Trec at 1-800-424-9300 for emergency medical treatment information.

### NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Carbaryl is an N-methyl carbamate that inhibits cholinesterase.

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed or inhaled. Avoid breathing dust. Avoid contact with eyes, skin, and clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. Do not contaminate feed or foodstuffs.

#### ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow to drift on blooming crops or weeds if bees are visiting the proposed treatment areas.

**Personal Protective Equipment (PPE):** Applicators and other handlers must wear a long-sleeved shirt and long pants, waterproof gloves and shoes plus socks. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

**Net Weight: XX lb (XX kg)**

Armyworms, Flea Skippers, Grasshoppers, Green June Beetles, June Beetles, Leafhoppers, Lucerne Moth Larvae, Millipedes, Sowbugs, Spittlebugs, Springtails, Ticks, and Yellowstriped Armyworms:

Apply 2.30 lb/1,000 sq ft when insects become a problem or their damage is imminent. This is equivalent to 4 lb A.I. Carbaryl per acre. Refer to General Directions for Lawns & Ornamental/Recreational Turf.

#### FOR CHINCH BUGS AND SOD WEBWORMS

Apply 3.45 lb/1,000 sq ft of turf which is equal to 6 lb A.I. Carbaryl per acre. For Chinch Bugs, treat entire area to prevent their migration. For Sod Webworms, do not irrigate treated areas for 24 to 48 hours after treatment. Repeat applications may be made at 30-day intervals or as needed for control of new infestations. For heavy infestations, increase rate to 4.60 lb per 1,000 sq ft and treat entire area.

#### ROOT FEEDING INSECTS

For control of White Grubs (such as Japanese Beetle, Chafer Beetles, and Phyllophaga spp. Larvae), Bluegrass Billbugs, Fleas, European Crane Fly Larvae, and Black Turfgrass Ataenius:

Apply 4.60 lb per 1,000 sq ft of turf area (equal to 8 lb A.I. Carbaryl per acre) during late March through May or June to early September when grubs are feeding near the soil surface or as recommended by local agricultural extension agents. Water or irrigate turf thoroughly soon after treatment to move the insecticide into the root feeding zone. See General Directions.

For Crane Fly Larvae, apply at the same rate in early spring: April 1 to April 15 or as recommended by the local extension service. Irrigate area after treatment to move granules into root feeding zone.

#### FOR FLOWERING PLANTS AND SHRUBS IN LANDSCAPE AND FOUNDATION PLANTINGS

For Cutworms, Armyworms, Sowbugs, Millipedes, and Centipedes which attack ornamental and flowering plants in shrubbery and foundation plantings, apply 2.30 lb granules evenly over 1,000 sq ft (20 x 50 ft). Repeat as needed for control up to 3 times per year.

#### CONTROL OF TICKS THAT VECTOR LYME DISEASE

For control of juvenile and adult Ixodes spp. (Deer Tick and Black Legged Tick) and Amblyomma spp. ticks (Lone Star Ticks) which vector Lyme Disease. Apply granules at the rate of 4 to 4.60 pounds of product per 1,000 sq ft with appropriate equipment to ensure uniform coverage. Target applications to control juvenile ticks (larvae and nymphs) in late spring or early summer (May/June). Control of adult ticks can be achieved with late summer and fall applications (August/September). Make applications to lawns, shrub beds, ornamental plantings, wooded areas and around outside perimeters of home and other buildings. Do not make spot applications. Treat entire lawn and perimeter wooded areas and property boundaries where exposure to ticks may occur. For optimum results, irrigate treated areas after application to remove chemical from the granules. Ticks may be reintroduced from surrounding areas on host animals. Retreat as necessary to maintain adequate control levels.

#### Suggested Spreader Settings

Spreader	Ground Speed	Recommended Rates in lb per 1,000 sq ft		
		2.30 lb	3.45 lb	4.60 lb
LESCO Calibration Gauge	3 mph	•••••	•••••	•••••
SCOTTS® R8A	3 mph	•••••	•••••	•••••
Cyclone® or Spyrke®	3 mph	•••••	•••••	•••••
LESCO Pendulum	4.5 mph	•••••	•••••	•••••

\*IMPORTANT: These settings are only approximate. Age, condition of the spreader, and operator speed can cause wide variation. Be sure to calibrate your spreader with each application.

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **Storage:** Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open container. In case of spill: Avoid contact, isolate area, and keep out animals and unprotected persons. Confine spills.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Do not reuse empty bag. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke.

### WARRANTY

LESCO, Inc. warrants that this insecticide conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this insecticide is reasonably fit for its intended purposes. Since timing, method of application, weather, plant and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use.

Information concerning the raw materials composing this product can be obtained by writing to: LESCO, Inc., Attn: RA Dept., 1301 East 9th Street, Suite 1300, Cleveland, Ohio 44114-1849, referring to the item number found on this bag.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-a1.com>

Sevin is a registered trademark of the Aventis Group. LESCO and Poly Plus are registered trademarks and the sweeping design is a trademark of LESCO Technologies, LLC. Poly Plus is comprised of Polymer Coated Sulfur Coated Urea. Cyclone and Spyrke are registered trademarks of Spyrke Spreaders, LLC. SCOTTS is a registered trademark of The SCOTT Company.

G:\REGULWP\Regul Private\MstrLbn\Pending EPA Approval\Sevin 4% - Becky.doc

Created: 6/10/03 Rev.11/11/05 WBW

**NOTIFICATION**

JUL 11 2006

EPA REG. NO. 10404-62  
EPA EST. NO. 82757-OH-001 (M), 82757-FL-001

Distributed by: LESCO, Inc.  
1301 East 9<sup>th</sup> Street  
Cleveland, OH 44114-1849

3/5

(S)  
First letter of lot code indicates manufacturing site.

#XXXXXXXX

3/5

4/5



Phone: 216.706.9250  
800.321.5325  
www.lesco.com  
Nasdaq: LESCO

June 15, 2006

Document Processing Desk (NOTIF)  
Office of Pesticide Programs (7504P)  
U.S. Environmental Protection Agency  
Room S-4900, One Potomac Yard  
2777 South Crystal Drive  
Arlington, VA 22202-4501

Attn: Ms. Meredith Laws, PM 04

SUBJECT: Notification -- Optional Language and Fertilizer Statements  
EPA #10404-62 LESCO Sevin 4% Plus Fertilizer  
EPA #10404-62 LESCO Fertilizer with 4% Sevin Brand Carbaryl (ABN)

Dear Ms. Laws:

Notification is being submitted for your review and acceptance to address the following:

- ◆ Addition to Optional/Marketing statements:
  - Contains LESCO® Poly Plus® Sulfur Coated Urea to provide uniform growth with extended nitrogen feeding.”
- ◆ Clarification of ‘Derived From’ statement I the Guaranteed (Fertilizer) Analysis box:
  - “Slowly Available Urea Nitrogen from Polymer Coated sulfur Coated Urea”
- ◆ Clarification of ‘Poly Plus’ composition in the Trademarks section:
  - “Poly Plus is comprised of Polymer Coated sulfur Coated Urea”

The following documentation is provided in support of the above:

- ◆ 8570-1: Notification request form for each EPA registration number
- ◆ One (1) highlighted label of each EPA registration noting the above items
- ◆ Five (5) copies of the clean label for each EPA registration

If you have any questions, or further clarification is required, please feel free to contact me at [sspencer@lesco.com](mailto:sspencer@lesco.com) or 1-216-706-9250 ext 2343.

Thank you for your assistance on this matter.

Sincerely,

Susan E. Spencer  
Manager  
Regulatory Affairs

Enclosures

10404-62                    LESCO Sevin 4% Plus Fertilizer  
10404-62                    LESCO Fertilizer with 4% Sevin Brand Carbaryl (ABN)

Notification to address the following:

- ◆ Addition to Optional/Marketing statements:
  - “Contains LESCO® Poly Plus® Sulfur Coated Urea to provide uniform growth with extended nitrogen feeding:”
- ◆ Clarification of ‘Derived From’ statement in the Guaranteed (Fertilizer) Analysis box:
  - “Slowly Available Urea Nitrogen from Polymer Coated Sulfur Coated Urea”
- ◆ Clarification of ‘Poly Plus’ composition in the Trademark section:
  - “Poly Plus is comprised of Polymer Coated Sulfur Coated Urea”