10404-63

7-11-2006

1/5-

Please read instructions of	n reverse before completing fo	orm	Form A	pproved. OME	3 No. 2070-006	O. Approval expires 2-28	
\$epa	United States Environmental Protection Agency Weshington, DC 20460		псү		istration endment er	OPP Identifier Number	
·	Арр	lication for I	Pesticide - Se	ction I			
1. Company/Product Number 10404-63			2. EPA Product Manager Joanne Miller		3. Pr	3. Proposed Classification	
4. Company/Product (Name) LESCO Ronstar 0.95% Plus Fertilizer			РМ# 23				
5. Name and Address of A LESCO, Inc. 1301 East 9th Stree Cleveland, OH 441		6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No Product Name					
	······································	Sect	ion - II				
Amendment - Explain below.  Resubmission in response to Agency letter dated  Notification - Explain below.			Me too Application.		NOTIFICATION JUL 1 1 2005		
labeling or the confidential s EPA. I further understand th FIFRA and I may be subjec	It with the provisions of PR Notic tatement of formula of this produ- at if this notification is not consis to enforcement action and pena	uct. I understand the terms itent with the terms ities under section:	at it is a violation of 1 of PR Notice 98-10 a	8 U.S.C. Sec 10 ind 40 CFR 152	01 to willfully ma	ake any false statement to	
Material This Product Wi	T	<u> </u>		<u> </u>		·····	
hild-Resistant Packaging Yes No Certification must submitted	Unit Packaging Yes No If "Yes" No. p Unit Packaging wgt. conta	or if "Yes"	No. p <del>o</del> r		e of Container Metal Plastic Glass Peper Other (Sp	ocity)	
Location of Net Contents	Information 4. Size	(s) Retail Containe	I	5. Location of	Label Direction	Ş	
Manner in Which Lebel is		Lithograph Paper glued Stenciled	Other	·			
		Sectio	n - IV				
Contact Point (Complete	items directly below for identit	fication of individu	el to be contacted, i	if necessary, to	process this e	oplication.)	
me usan Spencer		Title Manager, I	Regulatory Affairs			No. (Include Area Code) 50 ext 23+3	
	nente i have made on this forn y knowlingily felse or misleadir				complete.	B. Date Application Ruceived (Stamped)	
Signature	ur	3. Title Manager, Ri	egulatory Affairs				
Typed Neme Isan E. Spencer		5. Date					

	FIRST AID			
if inhaled	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>			
lf on skin or clothing	Take off contaminated clothing.     Rinse skin immediately with plenty of water for 15-20 minutes.     Call a poison control center or doctor for treatment advice.			
lf in eyes	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>			
lf swallowed	<ul> <li>Call poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center doctor.</li> </ul>			
	Do not give anything by mouth to an unconscious person.			
	HOT LINE NUMBER			

Have the product container or label with you when calling a poison control center or doctor, or going to treatment. You may also contact 1-(800) 424-9300 for emergency treatment information.

# PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes eye and skin irritation. Avoid contact with skin, eyes, or clothing. Thoroughly wash face and hands with scap and water after exposure and before eating or smoking. Wear protective clothing including long-sleeved shirt and gloves when handling. Launder exposed clothing before reuse. Do not allow domestic animals to graze treated areas. Avoid contamination of feed and foodstuffs.

#### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur. Do not contaminate water when disposing of equipment washwaters. Apply only as specified on this label.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

# STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. <u>Storage</u>: Store product in its original bag, in a cool, dry, locked place out of the reach of children. In case of spill, sweep up, and use according to directions or dispose of as follows: Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA regional office for guidance. representative at the nearest EPA regional office for guidance. Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

#### FOR LAWNS AND ORNAMENTAL TURF

When applied according to directions, this product can be used safely on the following established turfgrass varieties: Bermudagrass, Perennial Bluegrass, Perennial Ryegrass, St. Augustinegrass, Tall Fescue, and Zoysiagrass lawns and ornamental turf. It may be used for parks, golf courses, athletic fields, cemeteries, and all other ornamental and recreational turfgrass areas

#### CONTROLS GRASSY WEEDS AND BROADLEAF WEEDS

Annual Bluegrass (Poa annua), Barnyardgrass, Crabgrass, Fall Panicum, Florida Pusley, Goosegrass, Green Foxtail, Oxalis, Stinging Nettle, Carpetgrass, Pigweed.

#### HOW TO APPLY

Measure the area to be treated and uniformly apply amount using a fertilizer spreader (see Spreader Settings chart). Do not apply to turf when it is wet. Do not overlap spreader application on St. Augustinegrass since discoloration "streaking" may temporarily occur from "double rate". After application, if rain is not expected within 24 hours, sprinkle the treated turf with 1/4" to 1/2" of water to get maximum weed control.

#### HOW MUCH TO USE

For Crabgrass: Apply 50 lb/10,400 sq ft (4.8 lb/1,000) when turf has been in a yearly maintenance rot oradigrass. Apply 30 ion 10,400 sq it (4.8 ion, 000) when turn has been in a yearly maintenance program (equal to 2 ib A.I. herbicide per acre). Apply 50 ib to treat 6,900 sq ft (7.25 ib/1,000) of lawn if it has been heavily infested with crabgrass (equal to 3 ib A.I. herbicide per acre). Apply in early spring 1 to 2 weeks prior to weed seed germination. This product is a pre-emergent herbicide. It will be the analysis of the analysis and and analysis of the acressing and analysis of the analysis of t not control emerged and growing weeds; only germinating weed seeds. Late applications will control only those weed seeds that germinate after the application. See "When to Apply" chart.

Goosegrass and Prostrate Source: These weeds do not usually germinate until late spring or early summer. Apply 50 lb to treat 5,200 sq ft of lawn (9.6 lb/1,000 sq ft; 4 lb A.I./acre) and apply 1 to 2 weeks prior to seed germination. See chart for when to apply. Observe maximum rate for St. Augustinegrass: 50 lb/6,900 sq ft.

For Annual Bluegrass (Poa annua): Apply 50 lb per 5,200 to 6,050 sq ft of lawn (8.25-9.6 lb/1,000 sq ft; equal to 3.5 to 4 lb A.I. herbicide per acre). Apply in late summer to fall or in early spring 1 to 2

з 1. 3a. 1a. 4. 4 2a.

1. For Crabgrass and other Grasses and Broadleaf Weeds germinating in the Spring in Northern Turf.

- 1a. For Crabgrass in Southern Turf.
- 2. For Goosegrass and other Late Germinating Annual Grasses and Broadleaf Weeds such as Prostrate Spurge. 2a. <u>Goosegrass</u> in Southern Turf.
- 3. For Poa annua in Northern Turf
- 3a. For Poa annua in Southern Turf.
- 4. For Fall-Winter-Spring control of Annual Weeds in Southern Turf.

## PRECAUTIONS FOR USING

Do not use on desirable Red Fescue, Bentgrass varieties, Dichondra, or Centipedegrass since damage will occur. Do not use on putting greens or "tees" due to varying cultural practices used. Use only the rate of 50 lb to treat 6,900 sq ft (7.25 lb/1,000 sq ft) on St. Augustinegrass since temporary discoloration will occur from heavier rates. Avoid contact with flowers and shrubs except as recommended on the Ornamental Use Supplement Labeling available for this product. For newly seeded lawns, do not apply this product until after the second or third cutting.

# **RESEEDING TREATED AREAS**



XX.XX% Ammoniacal Nitrogen	
XX.XX% Urea Nitrogen	
XX.XX% Water Insoluble Nitrogen	
AVAILABLE PHOSPHATE (P2O5)	XX.XX%
SOLUBLE POTASH (K2O)	XXXX%
MAGNESIUM (Mg) Total	XX.XX%
XX.XX% Water Soluble Magnesium	
SULFUR (S) Total	XX.XX%
XX.XX% Free Sulfur (S)	
XX.XX% Combined Sulfur (S)	
COPPER (Cu) Total	XX.XX%
XX.XX% Water Soluble Copper (Cu)	
IRON (Fe) Total	XX.XX%
XX.XX% Water Soluble Iron (Fe)	
MANGANESE (Mn) Total	XX.XX%
XX.XX% Water Soluble Manganese	
ZINC (Zn) Total XX XX% Water Soluble Zinc (Zn)	
XX.XX% Water Soluble Zinc (Zn)	
DERIVED FROM:	
CHLORINE (Ci) MAX	XX.XX%
*X.XX% Slowly available Urea Nitrogen from Polymer Coaled Sulfur Coated Urea	et. t.

#### WARRANTY


LESCO, Inc. warrants that this herbicide conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this barbicide is reasonably fit for its intended purposes. Since timing, method of application, weather, plant and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not geasonably preseeable. The user assumes all risks of any such use. assumes all risks of any such use.

Information concerning the raw materials composing this product can be obtained by writing to LESCO, Inc., Atm: RA Dept, 1301 East 9th Street, Suite 1300, Cleveland, Ohio 44114-1849, referring to the item number faund on this bag.

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-infoa1.com

Contains RONSTAR Herbicide, a registered trademark of Bayer. LESCO and Poly Plus are registered trademarks and the sweeping design is a trademark of LESCO Technologies, LLC. Poly Plus is comprised of Polymer Coated Suffur Coated Urea. Spyker and Cyclone are registered trademarks of Spyker Spreaders LLC. Lely is a registered trademark of C Van Der Lety N.V. Vicon is a registered trademark of Ransomes Cushman-Ryan Company.

G:\REGUL\\_\_\_\_Approved Master Label Templates\Ronstar 0.95%.doc Created; XX/XX/XX (6/07/02) Rev.: 11/11/05 BS



NOTIFICATION JUL 1 1 2006




۳. EPA Reg. No. 10404-63 EPA Est. No. 82757-OH-001 (M),82757-FL-001 (S) First letter of lot code indicates manufacturing site



.

F1560 Distributed by: LESCO, Inc. 1301 East 9<sup>th</sup> Street Cleveland, OH 44114-1849



3/5





Phone: 216.706.9250 800.321.5325 www.lesco.com Nasdaq: LESCO

June 15, 2006

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

Attn: Ms. Joanne Miller, PM 23

SUBJECT: Notification – Optional Language and Fertilizer Statements EPA #10404-93 LESCO Ronstar 0.63% Plus Fertilizer EPA #10404-63 LESCO Ronstar 0.95% Plus Fertilizer

Dear Ms. Miller:

Notifications are being submitted for your review and acceptance to address the following:

- Addition to Optional/Marketing statements:
  - Contains LESCO® Poly Plus® Sulfur Coated Urea to provide uniform growth with extended nitrogen feeding."
  - Clarification of 'Derived From' statement in the Guaranteed (Fertilizer) Analysis box:
    - o "Slowly Available Urea Nitrogen from Polymer Coated sulfur Coated Urea"
  - Clarification of 'Poly Plus' composition in the Trademarks section:
    - o "Poly Plus is comprised of Polymer Coated sulfur Coated Urea"

The following documentation is provided in support of the above:

- 8570-1: Notification request form for each EPA registration number
- One (1) highlighted label of each EPA registration noting the above items
- Five (5) copies of the clean label for each EPA registration

If you have any questions, or further clarification is required, please feel free to contact me at <u>sspencer(a.lesco.com</u> or 1-216-706-9250 ext 2343.


Thank you for your assistance on this matter.

Sincerely,

lusan E Agencen

Susan E. Spencer Manager Regulatory Affairs

Enclosures



10404-93	LESCO Ronstar 0.63% Plus Fertilizer
10404-63	LESCO Ronstar 0.95% Plus Fertilizer

Notification to address the following:

- Addition to Optional/Marketing statements:
  - "Contains LESCO® Poly Plus® Sulfur Coated Urea to provide uniform growth with extended nitrogen feeding:"
- Clarification of 'Derived From' statement in the Guaranteed (Fertilizer) Analysis box:
  - "Slowly Available Urea Nitrogen from Polymer Coated Sulfur Coated Urea"
- Clarification of 'Poly Plus' composition in the Trademark section:
  - o "Poly Plus is comprised of Polymer Coated Sulfur Coated Urea"