



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
 Registration Division (7505P)
 1200 Pennsylvania Ave., N.W.
 Washington, D.C. 20460

NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

EPA Reg. Number:

10404-63

Date of Issuance:

OCT 23 2007

Term of Issuance:

Name of Pesticide Product:

Ronstar 0.95% Plus Fertilizer

Name and Address of Registrant (include ZIP Code):

LESCO, Inc.
 1301 East 9th Street
 Cleveland, OH 44114-1849

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is reregistered in accordance with FIFRA section 4(g)(2)(C) provided you agree in writing to:


1. Change the Signal word to "Caution".
2. Delete the Hazards to Humans and Domestic Animals section from the label.
3. To the label add a Non-Agricultural Use Requirements box and the appropriate accompanying language and "Do not enter or allow others to enter the treated area until dusts have settled."
4. To the label add "For sale to and use by professional applicators only. Not for sale to or use by homeowners/consumers."
5. To the Environmental Hazards section add "or rinseate" after "washwaters".
6. To the label add "Personal Protective Equipment (PPE) Loaders, applicators, and other

handlers must wear: Long-sleeved shirt and long pants, and Shoes plus socks.”.

- 7. To the label add “Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.”.
- 8. To the label add “User Safety Recommendations Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.”.
- 9. To the label add “Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.”.
- 10. The label must be revised to specify a maximum application rate of xxx {registrant to provide value} pounds of product per acre per year (equivalent to 6 pounds ai/A/year), except in areas where there is heavy weed infestation. In areas of heavy weed infestation, the maximum application rate is xxx {registrant to provide value} pounds of product per acre per year (equivalent to 8 pounds ai/A/year) . The label must be revised to specify a maximum single application rate of xxx {registrant to provide value} pounds of product per acre (equivalent to 4 pounds ai/A).
- 11. The label must be revised to read “For best results, water-in the product as soon as practical after application.”.
- 12. To the Storage and Disposal section change “Storage” to “Pesticide Storage”.

Signature of Approving Official:

Date:


 Kathryn V. Montague, Acting Product Manager (23)
 Herbicide Branch, Registration Division (7505P)

OCT 23 2007

EPA Form 8570-6

You will submit one copy of your final printed labeling before you release the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). If you have any questions please call Erik Kraft at 703-308-9358.

RONSTAR 0.95% Plus Fertilizer

NOT FOR USE on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds.

NOT FOR USE ON HOME LAWNS

Contains LESCO® Poly Plus® Sulfur Coated Urea to provide uniform growth with extended nitrogen feeding.

ACTIVE INGREDIENT:

Oxadiazon; 2-tert-butyl-4-(2,4-dichloro-5-isopropoxyphenyl)	
Δ1,3,4-oxadiazolin-5-one	0.85%
INERT INGREDIENTS:	99.05%
Total	100.00%

KEEP OUT OF REACH OF CHILDREN WARNING

FIRST AID	
If inhaled	• Move person to fresh air. • If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If on skin or clothing	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes	• Hold eyes open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If swallowed	• Call poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.

HOT LINE NUMBER
Have the product container or label with you when calling a poison control center or doctor, or going to treatment. You may also contact 1-(800)-424-9300 for emergency treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes eye and skin irritation. Avoid contact with skin, eyes, or clothing. Thoroughly wash face and hands with soap and water after exposure and before eating or smoking. Wear protective clothing including long-sleeved shirt and gloves when handling. Launder exposed clothing before reuse. Do not allow domestic animals to graze treated areas. Avoid contamination of feed and foodstuffs.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur. Do not contaminate water when disposing of equipment washwaters. Apply only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **Storage:** Store product in its original bag, in a cool, dry, locked place out of the reach of children. In case of spill, sweep up, and use according to directions or dispose of as follows: **Pesticide Disposal:** Pesticide wastes are toxic. Improper disposal of excess pesticide or residue is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA regional office for guidance. **Container Disposal:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

FOR LAWNS AND ORNAMENTAL TURF

When applied according to directions, this product can be used safely on the following established turfgrass varieties: Bermudagrass, Perennial Bluegrass, Perennial Ryegrass, St. Augustinegrass, Tall Fescue, and Zoysiagrass lawns and ornamental turf. It may be used for parks, golf courses, athletic fields, cemeteries, and all other ornamental and recreational turfgrass areas.

CONTROLS GRASSY WEEDS AND BROADLEAF WEEDS

Annual Bluegrass (*Poa annua*), Barnyardgrass, Crabgrass, Fall Panicum, Florida Pusley, Goosegrass, Green Foxtail, Oxalis, Stinging Nettle, Carpetgrass, Pigweed.

HOW TO APPLY

Measure the area to be treated and uniformly apply amount using a fertilizer spreader (see Spreader Settings chart). Do not apply to turf when it is wet. Do not overlap spreader application on St. Augustinegrass since discoloration "streaking" may temporarily occur from "double rates". After application, if rain is not expected within 24 hours, sprinkle the treated turf with 1/4" to 1/2" of water to get maximum weed control.

HOW MUCH TO USE

For Crabgrass: Apply 50 lb/10,000 sq ft (4.8 lb/1,000) when turf has been in a yearly maintenance program (equal to 2 lb A.I. herbicide per acre). Apply 50 lb to treat 6,900 sq ft (7.25 lb/1,000) of lawn if it has been heavily infested with crabgrass (equal to 3 lb A.I. herbicide per acre). Apply in early spring 1 to 2 weeks prior to weed seed germination. This product is a pre-emergent herbicide. It will not control emerged and growing weeds; only germinating weed seeds. Late applications will control only those weed seeds that germinate after the application. See "When to Apply" chart.

Goosegrass and Prostrate Spurge: These weeds do not usually germinate until late spring or early summer. Apply 50 lb to treat 5,200 sq ft of lawn (9.6 lb/1,000 sq ft; 4 lb A.I./acre) and apply 1 to 2 weeks prior to seed germination. See chart for when to apply. Observe maximum rate for St. Augustinegrass: 50 lb/6,900 sq ft.

For Annual Bluegrass (*Poa annua*): Apply 50 lb per 5,200 to 6,050 sq ft of lawn (8.25-9.6 lb/1,000 sq ft; equal to 3.5 to 4 lb A.I. herbicide per acre). Apply in late summer to fall or in early spring 1 to 2

weeks before expected weed seed germination. Will not control Annual Bluegrass present at time of application, only germinating seeds. Refer to chart for proper timing in your locale. Annual Bermudagrass and Prostrate Spurge may also be controlled by this same rate. Observe maximum rate for St. Augustinegrass: 50 lb/6,900 sq ft.

SPREADER SETTINGS*

Recommended Rates in lb per 1,000 sq ft

Spreader	Ground Speed	4.8 lb	7.25 lb	8.25 lb	9.6 lb
LESCO	3 mph	#xx	#xx	#xx	#xx
Cyclone® or Spyr®	3 mph	xx	xx	xx	xx
Vicon®	4.5 mph	xx	xx	xx	xx
Lely®	4.5 mph	xx II	xx II	xx II	xx II

*IMPORTANT: These settings are only approximate. Age, condition of spreader, and operator speed can cause wide variation. Be sure to calibrate your spreader with each application using the LESCO Calibrating Gauge #009952.

WHEN TO APPLY

Appropriate Times to Apply This Pre-emergent Herbicide:

Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
		1.									
			2.								
				3.							
					4.						

- 1a. For Crabgrass and other Grasses and Broadleaf Weeds germinating in the Spring in Northern Turf.
- 1a. For Crabgrass in Southern Turf.
2. For Goosegrass and other Late Germinating Annual Grasses and Broadleaf Weeds such as Prostrate Spurge.
- 2a. Goosegrass in Southern Turf.
3. For Poa annua in Northern Turf.
- 3a. For Poa annua in Southern Turf.
4. For Fall-Winter-Spring control of Annual Weeds in Southern Turf.

PRECAUTIONS FOR USING

Do not use on desirable Red Fescue, Bentgrass varieties, Dichondra, or Centipedegrass since damage will occur. Do not use on putting greens or "tees" due to varying cultural practices used. Use only the rate of 50 lb to treat 6,900 sq ft (7.25 lb/1,000 sq ft) on St. Augustinegrass since temporary discoloration will occur from heavier rates. Avoid contact with flowers and shrubs except as recommended on the Ornamental Use Supplement Labeling available for this product. For newly seeded lawns, do not apply this product until after the second or third cutting.

RESEEDING TREATED AREAS

Delay new seeding until 4 months after treatment.



GUARANTEED ANALYSIS

TOTAL NITROGEN (N)	XXXX%
XXXX% Ammoniacal Nitrogen		
XXXX% Urea Nitrogen		
XXXX% Water Insoluble Nitrogen		
AVAILABLE PHOSPHATE (P ₂ O ₅)	XXXX%
SOLUBLE POTASH (K ₂ O)	XXXX%
MAGNESIUM (Mg) Total	XXXX%
XXXX% Water Soluble Magnesium		
SULFUR (S) Total	XXXX%
XXXX% Free Sulfur (S)		
XXXX% Combined Sulfur (S)		
COPPER (Cu) Total	XXXX%
XXXX% Water Soluble Copper (Cu)		
IRON (Fe) Total	XXXX%
XXXX% Water Soluble Iron (Fe)		
MANGANESE (Mn) Total	XXXX%
XXXX% Water Soluble Manganese		
ZINC (Zn) Total	XXXX%
XXXX% Water Soluble Zinc (Zn)		
DERIVED FROM:		
CHLORINE (Cl) MAX.	XXXX%
XXXX% Slowly available Urea Nitrogen from Polymer Coated Sulfur Coated Ureap		

WARRANTY

LESCO, Inc. warrants that this herbicide conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this herbicide is reasonably fit for its intended purpose. Since timing, method of application, weather, plant and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use.

Information concerning the raw materials composing this product can be obtained by writing to: LESCO, Inc., Attn: RA Dept., 1301 East 9th Street, Suite 1300, Cleveland, Ohio 44114-1840, referring to the item number found on this bag.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.lesco.com/info-213000>

Contains RONSTAR Herbicide, a registered trademark of Bayer. LESCO and Poly Plus are registered trademarks and the sweeping design is a trademark of LESCO Technologies, LLC. Poly Plus is comprised of Polymer Coated Sulfur Coated Urea. Spyr® and Cyclone are registered trademarks of Spyr® Spreader LLC. Lely is a registered trademark of C Van Der Ley N.V. Vicon is a registered trademark of Ransomes Cushman-Plym Company.

*REGULATORY Approved Master Label Templates/Ronstar 0.95% doc Created: XXXXXX (8/7/02) Rev: 1/11/05 BS

Net Weight: XX lb (XX kg)

NOTIFICATION
JUL 11 2006



ACCEPTED
with COMMENTS
In EPA Letter Dated:
OCT 23 2007
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
10404-63

484

EPA Reg. No. 10404-63
EPA Est. No. 82757-OH-001 (M), 82757-FL-001
(S)
First letter of lot code indicates manufacturing site

F1560
Distributed by: LESCO, Inc.
1301 East 9th Street
Cleveland, OH 44114-1849

#XXXXXXXX

932