

Reg # 10404-65

PM-21

193

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE 10-3-90
	TERM OF ISSUANCE Conditional	
	NAME OF PESTICIDE PRODUCT	

**NOTICE OF PESTICIDE:**  REGISTRATION  
 REREGISTRATION  
 (Under the Federal Insecticide, Fungicide,  
 and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

L  
 Lessor, Inc.  
 20005 Lake Road  
 Rocky River, OH 44117  
 L

7  
 285079 / 161  
 18  
 Selective

**NOTE:** Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) or 4(a) when the Agency receives all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

- Add the phrase "EPA Registration No. 10404-65."
- Modify the Precautionary Statement. "Harmful if swallowed . . ." to be deleted from the statement. Change oral toxicity rating to Toxicity Category IV. However, the precautionary statement must indicate prolonged or frequent repeated skin contact may cause allergic reactions in some individuals.
- In the Statement of Practical Treatment, delete "If Swallowed . . ." pertaining to oral toxicity due to Toxicity Category III rating.

BEST AVAILABLE COPY

 ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

Susan Decker

DATE

10-3-90

-2-

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

5-

Susan Lewis  
Product Manager (21)  
Fungicide-Herbicide Branch  
Registration Division (H7505C)

Enclosure

**BEST AVAILABLE COPY**

# with Systemic Turf Fungicide

**For Professional Turf Maintenance Operators Only**  
**FERTILIZER & LAWN DISEASE CONTROL FOR ALL FINE TURF GRASS**

**FOR THE TREATMENT OF DOLLAR SPOT, COPPER SPOT, POWDERY MILDEW, RED THREAD, RUSTS, BROWN PATCH, ANTHRACNOSE, POA ANNUA DECLINE, STRIPE SMUT, FUSARIUM BLIGHT, AND SUMMER PATCH**

**ACTIVE INGREDIENT:**

1-(4-chlorophenoxy)-3,3-dimethyl-1-(1H-1,2,4-triazol-1-yl)-2-butanone..... 0.5%  
 INERT INGREDIENTS:..... 99.5%  
**Total 100.0%**

Contains BAYLETON® Turf Fungicide a Registered Trade Mark of Bayer AG Germany

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

**STATEMENTS OF PRACTICAL TREATMENT**

**IF SWALLOWED:** Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Give water until vomitus is clear. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.  
**IF IN EYES:** Flush eyes with plenty of water. Get medical attention.  
**IF ON SKIN:** Remove contaminated clothing and wash affected area with soap and water. Get medical attention. Wash clothing before re-use.  
**IF INHALED:** Remove victim to fresh air. Administer artificial respiration if indicated.  
**SEE ADDITIONAL PRECAUTIONARY STATEMENTS**

EPA REG. NO. 10404-

EPA EST NO 10404-OH-2

**NET WEIGHT 50 POUNDS**

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed, inhaled or absorbed through the skin. Causes moderate eye irritation. Avoid breathing vapor, or dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating or smoking. Wash contaminated clothing with soap and hot water before re-use.

**ENVIRONMENTAL HAZARDS**

Do not contaminate water when disposing of equipment washwaters. Do not use on crops grown for food or forage. Do not apply directly to water. Apply this product only as specified on this label. Do not apply when weather conditions favor drift from target area. Do not use clippings or graze for animal feed.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.  
**STORAGE:** Store product in original bag in a cool, dry, locked place out of reach of children.  
**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.  
**CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.  
**HOUSEHOLD:** Do not re-use empty bag. Wrap and put in trash.

**APPLICATION**

This product is absorbed rapidly and works systemically from within the plants. Rainfall or sprinkler irrigation soon after application will assure rapid systemic uptake. Control will be less effective on turf suffering from drought stress. Therefore, in order to achieve maximum control, plants should be maintained in a vigorously growing state through good cultural practices. Apply when turf is fully established and actively growing. Applications should be applied at recommended intervals to maintain disease control.

**WARRANTY:** LESCO warrants that this product conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, it is reasonably fit for its intended purposes. Since timing, method of application, weather, plant and soil conditions, mixture with other chemicals, & other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not foreseeable. The user assumes all risks of use.

**LESCO 17-0-17 Elite Fertilizer with Systemic Fungicide**  
**Recommended Applications - Turfgrass Disease Control**

DISEASE	HOW MUCH TO USE PER 1,000 SQ. FT.	REMARKS
ACCEPTED PREVENTIVE		
PREVENTIVE	3 lbs.	PREVENTIVE RATE: Apply recommended rate on 30 day intervals. Protective activity of product may extend for as long as 60 days dependent upon environmental conditions.
CURATIVE	1 1/2 lb.	PREVENTIVE RATE: Apply recommended rate on 14 day intervals. Protective activity of product may extend for as long as 30 days dependent upon environmental conditions.
COPPER SPOT, POWDERY MILDEW, RED THREAD (Lasiosphaeria luciformis), RUSTS	3 lbs.	CURATIVE RATE: To control existing infections, apply the curative rate. Subsequent applications should be applied on a preventive schedule and rate.
BROWN PATCH (Rhizoctonia solani) (suppression)	6 lbs.	PREVENTIVE RATE: Apply at 15 to 30 day intervals. When environmental conditions favor light to moderate disease development, use a longer interval. Protective activity of this product can be greater than 30 days depending on environmental conditions.
ANTHRACNOSE and POA ANNUA DECLINE	3 lbs.	CURATIVE RATE: To control existing infections, apply the curative rate. Subsequent applications should be applied on a preventive schedule and rate.
STRIPE SMUT	6 lbs.	PREVENTIVE RATE: Apply at 30 day intervals and repeat as necessary for seasonal control. Dependent upon environmental conditions, residual control may be extended to 45 days.
FUSARIUM BLIGHT (Fusarium culmorum), SUMMER PATCH (Magnaporthe poae)	6 lbs.	PREVENTIVE RATE: Apply at 30 day intervals and repeat as necessary for seasonal control. Dependent upon environmental conditions, residual control may be extended to 30 days.
	6 lbs.	CURATIVE RATE: To control existing infections, apply the curative rate. Subsequent applications should be applied on preventive schedule and rate.

**GUARANTEED ANALYSIS**

Total Nitrogen ----- 17.0%  
 4.25% Urea Nitrogen  
 12.75% Coated Slow Release Urea Nitrogen  
 Available Phosphoric Acid (P<sub>2</sub>O<sub>5</sub>) ----- 0.0%  
 Soluble Potash (K<sub>2</sub>O) ----- 7.0%  
 Sulfur Total 14.80%  
 8.7% Sulfur (Free)  
 6.10% Sulfur (Combined)  
 Derived from Sulfur Coated Urea and Sulfate of Potash

**APPROXIMATE SPREADER SETTINGS FOR LESCO ROTARY SPREADER**

Product/1000 Sq Ft	Effective Spread/m width	3rd Hole	Approx. Setting
15 lbs	8 Feet	OPEN	C
3 lbs	9 Feet	OPEN	D
6 lbs	8 Feet	OPEN	F 1/2

IMPORTANT Spreader settings are only approximate. Age and condition of spreader may cause wide variations. Be sure to calibrate your spreader with each application. Consult the Spreader Operations Manual 06-20-80

#017530

**LESCO, INC.**

2005 LAKE ROAD - ROCKY RIVER, OHIO 44116