



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

FEB 17 1994

Julius C. Prinzo
LESCO INC.
20005 Lake Road, Box 16915
Rocky River, OH 44116

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

SUBJECT: Label Amendment Submission of 09/08/93 in Response to PR Notice 93-7
EPA Reg. No. 10404-65
LESCO 17-0-17 ELITE FERTILIZER W/SYSTEMIC TURF


Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, successfully **REMOVES THE PRODUCT FROM THE SCOPE** of PR Notice 93-7 once the comments (if any) on the attached sheet are addressed. Other than the alterations (if any) listed on the attached sheet, no further alterations to the labeling are necessary to reflect the requirements of the Worker Protection Standard.

Since your amendment proposes to delete uses directly and/or to delete uses implicitly through the use of exclusionary statements, the Agency will publish in the Federal Register a notice of receipt of your amendment to delete uses, as required by section 6(f)(1) of FIFRA. The Agency will defer action for 90 days from the date of the Federal Register notice to give affected minor users an opportunity to try to persuade you to retain the uses(s). When the comment period has expired, the Agency will approve the amendment unless you have withdrawn it, and stamp the amended labeling "accepted." Your stamped-accepted labeling will then be sent to you.

As described in Supplement A of PR Notice 93-11 (self-verification option), you may sell and distribute product bearing the submitted labeling before you receive a copy of your stamped-accepted labeling. Note that your registration is not amended until the comment period required by section 6(f)(1) of FIFRA has expired and the Agency has approved the amendment. Therefore, you may withdraw your proposed amendment at any time during the comment period and until you receive your stamped-accepted labeling.

Sincerely,


James Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)



Recycled/Recyclable
Printed with Soy/Canola ink to make this
contain at least 50% recycled paper

WORKER PROTECTION STANDARD
CERTIFICATION STATEMENT
WHEN DEVIATIONS ARE PROPOSED

~~I certify that the revised labeling being submitted for LESCO~~
~~17-0-17 Elite Fertilizer with Systemic Turf Fungicide, EPA Reg.~~
No.10404-65, is in complete accordance with the labeling requirements of PR Notices 93-7 and 93-11, which reflect the requirements of EPA's labeling regulations for worker protection statements (40 CFR part 156, subpart K), except where noted. I have, in one or more places in the revised labeling, proposed changes that deviate from the exact language or location specified in the PR Notices. I have identified all such statements by

~~the following:~~
label revisions. I have proposed no changes to this labeling other than those required to comply with 40 CFR part 156, subpart K. I understand that EPA cannot guarantee to render its decision on revised labeling not in complete conformance with PR Notice 93-7 by 04/21/94. I understand that it would be a violation of FIFRA if I or my supplemental registrants were to sell or distribute this product after 04/21/94, without amended labeling complying with the requirements of 40 CFR part 156, subpart K.

Signature: Julius C. Prinzo
Julius C. Prinzo,
Manager, Product Registrations

Date: 11/30/93

PRODUCT ACUTE TOXICITY CATEGORIES BY ROUTE OF EXPOSURE:

- Acute Oral Toxicity III
- Acute Dermal Toxicity III
- ~~Skin Irritation Potential III~~
- Eye Irritation Potential
- Acute Inhalation Toxicity III

BEST AVAILABLE COPY



BEST AVAILABLE COPY

ACCEPTED with COMMENTS In EPA Letter Dated

17-0-17 Elite Fertilizer with Systemic Turf Fungicide

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 10404-65

NOT FOR USE on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

For the Treatment of Dollar Spot, Copper Spot, Powdery Mildew, Red Thread, Rusts, Brown Patch, Anthracnose, Poa Annua Decline, Stripe Smut, Fusarium Blight, and Summer Patch

ACTIVE INGREDIENT 1-(4-chlorophenoxy) 3,3-dimethyl-1-(1H-1,2,4-triazol-1-yl)-2-butanone 0.50% INERT INGREDIENTS 99.50% Total 100.00%

GUARANTEED ANALYSIS Total Nitrogen 17.00% Urea Nitrogen* 17.00% Soluble Potash 17.00% Sulfur (S) Total 14.80%

DERIVED FROM: Urea, Sulfur Coated Urea, and Sulfate of Potash *10.00% Slowly available Nitrogen from LESCO Poly Plus™ Sulfur Coated Urea Bayleton is a registered trademark of Miles Inc EPA Reg. No. 10404-65 EPA Est. No. 10404 OH-04

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENTS OF PRACTICAL TREATMENT If in eyes: Flush eyes with plenty of water. Get medical attention. If on skin: Remove contaminated clothing and wash affected area with soap and water. Get medical attention. Wash contaminated clothing before reuse. If inhaled: Remove victim to fresh air. Administer artificial respiration if indicated. SEE ADDITIONAL PRECAUTIONARY STATEMENTS.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION: Harmful if inhaled or absorbed through the skin. Prolonged or frequent repeated skin contact may cause allergic reactions in some individuals. Causes moderate eye irritation. Avoid breathing vapor, or dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating or smoking. Wash contaminated clothing with soap and hot water before reuse. ENVIRONMENTAL HAZARDS Do not contaminate water when disposing of equipment washwaters. Do not use on crops grown for food or foliage. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Apply this product only as specified on this label. Do not apply when weather conditions favor drift from target area. Do not use clippings or graze for animal feed.

DIRECTIONS FOR USE It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL Do not contaminate water, food, or feed by storage and disposal. Storage: Store product in original container in a cool, dry, locked place out of reach of children. Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of the fumes.

WARRANTY LESCO warrants that this product conforms to the chemical description on its label. When used in accordance with label directions under normal conditions it is reasonably fit for its intended purpose. Since timing, method of application, weather, plant and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not foreseeable. The user assumes all risks of use.

APPLICATION This product is absorbed rapidly and works systemically from within the plants. Rainfall or sprinkler irrigation soon after application will assure rapid systemic uptake. Control will be less effective on turf suffering from drought stress. Therefore, in order to achieve maximum control, plants should be maintained in a vigorously growing state through good cultural practices. Apply when turf is fully established and actively growing. Applications should be made at recommended intervals to maintain disease control. LESCO Bayleton® 0.5% + 17-0-17 Elite Fertilizer/Systemic Turf Fungicide recommended applications - Turfgrass disease control.

Table with columns: Disease, How much to use per 1,000 sq ft (Preventive, Curative), Remarks. Includes Dollar Spot, Copper Spot, Powdery Mildew, Red Thread, Rusts, Anthracnose, Poa Annua Decline, Stripe Smut, Fusarium Blight, Summer Patch.

Approximate Spreader Settings for LESCO Rotary Spreader. Columns: Product/1,000 sq ft, Effective Spreading Width, Third Hole, Approximate Setting. Rows: 1.5 lbs, 3.0 lbs, 6.0 lbs.

Important: Spreader settings are only approximate. Age and conditions of spreader may cause wide variations. Be sure to calibrate your spreader with each application. Consult the Spreader Operations Manual.

WARRANTY LESCO warrants that this product conforms to the chemical description on its label. When used in accordance with label directions under normal conditions it is reasonably fit for its intended purpose. Since timing, method of application, weather, plant and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not foreseeable. The user assumes all risks of use.

#017530

LESCO, Inc. 20005 Lake Road, P.O. Box 16915 Rocky River, OH 44116

Net Weight 50 Lbs Rev 08/93WP