

OCT 21 1991

Lesco, Incorporated
c/o Mr. H. R. McLane
H. R. McLane, Incorporated
7210 Red Road, Suite 206
Miami, Florida 33143

Subject: Revised Labeling
Lesco Horticultural Oil Insecticide
EPA Registration Number 10404-66
Your Application Dated August 5, 1991

Dear Mr. McLane:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

DHE

Dennis H. Edwards, Jr.
Product Manager (19)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

LESCO HORTICULTURAL OIL INSECTICIDE controls a wide range of mite and insect pests in the egg stages such as spider and encyrtid Mites, Armored and Soft Scale, Mealybugs, Psyllids, Whiteflies, Aphids, Leafrollers, Leafhoppers, Webworms, Cankerworms, Plant Bugs, Leafhoppers, and Adelgids. Will kill other immature forms of insects if spray covers the insect.

HOW MUCH TO USE

For insects listed on each crop, mix number of gallons of product in 100 gallons of water as shown in the column headed up (G/100) or (Gals./100 gals) in charts below

CROP	INSECT	G/100	WHEN TO APPLY (Growth Stage)
APPLES	Apple Red Bug	2	Dormant
	European Fruit Lecanium Scale	2	Dormant
	Fruit Tree Leaf Roller	3	Dormant
	European Red Mite	2	Green Tip to Delayed Dormant
	San Jose Scale	2	1/2" Green
	Scurfy Scale	3	1/2" Green
PEARS	Fruit Tree Leaf Roller	3	Dormant
	Pear Leaf Blister Mite	3	Dormant
	Pear Psylla	2	Late Dormant
PECANS	Obscure Scale	3	Dormant
PEACHES	Cottony Cushion Scale	3	Dormant
PLUMS & PRUNES	European Red Mite	2	Dormant to Delayed
	European Fruit Lecanium Scale	2	Dormant 1/2" Green
SHADE TREES & SHRUBS	Spider Mite, Scales, Certain Caterpillars	2	Dormant Summer
ORNAMENTALS	Plant Bugs	2	Dormant Summer
SWEET CORN	Earworms	2	Dormant
FIELD CORN	Fall Armyworm, Corn Root Worm	2	Spring early
SUGAR BEETS	Mites, Leaf Miners	2 gal./Acre	As needed

BEST AVAILABLE COPY

LESCO

HORTICULTURAL OIL INSECTICIDE

A Highly Refined Superior Spray Oil for Control of Insects & Mites on Crops & Ornamentals

ACTIVE INGREDIENT: Petroleum Oil Distillate - - - - 98.8%
 INERT INGREDIENTS: - - - - 1.2%
 Total 100.0%

Unsulfonated Residue of Petroleum Distillate; 92% Min.
 50% Distillation Point of Petroleum Distillate; 414° F
 Flash Point; 345° F - Weight Per Gallon; 7.1 lbs./Gal.

KEEP OUT OF REACH OF CHILDREN CAUTION

Statements of Practical Treatment
IF SWALLOWED: Call a physician immediately. Do not induce vomiting. Vomiting may cause aspiration pneumonia. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. **IN ON SKIN:** Remove contaminated clothing and wash with soap and water. **IF IN EYES:** Flush eyes with plenty of water. Get medical attention if irritation persists.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION: Avoid contact with eyes, skin or clothing. Harmful if swallowed. Avoid breathing spray mist or vapors. Wash hands after using. Avoid contamination of feed or foodstuff.

ENVIRONMENTAL HAZARDS
 This product is toxic to fish. Do not apply directly to water. Do not contaminate water by disposal of equipment washwaters. Apply this product only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS
 Do not use, pour, spill or store near heat or open flame.

See Side Panel For Additional Precautionary Statements.

DIRECTIONS FOR USE
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not use this product in any type of irrigation system.

EPA REG. NO. 10404-66 EPA EST. NO. 10404-OH-2
 NET CONTENTS 30 GALLON

LESCO, INC.
 2005 Lake Road
 Rocky River, OH 66114

ACCEPTED
 OCT 21 1994
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 10404-66

STORAGE
 Do not contaminate water, product in original labeled children. PESTICIDE DISPOSAL: disposed of on site or at an approved CONTAINER DISPOSAL: M or reconditioning or punct procedures approved by sta

IMPORTANT
 Keep oil container tightly clo use. All horticultural oils In during the period of evapot plants exhibit moisture stre periods of prolonged high combination with or immedia gicides such as Captan, Fol

TANK MIXES: It is important labels of the proposed tank

ORNAMENTAL PLANTS: O evergreens as Colorado Bl reduced dosage for summer Black Walnut. Use with cauti Redbud, Chamascyparis, Cr

CITRUS: Oils applied after C August and September may

It is important to determine t schedules outlined in your seasonal applications of Hort

REENTRY STATEMENT: Do thorough drift expose worka vacated by unprotected pers clothing until sprays have dri reentry intervals for various cr ment of Agriculture for further Written or oral warnings must areas or in an area about to be warnings shall be given in a warnings may include the follo Horticultural Oil Insecticide. D sprays have dried. In case of Treatment found on this prod

USES FOR LESCO
 1. For use as a carrier for bac cold fog machine.
 2. May be used with Ethlon an
 3. May be used with Permethr
 4. May be used in a tank mix Sweet Corn and Field Cor
 5. May be used in a tank mix Pecans, Peaches, Orname
 Citrus (Oranges, Grapefru
 6. May be used as a spreader applied for pest control by

IMPORTANT - SUICIDE
 NOTICE: LESCO, INC. warrant on its label. When used commonly, over-herbicide is re should be applied in a method and the following: Tectin warranty is given concerning t under conditions which are s assumes all risks of any such u ndmt. to edit, char/use/rate

CITRUS	Gals./100 gals	WHEN TO APPLY
CITRUS Scales; Glover (long) Chaff, Purple, Red, Yellow, Snow, Brown, Soft, Rust Mite, Greasy Spot, Spot & Sooty Mold, Spider Mites, White Fly, *California Red Scale.	1.0 to 1.3 3 to 10	Apply Post Bloom in March & April
Scales listed above & Rust Mite, Greasy Spot & Sooty Mold (Florida Only), California Red Scale	1.0 to 1.3 1.0 to 1.3 1.3 to 10	Apply Post Bloom in March & April May be applied with EPA approved compatible miticide as directed in current Citrus Spray Guide.
Scale listed above & Spider Mites, Black Scale, White Fly, California Red Scale, (Do not use in California)	0.5 to 0.7 0.5 to 0.7 0.65 to 0.9	Apply summer (June to July 15th) May be apply with EPA approved/ compatible miticide/pesticide; applied only as directed in a current Citrus Spray Guide.
Scale insects in post bloom for Oil, Greasy Spot and Sooty Mold (Florida Only).	1.0 to 1.3	Apply summer (June to July 15th)