

10404-67

1-30-2001

4/3



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Stephen M. Jedrzejek
Director of Regulatory Affairs
LESCO, Inc.
20005 Lake Road
Rocky River, OH 44116

JAN 30 2001

Subject: Chlorpyrifos MOA dated June 7, 2000
LESCO 1% Dursban Granular Bait
EPA Reg No.: 10404-67
Submission Dated: December 11, 2000

Dear Mr. Jedrzejek:


The revised labeling referenced to above, submitted in connection with the registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) as amended, is acceptable, provided you incorporate the Agency's conditions as enumerated in this letter below and submit one copy of your final printed label prior to releasing the product for shipment.

- 1) The text "use for crawling insect control outside of homes, apartments, condominiums, warehouses, hospitals, schools, food handling establishments and commercial buildings" in the left panel is not acceptable and must be revised to read "use for crawling insect control outside of industrial plant sites such as warehouses and food processing establishments."
- 2) Although you have correctly added the text "For Professional Use Only" to your fire ant use directions, we strongly recommend that you also add that restriction to the wording "For mound treatment control of imported fire ants in lawns and recreational areas" on the left panel of the draft label.
- 3) You must delete "such as" from the text "use 1 lb/435 sq ft (2.3 lb/1000 sq ft) for area control of these insects infesting areas such as.." under the use directions for brown dog ticks and fleas.

Submit one copy of the revised final printed label before releasing the product for shipment. If the conditions enumerated above are not complied with, the registration will be subject to cancellation in accordance with FIFRA Section 6(e).

If you have questions about this label review, please contact me at (703) 308-6742 or electronically at McNeilly.Dennis@EPA.gov. You may also contact Judy Loranger at (703)-308-8056 if you have specific questions regarding this letter.

Sincerely,



Dennis McNeilly, Chemist
Insecticide-Rodenticide Branch
Registration Division (7505C)

LESCO®

ACCEPTED
with COMMENTS
In EPA Letter Dated:
JAN 30 2001
as amended, for the pest
registered under EPA Reg
10404-67

1% Dursban® Granular Bait

For use on golf courses (turf only), road medians and industrial sites only.

For effective long lasting control of Chinch Bugs, Asian Roaches, Fire Ants, Fleas, Ticks, Foraging Ants, and other outdoor insects.

ACTIVE INGREDIENT:

Chlorpyrifos: [O,O,-diethyl-O-(3,5,6-trichloro-2-pyridyl) phosphorothioate] 1.00%

INERT INGREDIENTS..... 99.00%

Total..... 100.00%

For mound treatment control of imported fire ants in lawns and recreational areas

Controls Ants (including Carpenter, Argentine & Foraging), Army-worms (Beet, Fall, Yellow-striped), Fleas, Chinch Bugs(2), Clover Mites, Cutworms, Crickets, Earwigs, Fiery Skipper, Fleas, Grasshoppers, Greenbugs, Leafhoppers, Millipedes, Roaches (Asian), Sod Webworms (Lawn Moth) (3), Sow Bugs, Springtails, Ticks (Brown Dog Tick) (1), Imported Fire Ants(4). (See numbered paragraphs for insect control)

Use for crawling insect control outside of homes, apartments, condominiums, warehouses, hospitals, schools, food handling establishments and commercial buildings.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FIRST AID

If inhaled	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If in eyes	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
Storage: Store product in its original container in a cool, dry locked place out of reach of children.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned stay out of smoke.

SPECIFIC DIRECTIONS

The following numbered paragraphs correspond to numbers in parenthesis (x) on the front panel following the insect names. Insects not numbered may be controlled by following the GENERAL DIRECTIONS. Repeat treatments as needed for control.

(1) BROWN DOG TICKS, & FLEAS

Use 1 lb./435 sq ft (2.3 lb./1,000 sq ft) for area control of these insects, infesting areas such as golf courses (turf only), road medians and industrial sites where these are present and create a nuisance or a possible public health problem. DO NOT allow public use of treated area during applications.

(2) CHINCH BUGS

Apply 1 lb./435 sq ft (2.3 lb./1,000 sq ft or 100 lb./A) when insects appear and/or their damage is imminent. To prevent damage apply as soon as daily temperatures reach 80 F and repeat every 2 months.

(3) SOD WEBWORMS

For Sod Webworms, delay watering or mowing the treated area for 12 to 24 hours after treatment. Treat in the spring or when insects first appear troublesome. Additional treatments at 30 day intervals may be needed for new infestations. Apply at rate of 2.3 lb per 1,000 sq ft

**(4) IMPORTED FIRE ANT CONTROL
FOR PROFESSIONAL USE ONLY**

MOUND TREATMENT-For treatment of Fire Ant mounds occurring in lawns, turf and premise areas, treat individual ant mounds measuring from 3 to 12 inches in diameter by applying 8 tablespoons (1.6 oz.) of granules evenly in a circle around the outer edges (1 to 2 feet from the center) of the mound.

Finish the treatment by applying 2 tablespoons (0.4 oz.) sprinkled evenly over the center of the mound. After application of the granules, gently sprinkle the treated area with a minimum of 1 quart of water per 6 inches of mound diameter. Apply in cool weather (65 to 80 degrees F) or in early morning or late evening. Best results will be obtained if mound is not disturbed after treatment thus allowing ants to come and go and to be exposed to the insecticide. Repeat treatments as needed for additional control but not more than once every 7 days.

GENERAL DIRECTIONS FOR USE ON GOLF COURSES (TURF ONLY) ROAD MEDIANS AND INDUSTRIAL SITES. Apply 1% Dursban Granular uniformly to golf courses (turf only), using any hand or power operated type spreader designed for application of granules. Treat when insects first