

10404-67

2/28/2001

1/2

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460



OFFICE OF  
PREVENTION, PESTICIDES  
AND TOXIC SUBSTANCES

Feb 28, 2001

Ms. Bernadine Javorek  
LESCO, Inc.  
15885 Sprague Road  
Strongsville, OH 41136-1799

Subject: 1% Dursban Granular Bait  
EPA Reg. No. 10404-67  
Submission dated Feb 14, 2001

Dear Ms. Javorek:

The revised product labeling referred to above, submitted in connection with the registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) as amended, is acceptable, provided you incorporate the condition enumerated in this letter below and submit one copy of your final, printed label prior to releasing the product for shipment.

1. The statement directly under the product name "... industrial sites such as warehouses and - food handling establishments." Must be revised to: "... industrial sites such as warehouses and food processing establishments."
2. The heading "Perimeter Around Dwellings" must be revised to "Perimeter Around Industrial Buildings/Food Processing Establishments".
3. The reference (under the heading "Perimeter Around Dwellings") to "food handling establishment" must be revised to "food processing establishments".

A stamped copy of the label is enclosed for your files. If you have questions, please contact me at (703) 308-6742 or electronically at [mceilly.dennis@epa.gov](mailto:mceilly.dennis@epa.gov).

Sincerely,

A handwritten signature in black ink, appearing to read "Dennis McNeilly".


Dennis McNeilly, Chemist  
Insecticide-Rodenticide Branch  
Registration Division (7505C)

4/2

# LESCO®

ACCEPTED  
with COMMENTS  
In EPA Letter Dated:  
FEB 28 2001

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under EPA Reg. No.  
104404-6



# 1% Dursban® Granular Bait

For use on golf courses (turf only), road medians and industrial sites only.

For effective long lasting control of Chinch Bugs, Asian Roaches, Fire Ants, Fleas, Ticks, Foraging Ants, and other outdoor insects.

ACTIVE INGREDIENT:

Chlorpyrifos: [O,O-diethyl-O-(3,5,6-trichloro-2-pyridyl) phosphorothioate] ..... 1.00%

INERT INGREDIENTS..... 99.00%

Total..... 100.00%

FOR PROFESSIONAL USE ONLY: mound treatment control of imported fire ants in lawns and recreational areas.

Controls Ants (including Carpenter, Argentine & Foraging), Army-worms (Beet, Fall, Yellow-striped), Beetles, Chinch Bugs(2), Clover Mites, Cutworms, Crickets, Earwigs, Flea Skipper, Fleas, Grasshoppers, Greenbugs, Leafhoppers, Millipedes, Roaches (Asian), Sod Webworms (Lawn Moth) (3), Sow Bugs, Springtails, Ticks (Brown Dog Tick) (1), Imported Fire Ants(4). (See numbered paragraphs for insect control)

Use for crawling insect control outside of industrial plant sites such as warehouses and food handling establishments.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

FIRST AID	
If inhaled	<ul style="list-style-type: none"> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
If on skin or clothing	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If in eyes	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If swallowed	<ul style="list-style-type: none"> <li>Call poison control center or doctor immediately for</li> </ul>

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**Storage:** Store product in its original container in a cool, dry locked place out of reach of children.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Completely empty bag into application equipment. Then dispose of empty bag in sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned stay out of smoke.

**SPECIFIC DIRECTIONS**

The following numbered paragraphs correspond to numbers in parenthesis (x) on the front panel following the insect names. Insects not numbered may be controlled by following the GENERAL DIRECTIONS. Repeat treatments as needed for control.

**(1) BROWN DOG TICKS, & FLEAS**

Use 1 lb./435 sq ft (2.3 lb./1,000 sq ft) for area control of these insects, infesting golf courses (turf only), road medians and industrial sites where these are present and create a nuisance or a possible public health problem. DO NOT allow public use of treated area during applications.

**(2) CHINCH BUGS**

Apply 1 lb./435 sq ft (2.3 lb./1,000 sq ft or 100 lb./A) when insects appear and/or their damage is imminent. To prevent damage apply as soon as daily temperatures reach 80 F and repeat every 2 months.

**(3) SOD WEBWORMS**

For Sod Webworms, delay watering or mowing the treated area for 12 to 24 hours after treatment. Treat in the spring or when insects first appear troublesome. Additional treatments at 30 day intervals may be needed for new infestations. Apply at rate of 2.3 lb per 1,000 sq ft.

**(4) IMPORTED FIRE ANT CONTROL FOR PROFESSIONAL USE ONLY**

**MOUND TREATMENT-**For treatment of Fire Ant mounds occurring in lawns, turf and premise areas treat individual ant mounds measuring from 3 to 12 inches in diameter by applying 8 tablespoons (1.6 oz.) of granules evenly in a circle around the outer edges (1 to 2 feet from the center) of the mound. Finish the treatment by applying 2 tablespoons (0.4 oz.) sprinkled evenly over the center of the mound. After application of the granules, gently sprinkle the treated area with a minimum of 1 quart of water per 6 inches of mound diameter. Apply in cool weather 65 to 80 degrees F) or in early morning or late evening. Best results will be obtained if mound is not disturbed after treatment thus allowing ants to come and go and to be exposed to the insecticide. Repeat treatments as needed for additional control but not more than once every 7 days.

**GENERAL DIRECTIONS FOR USE ON GOLF COURSES (TURF ONLY) ROAD MEDIANS AND INDUSTRIAL SITES.** Apply 1% Dursban Granular uniformly to golf courses (turf only), using any hand or power operated type