


10404-67

09-11-2007

1/3

	U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505P) Ariel Rios Building 1200 Pennsylvania Ave., NW Washington, D.C. 20460		EPA Reg. Number: 10404-67	Date of Issuance: SEP 11 2007
	NOTICE OF PESTICIDE: <input type="checkbox"/> Registration <input checked="" type="checkbox"/> Reregistration (under FIFRA, as amended)		Term of Issuance: Unconditional	Name of Pesticide Product: Lescó 1% Dursban Granular Bait
Name and Address of Registrant (include ZIP Code): Lescó, Inc. 1301 East 9th Street, Suite 1300 Cleveland, OH 44144-1849				
<p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>Based on your response to the Reregistration Eligibility Decision, EPA has reregistered the product listed above. This action is taken under the authority of section 4(g)(2)(C) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.</p> <p>Generic data requirements that have been identified in the RED as confirmatory data for the active ingredient contained in the subject product will continue to be tracked and assessed in the Agency's continual reassessment of pesticides.</p> <p>The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable with the following comments:</p> <ol style="list-style-type: none"> 1) The listing for ants must contain the exclusion "except for fire ants, carpenter ants, pharaoh ants and harvester ants". Therefore, you must delete carpenter ants since no acceptable efficacy data were provided to support this structural pest. 2) All references to fleas and ticks (such as the brown dog ticks & fleas section) and roaches must be deleted from your label since no acceptable efficacy data are available to support these public health pests. 3) In the Warranty Statement revise "The direction for use must be followed carefully" by replacing should with must and add "to the extent allowed by applicable laws" before "Lescó makes no warranties...." <p>You must submit one (1) copy of the final printed label before you release the product for shipment. Products shipped after 12 months from the date of this Notice or the next printing of the label whichever occurs first, must bear the new revised label. A stamped copy of the label is enclosed for your records. Should you have any questions, do not hesitate to contact Dr. Akiva Abramovitch at 703-308-8328.</p>				
Signature of Approving Official: Meredith F. Laws, Chief <i>Meredith F. Laws</i> Insecticide-Rodenticide Branch Registration Division (7505P)			Date: SEP 11 2007	

LESCO®

2/3

1% Dursban® Granular Bait

For use on golf courses (turf only), road medians and industrial plant sites only

REVISED 5/10/07

For effective long lasting control of Chinch Bugs, Asian Roaches, Fleas, Ticks, Foraging Ants, Mole Crickets, and other outdoor insects.

ACTIVE INGREDIENT:

Chlorpyrifos: [0,0,-diethyl-0-(3,5,6-trichloro-2-pyridyl) phosphorothioate]..... 1.00%

INERT INGREDIENTS..... 99.00%

Total..... 100.00%

Controls Ants (including Carpenter, Argentine & Foraging), Army-worms (Beet, Fall, Yellow-striped), Centipedes, Chinch Bugs(2), Clover Mites, Cutworms, Crickets, Earwigs, Fiery Skipper, Fleas, Grasshoppers, Greenbugs, Millipedes, Mole Crickets (4), Roaches (Asian), Sod Webworms (Lawn Moth) (3), Sow Bugs, Springtails, Ticks (Brown Dog Tick) (1). (See numbered paragraphs for insect control)

Use for crawling insect control outside of industrial sites such as warehouses and food processing establishments.

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

Organophosphate

If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact CHEM-TREC at 1-(800) 424-9300 for emergency medical treatment information.

NOTE TO PHYSICIAN

Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote by injection.

**ACCEPTED
with COMMENTS
In EPA Letter Dated:**

SEP 11 2007

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.**

10404-67

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Harmful if swallowed. Harmful if inhaled. Avoid breathing dust. Do not take internally. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Wash contaminated clothing before reuse. Keep away from food, feed-stuffs, and water supplies. Keep children and pets off treated areas until this material is washed into the soil and the grass is dry.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Loaders, applicators and all other handlers must wear:

- Long-sleeved shirt and long pants;
- shoes and socks

In addition to the above, loaders must wear:

- Chemical-resistant gloves made of any waterproof material
- Chemical-resistant apron
- A NIOSH-approved dust mist filtering respirator with MSHA/NIOSH approval number prefix TC-21C or a NIOSH-approved respirator with any N, R, P, or HE filter

Follow Manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product pesticide is toxic to fish, aquatic invertebrates, small mammals, birds, and other wildlife. Do not apply directly to water, or other areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not apply where runoff is likely to occur. Do not contaminate water when disposing of equipment washwaters or rinsate. Use only as directed.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not enter or allow others to enter until gusts have settled.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

The maximum application rate per application rate is 1lb ai/A.

3/3

SPECIFIC DIRECTIONS

The following numbered paragraphs correspond to numbers in parenthesis (x) on the front panel following the insect names. Insects not numbered may be controlled by following the GENERAL DIRECTIONS. Repeat treatments as needed for control.

(1) BROWN DOG TICKS, & FLEAS

Use 1 lb./435 sq ft (2.3 lb./1,000 sq ft) for area control of these insects, infesting golf courses (turf only), road medians and industrial plant sites where these are present and create a nuisance or a possible public health problem. DO NOT allow public use of treated area during applications.

(2) CHINCH BUGS

Apply 1 lb./435 sq ft (2.3 lb./1,000 sq ft or 100 lb./A) when insects appear and/or their damage is imminent. To prevent damage apply as soon as daily temperatures reach 80 degrees F and repeat every 2 months.

(3) SOD WEBWORMS

For Sod Webworms, delay watering or mowing the treated area for 12 to 24 hours after treatment. Treat in the spring or when insects first appear troublesome. Additional treatments at 30 day intervals may be needed for new infestations. Apply at rate of 2.3 lb per 1,000 sq ft

(4) MOLE CRICKETS

Use 2.3 lbs. Per 1,000 sq. ft. Treat suspected problem areas when insects become a problem or as recommended by your local Ag. Extension Service Specialist.

The Best Time to Control Adult Mole Crickets

	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec
1.												
2.												

1. Indicates egg laying time. 2. Best time to control crickets.

GENERAL DIRECTIONS FOR USE ON GOLF COURSES (TURF ONLY) ROAD MEDIANS AND INDUSTRIAL PLANT SITES. Apply 1% Dursban Granular uniformly to golf courses (turf only), road medians, and industrial plant sites using any hand or power operated type spreader designed for application of granules. Treat when insects first appear at the rate of 2.3 lb/1,000 sq ft (100 lb/Acre) for Surface insects. For best efficacy sprinkle the turf with water to move the granules into the zone of insect infestation. Repeat treatment as necessary. Observe Watering limitation in paragraph for No. (3) Sod Webworms.

RATE TO USE FOR SURFACE INSECTS

For control of Ants (as listed on front panel), Armyworms (Beet, Fall, Yellow-striped), Centipedes, Chinch Bugs, Clover Mites, Cutworms, Crickets, Earwigs, Fiery Skipper, Fleas, Grasshoppers, Greenbugs, Millipedes, Sod Webworms (Lawn Moth), Sowbugs, Springtails, and Ticks (Brown Dog Tick) use 2.3 lb/1,000 sq ft

PERIMETER AROUND INDUSTRIAL BUILDINGS/FOOD PROCESSING ESTABLISHMENTS

Use for crawling insect control outside of industrial plant sites such as warehouses and food processing establishments. To protect against insects entering the indoors, a band of granules may be placed around the outside of buildings to kill Ants (as listed on front panel), Ticks (Brown Dog Tick), Crickets, Earwigs, Fleas, Millipedes, roaches (Asian), Sowbugs, Springtails before they attempt to enter. Use 1 lb to treat 435 sq ft (as a band 5 ft x 87 ft long) around the structure. Apply when insects have become troublesome or before they cause problems in the spring or early fall. Repeat one month later and then as needed for control but not more than once every 7 days.

Net Weight: 40 lb (18.16 kg)

EPA Reg. No. 10404-67
EPA Est. No. 10404-OH-04 (M), 10404-FL-01(S)
82757-OH-001 (M), 82757-FL-002 (S)
First letter of lot code indicates manufacturing site.

#069232

F1406 F1560
LESCO, Inc.
1301 East 9th Street,
Cleveland, OH 44114-1849

LESCO ROTARY SPREADER APPROXIMATE SETTINGS

For Large Area Treatments

# Product/ 1,000 sq ft	#A/A	Effective Spreading Width	Third Hole	LESCO Calibration Gauge
1.0	0.44	6 ft.	OPEN	# 11
2.3	1.00	6 ft.	OPEN	# 14

*IMPORTANT: These settings are only approximate. Age, condition of spreader, and operator speed can cause wide variation. Be sure to calibrate your spreader with each application.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
Storage: Store product in its original container in a cool, dry locked place out of reach of children.
Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned stay out of smoke.

CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded. The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of LESCO, Inc. or seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold LESCO, Inc. harmless for any claims relating to such factors. LESCO, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or LESCO, Inc., and the Buyer and User assume the risk of any such use. LESCO, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE. In no event shall LESCO, Inc. or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF LESCO, INC. AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, USE OR HANDLING OF THIS PRODUCT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF LESCO, INC. OR SELLER, THE REPLACEMENT OF THE PRODUCT. LESCO, Inc. and Seller offer this product, and buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of LESCO, Inc.

~~NOTICE: LESCO, INC. warrants that this insecticide conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this insecticide is reasonably fit for its intended purposes. Since timing, method of application, weather, plant and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use.~~

LESCO is a registered trademark of LESCO Technologies, LLC. Dursban is a registered trademark of Dow AgroSciences, LLC.
G:\REGUL\WP\Regul Private\Mstr\Lbl\New EPA Approved\Dursban 1% Granular.doc
Rev. 5/10/07 (080201)

