US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) **WASHINGTON, DC 20460** 

10404-69

EPA REGISTRATION NO.

DATE OF ISSUANCE SEP 1 1 1867

TERM OF ISSUANCE

Conditional

NAME OF PESTICIDE PRODUCT Lesco Three-Way 53% DG Selective Broadleaf Herbicide

NOTICE OF PESTICIDE: TREESTRATION REREGISTRATION

(Under the Federal Insecticide, Fundicide, and Rodenticide Act, as amended)

MAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Lesco, Incorporated 20005 Lake Road P.O. Box 16915 Rocky River, OH 44116

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be aubmitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- Submit and/or cite all data required registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
- Make the labeling change listed below before you release the product for shipment:
  - Add the phrase "EPA Registration No. 10404-69."
- Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.
- Please note that the Agency still has not received certification of child-resistant packaging. As stated in the Agency letter dated October 5, 1990, you must provide childresistant packaging on all containers packaged in smaller than 50 pound containers. If this condition is not complied with, you will be in violation of 40 CFR 157.32. If it has been complied with, you must submit a certification of child-resistant packaging as outlined in 40 CFR 157.34. Please respond immediately.

ATTACHMENT IS APPLICABLE	
SIGNATURE OF APPROVING OFFICIAL & Miller	DATE 9/11/9/

EPA Form 8578-6 (Rov. 5-76),

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy is enclosed for your records.

Joanne I. Miller Product Manager (23) Fungicide-Herbicide Branch Registration Division (H7505C)

**Enclosures** 

GONCURRENCES							
SYMBOL H7505C		1					
SURNAME D. KENNY							
DATE 9/11/91							
/ DA Form 4000 44 44 700					ORGICIAL BILE COPY		

# District Control of the Control of t

Only For Use By Professional Turf Maintenance Personnel, Landscape or Commercial Applicators

# A Water Dispersible Granule Formulation For Broadleaf Weed Control in Ornamental and Recreational Lawns and Turforass **ACTIVE INGREDIENTS:**

16.90% 17.2 2,4-dichlorophenoxyacetic acid-2,(2-methyl-4-chlorophenoxy) propionic acid-2.40% Dicamba (3,6 dichloro-o-anisic) acid- - -Related Compounds - -0.60% INERT INGREDIENTS: -46.60% Total 100,00%

Isomers Specific by AOAC \$6.321

# KEEP OUT OF REACH OF CHILDREN DANGER

"PRECAUCION AL USUARIO: Si ueted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente! STATEMENTS OF PRACTICAL TREATMENT

If in eyes, flush with plenty of water for at least 15 minutes. Get medical attention tation persists. <u>If swallowed,</u> drink promptly a large quantity of milk, egg as, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. Call a physician or Poison Control Center. fill on skin, wash with plenty of soap and water. If inhaled, remove victim to fresh er and apply artificial respiration if indicated.

See Side Panel For Additional Precautionary Statements EPA REG. NO. 10404-AO(69) EPA EST NO. 10404-0H-2

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Corrosive, Causes irreversible eye damage. Wear goggles, a face shield or safety glasses. Harmful it swallowed, inhaled or absorbed through the skin. Avoid contact with skin, eyes and clothing. Wash Incroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Wear long pants, long-sleeved shirt, shoes, and gloves

#### when mxing, loading, or applying this product. **ENVIRONMENTAL HAZARDS**

Drift or runoff may adversely affect nomarget plants. Do not apply directly to (water, to areas where surface water is present or to intertidal areas below the rmean high water mark. Do not contaminate water when disposing of equipment

hwaters. When cleaning equipment, do not pour the washwater on the and und; spray or drain over a large area away from wells and water sources. Groundwater contamination - Most cases of ground water comtamination involving 2,4-D or MCPP herbicides have been associated with mixing/loading and disposal sites. Caution should be exercised when haddlife been do at such sites to prevent contamination of groundwater suggitted 055 VI close systems for mixing and transferring this posticide will and the probability of applies. Placement of the mixing the probability of applies. spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination. Apply this product EP 11 1001 only as specified on this label

# REENTRY STATEMENT

Do not reenter or permit others to reenter treated treasuring the United Control of the It is a violation of Federal law to use this product in a rightent deposits that the labeling. Do not apply this product the rightent deposits that the product is a rightent deposits that the product the rightent deposits the product the product

with its labeling. Do not apply this product through any tipe plierlostfol? A NO DISPOSAL

Do not contaminate water, rood or feed by storage or disposel. ISTORAGE: Store product in its riigina, imbered container in a cool, dry, locked place out of reach of children. Store in a reparate area for harbicides away from seeds, feeds, fertilizers, insecticic es and fungicides. PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rineate, is a violation of Federal lew and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

(Continued on next penel)

**<u>BONTAINER DISPOSAL</u>**: Completely empty bag into application equipment. Then dispose of beg in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

**HOW TO USE** 

Best results are obtained from LESCO THREE-WAY 53% DG Herbicide when used on weeds that are young and actively growing. The lower rate will control susceptible annual weeds. Use the higher rate for perennial weeds or under conditions where weed kill is difficult \*(See How To Apply). A repeat application may be necessary for some weeds that are hard to kill.

#### WEEDS CONTROLLED

Bedstraw	Docks	Oxalis	Smartweed
Black Medic	Ground by	Peppergrass	Speedwell
Buckhorn	Heal-All	Pigweed	Velvetiesf
Burdock	Henbit	Plentains	Wild Carrot
Carpetweed	Knotweed	Purslane	Wild Garlic
Chicory	Lambequarter	Regweed	Wild Onion
Clover	Lespedeza	Red Sorrel	Yarrow
Chickweed	Mallow	Sneep Sorrel	Yellow Rocket
Dendelion	Morning-glory,annual		(and many more

#### HOW TO MIX

Fill spray tank with half the required amount of water, then add the recom-'sd amount of LESCO THREE-WAY 53% DG Herbicide and continue filling ank with the balance of water. Keep agitator running when filling the sy tank and during spray operations.

LESCO THREE-WAY 53% DG Herbicide may be tank mixed with other pesticide labeled for use on ornamental lawns and turf. Follow all use directions on the label for any such pesticide. Add LESCO THREE-WAY to the tank first, mix thoroughly, and then add other components.

# **HOW TO APPLY**

Apply LESCO THREE-WAY 53% DG Herbicide at the rate of 3 to 4 lbs. in 20 to 240 gallons of water per acre (equal to 1.1 to 1.5 oz. product /1,000 Sq.Ft). Meximum kill of weed will be obtained from spring or early fall application when weeds are actively growing. \*Avoid applying during long, excessively dry or hot periods unless adequate irrigation is available. Do not apply to newly seeded turf until after the second or third mowing. Grass seed can be safely sown at recommended rates 3 to 4 weeks after application.

Do not use on Dichondra, Bentgrass, Centipedegrass, Carpetgrass or St. Augustinegrass unless varying degrees of foliage injury can be tolerated. Use enough spray volume for uniform coverage by ground application. The amount of water required for low volume applications may vary from 20 to 50 gallons of spray per acre. For high volume applications 25 to 240 gallons per acre, or more, of spray may be necessary for good coverage.

### USE AND SPRAY PRECAUTIONS

Don't over dose. Do not apply when temperatures exceed 90° F and humidity is high. Avoid spray drift to cotton, soybeans, tomatoes, tobacco, grapes, fruit trees, flower or vegetable garden crops, ornamental plants, shrubs, trees and other hormone herbicide sensitive, desirable plants. Lo not apply when wind speed is sufficient to cause unacceptable drift. Use coarse sprays and lower gozzle pressure to aid in avoiding spray drift. Do not use nozzles which produce fige spray droplets under high pressure. The use of thickening agents or antiillt additives and drift-reducing equioment is of value in preventing spray drift. dental divise and drift-reducing equioment to of value in preventing spray drift.

Some should be taken not to make applications where runoff could carry the chemical to non-target areas. Local spray conditions will vary. Check local recammendations before applying.

LESCO INC, warrants that this herbicide conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this herbicios is reasonably (it for its intended purposes. Since timing, method of application, weather, plant and soil conditions, mixture with other chemicals, and other factors effecting the use of this product are beyond our control, no warranty is given concerning the use of the promuct contrary to label firections or under conditions which are abnormal or not reasonably torsessable. The user assumes all risks of any such use. (EPA.corrected ver. 06-28-91)

**NET WEIGHT 50 POUNDS** 

#018847

LESCO, INC. 20005 LAKE ROAD - ROCKY RIVER, OHIO 44116